




Visual Studio Code interface showing the `ServiceMovie.cs` file in the `blazorProy1` project. The file contains the following code:



```
1 using System;
2 using blazorProy1.Shared.Entity;
3 using System.Collections.Generic;
4 using blazorProy1.Client.Services;
5
6 namespace blazorProy1.Client.Services
7 {
8     public class ServiceMovie:IServiceMovie
9     {
10         public List<Movie> GetMovies(){
11             return new List<Movie>{
12                 new Movie(){MovieName="Free guy",MovieImage="https://www.themoviedb.org/t/p/w600_and_h900_bestv2/free_guy.jpg",Sinapsis="Sir"},
13                 new Movie(){MovieName="Movie 3",MovieImage="/Images/Movies/Movie3.jpg",Sinapsis="Sir"},
14                 new Movie(){MovieName="El juego del calamar",MovieImage="/Images/Movies/Movie4.jpg",Sinapsis="Sir"},
15                 new Movie(){MovieName="Movie 5",MovieImage="/Images/Movies/Movie5.jpg",Sinapsis="Sir"},
16                 new Movie(){MovieName="Intrusion",MovieImage="/Images/Movies/Movie6.jpg",Sinapsis="Sir"},
17                 new Movie(){MovieName="Movie 7",MovieImage="/Images/Movies/Movie7.jpg",Sinapsis="Sir"},
18                 new Movie(){MovieName="Movie 8",MovieImage="/Images/Movies/Movie8.jpg",Sinapsis="Sir"},
19                 new Movie(){MovieName="Movie 9",MovieImage="/Images/Movies/Movie9.jpg",Sinapsis="Sir"},
20                 new Movie(){MovieName="Movie 10",MovieImage="/Images/Movies/Movie10.jpg",Sinapsis="Sir"},
21                 new Movie(){MovieName="Movie 11",MovieImage="/Images/Movies/Movie11.jpg",Sinapsis="Sir"}
22             };
23         }
24     }
25 }
```

The terminal output shows the application starting successfully:

```
[sudo] contraseña para felipe:
watch : Started
Compilando...
info: Microsoft.Hosting.Lifetime[0]
      Now listening on: https://localhost:5001
info: Microsoft.Hosting.Lifetime[0]
      Now listening on: http://localhost:5000
info: Microsoft.Hosting.Lifetime[0]
      Application started. Press Ctrl+C to shut down.
info: Microsoft.Hosting.Lifetime[0]
      Hosting environment: Development
```







Visual Studio Code interface showing the `ServiceMovie.cs` file in the `blazorProy1` project. The file contains the `ServiceMovie` class implementing `IServiceMovie` with a `GetMovies` method.

```
1 using System;
2 using blazorProy1.Shared.Entity;
3 using System.Collections.Generic;
4 using blazorProy1.Client.Services;
5
6 namespace blazorProy1.Client.Services
7 {
8     public class ServiceMovie:IServiceMovie
9     {
10         public List<Movie> GetMovies(){
11             return new List<Movie>{
12                 new Movie(){MovieName="Free guy",MovieImage="https://www.themoviedb.org/t/p/w600_and_h900_bestv2/8r48G8qW8sC4e31B8133113333333333.jpg",Sinapsis="Sir"},
13                 new Movie(){MovieName="Movie 3",MovieImage="/Images/Movies/Movie3.jpg",Sinapsis="Sir"},
14                 new Movie(){MovieName="El juego del calamar",MovieImage="/Images/Movies/Movie4.jpg",Sinapsis="Sir"},
15                 new Movie(){MovieName="Movie 5",MovieImage="/Images/Movies/Movie5.jpg",Sinapsis="Sir"},
16                 new Movie(){MovieName="Intrusion",MovieImage="/Images/Movies/Movie6.jpg",Sinapsis="Sir"},
17                 new Movie(){MovieName="Movie 7",MovieImage="/Images/Movies/Movie7.jpg",Sinapsis="Sir"},
18                 new Movie(){MovieName="Movie 8",MovieImage="/Images/Movies/Movie8.jpg",Sinapsis="Sir"},
19                 new Movie(){MovieName="Movie 9",MovieImage="/Images/Movies/Movie9.jpg",Sinapsis="Sir"},
20                 new Movie(){MovieName="Movie 10",MovieImage="/Images/Movies/Movie10.jpg",Sinapsis="Sir"},
21                 new Movie(){MovieName="Movie 11",MovieImage="/Images/Movies/Movie11.jpg",Sinapsis="Sir"}
22             };
23         }
24     }
25 }
```

The terminal shows the application starting successfully:

```
[sudo] contraseña para felipe:
watch : Started
Compilando...
info: Microsoft.Hosting.Lifetime[0]
      Now listening on: https://localhost:5001
info: Microsoft.Hosting.Lifetime[0]
      Now listening on: http://localhost:5000
info: Microsoft.Hosting.Lifetime[0]
      Application started. Press Ctrl+C to shut down.
info: Microsoft.Hosting.Lifetime[0]
      Hosting environment: Development
```

Browser window showing the `blazorProy1` application running on `localhost:5001/categories/create`. The page displays a form for creating a new category.

Navigation menu:

- Categorias
- Crear películas
- Buscar película
- Actores

Form fields:

- Nombre de la categoría
- Guardar

Visual Studio Code interface showing the development of a Blazor application. The Explorer pane on the left shows the project structure, including the Client folder with Pages, Components, and Services. The main editor displays the `CreateCategory.razor` file, which contains the following code:

```
1 @page "/categories/create"
2 @using blazorProy1.Client.Pages.Components
3 <FormCategory OnValidSubmit="Create" Category="Category"></FormCategory>
4 @code {
5     private Category Category = new Category();
6     private void Create() {
7         Console.WriteLine($"Nombre de la categoría: {Category.Name}");
8     }
9 }
```

The bottom pane shows the terminal output, indicating that the application has started successfully and is listening on `https://localhost:5001` and `http://localhost:5000`.

