BELEN DRIMONI - HTML

- Inicio el repositorio

- Agrego archivos (git add .) a master

- Se crea rama y muestro en cual me encuentro

```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (master)
$ git branch "htmlbelen"

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (master)
$ git log --oneline
5af1d61 (HEAD -> master, htmlbelen) agrego archivos

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (master)
$ git checkout "htmlbelen"
Switched to branch 'htmlbelen'

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (htmlbelen)
$ git branch
* htmlbelen
  master
```

- Realizo   commit para cumplimentar una de las consignas

```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (htmlbelen)
$ git add navegador.html
warning: in the working copy of 'navegador.html', LF will be replaced by CRLF th
e next time Git touches it

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (htmlbelen)
$ git commit -m "Edicion de ranking"
[htmlbelen bfb291b] Edicion de ranking
 1 file changed, 3 insertions(+), 3 deletions(-)

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (htmlbelen)
$
```

- Fusiono rama a master, y hago push

```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (htmlbelen)
$ git push -u origin master
Enumerating objects: 16, done.
Counting objects: 100% (16/16), done.
Delta compression using up to 2 threads
Compressing objects: 100% (15/15), done.
error: RPC failed; curl 92 HTTP/2 stream 0 was not closed cleanly: CANCEL (err 8
)
send-pack: unexpected disconnect while reading sideband packet
Writing objects: 100% (16/16), 3.10 MiB | 173.00 KiB/s, done.
Total 16 (delta 2), reused 0 (delta 0), pack-reused 0
fatal: the remote end hung up unexpectedly
Everything up-to-date

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (htmlbelen)
$ git checkout "master"
Switched to branch 'master'

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (master)
$ git merge "htmlbelen"
Updating 5af1d61..bfb291b
Fast-forward
 navegador.html | 6 +++---
 1 file changed, 3 insertions(+), 3 deletions(-)
```

```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (master)
$ git push -u origin master
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 2 threads
Compressing objects: 100% (18/18), done.
Writing objects: 100% (19/19), 3.10 MiB | 35.00 KiB/s, done.
Total 19 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), done.
remote:
remote: Create a pull request for 'master' on GitHub by visiting:
remote:      https://github.com/henryMelchior/TPE-tio/pull/new/master
remote:
To https://github.com/henryMelchior/TPE-tio.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (master)
$ SS
```

- Modifico en Github botones, y realizo pull en Git

```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (master)
$ git pull origin master
From https://github.com/henryMelchior/TPE-tio
 * branch          master      -> FETCH_HEAD
Already up to date.

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (master)
$
```

- Se actualiza de master a main (git branch -m master main / git fetch origin / git branch -u origin/main main)

```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git pull origin master
From https://github.com/henryMelchior/TPE-tio
 * branch          master      -> FETCH_HEAD
Already up to date.
```

```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git checkout htmlbelen
Switched to branch 'htmlbelen'
M       navegador.html

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (htmlbelen)
$ git add navegador.html
```

- Al actualizar trabajos realizados se genera conflicto

```
To https://github.com/henryMelchior/TPE-tio.git
 ! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/henryMelchior/TPE-tio.git
'
hint: Updates were rejected because the remote contains work that you do
hint: not have locally. This is usually caused by another repository pushing
hint: to the same ref. You may want to first integrate the remote changes
hint: (e.g., 'git pull ...') before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git pull
remote: Enumerating objects: 23, done.
remote: Counting objects: 100% (21/21), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 11 (delta 6), reused 11 (delta 6), pack-reused 0
Unpacking objects: 100% (11/11), 1.64 KiB | 16.00 KiB/s, done.
From https://github.com/henryMelchior/TPE-tio
   4daf9a5..8783fe2  main         -> origin/main
Auto-merging js/tabla.js
CONFLICT (content): Merge conflict in js/tabla.js
Auto-merging navegador.html
CONFLICT (content): Merge conflict in navegador.html
Automatic merge failed; fix conflicts and then commit the result.

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main|MERGING)
$ git push
To https://github.com/henryMelchior/TPE-tio.git
 ! [rejected]        main -> main (non-fast-forward)
error: failed to push some refs to 'https://github.com/henryMelchior/TPE-tio.git
'
hint: Updates were rejected because the tip of your current branch is behind
hint: its remote counterpart. Integrate the remote changes (e.g.
hint: 'git pull ...') before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
```

- Resuelvo conflicto, equivocadamente realizo reset en rama main (corresponde hacerlo en htmlbelen)*

```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main|MERGING)
$ git add .

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main|MERGING)
$ git commit -m "resuelvo conflictos"
[main 04383ff] resuelvo conflictos

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git push
Enumerating objects: 25, done.
Counting objects: 100% (25/25), done.
Delta compression using up to 2 threads
Compressing objects: 100% (13/13), done.
Writing objects: 100% (13/13), 1.28 KiB | 656.00 KiB/s, done.
Total 13 (delta 8), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (8/8), completed with 4 local objects.
To https://github.com/henryMelchior/TPE-tio.git
   8783fe2..04383ff  main -> main

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git add .
warning: in the working copy of 'pagsuscriptores.html', LF will be replaced by C
RLF the next time Git touches it

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git add pagsuscriptores.html

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git reset head
Unstaged changes after reset:
M       pagsuscriptores.html
```

```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git add pagsuscriptores.html

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git commit -m " Mdificacion para un revert"
[main b82b820]  Mdificacion para un revert
 1 file changed, 1 insertion(+), 1 deletion(-)

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git revert
```

- Area de preparacion y reset (*)

```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (htmlbelen)
$ git add .

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (htmlbelen)
$ git add pagsuscriptores.html
```

```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (htmlbelen)
$ git reset head "pagsuscriptores.html"
Unstaged changes after reset:
M       pagsuscriptores.html
```

- Modifico ultimo commit

```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (htmlbelen)
$ git add "pagsuscriptores.html"
warning: in the working copy of 'pagsuscriptores.html', LF will be replaced by C
RLF the next time Git touches it

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (htmlbelen)
$ git commit -m "se modifica captcha"
[htmlbelen aebd620] se modifica captcha
 1 file changed, 1 insertion(+), 1 deletion(-)
```

```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (htmlbelen)
$ git commit --amend -m "Ahora captcha sigue 2x2"
[htmlbelen 20d9f4d] Ahora captcha sigue 2x2
 Date: Wed Oct 26 19:32:58 2022 -0300
 1 file changed, 1 insertion(+), 1 deletion(-)
```

- Fusiono a rama main y hago push

```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git merge "htmlbelen"
Auto-merging pagsuscriptores.html
hint: Waiting for your editor to close the file... error: There was a problem wi
th the editor 'vi'.
Not committing merge; use 'git commit' to complete the merge.

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main|MERGING)
$ git commit -m "fusiono a rama main"
[main bc46745] fusiono a rama main

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git push origin main
Enumerating objects: 20, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 2 threads
Compressing objects: 100% (12/12), done.
Writing objects: 100% (12/12), 1.35 KiB | 690.00 KiB/s, done.
Total 12 (delta 7), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (7/7), completed with 6 local objects.
To https://github.com/henryMelchior/TPE-tio.git
   f1e91e5..bc46745  main -> main
```

- Elimino mi rama

```
MINGW64:/c/Users/54249/Desktop/TP-TIO

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git pull
remote: Enumerating objects: 139, done.
remote: Counting objects: 100% (137/137), done.
remote: Compressing objects: 100% (54/54), done.
remote: Total 119 (delta 65), reused 106 (delta 52), pack-reused 0
Receiving objects: 100% (119/119), 271.14 KiB | 3.08 MiB/s, done.
Resolving deltas: 100% (65/65), completed with 9 local objects.
From https://github.com/henryMelchior/TPE-tio
   bc46745..f7b2c2a  main        -> origin/main
 * [new branch]      informe     -> origin/informe
Updating bc46745..f7b2c2a
Fast-forward
 css/style.css       | 159 ++++++++++++++++++++++----------------------------
 js/artistaRandom.js |  12 ++++
 js/tabla.js         |   8 +--
 noticias.html       |   2 +
 pagsuscriptores.html |  9 +--
 ranking.html        |  56 ++++++++++++--------
 recitales.html      |  41 +++++++------
 screenshotindex.jpg | Bin 3744193 -> 0 bytes
 8 files changed, 145 insertions(+), 142 deletions(-)
 create mode 100644 js/artistaRandom.js
 delete mode 100644 screenshotindex.jpg

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git branch
  htmlbelen
* main

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git branch -d htmlbelen
Deleted branch htmlbelen (was 20d9f4d).

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git branch
* main
```

- Se modifica archivo en comun


```
PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git branch -a
* main
  remotes/origin/BelenDri-patch-1
  remotes/origin/htmlbelen
  remotes/origin/htmlgrisel
  remotes/origin/informe
  remotes/origin/main
  remotes/origin/master
  remotes/origin/test

PPPc@BeLenD MINGW64 ~/Desktop/TP-TIO (main)
$ git checkout -b informe origin/informe
Switched to a new branch 'informe'
branch 'informe' set up to track 'origin/informe'.
```