

WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For anpost.com | Verdict : Non-compliant

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **anpost.com** as of April 16, 2021, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments(for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI**, **design**, **and readability** adjustments (for the visually impaired).



#	Requirement	Relevant	Successes	Failures	Score
1	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
	Code snapshots of some successful elements	S			
	 <title> An Post - An Post for postal, retail a </th><th>and financial se</th><th>ervices An Post <</th><th></title>				
2	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
	Code snapshots of some successful elements	S			
	 <a data-triggered="true" en-ie"="" href="https://www.name="> content="L8BksmLfBlsvDAfFqw477dgumSname="acsbClient" content="false"><meta< li=""> </meta<>	SzaujMKYyi3fa			
	name="acsbAceBase"> <meta name="</th"/> <th>content="http</th> <th>s://www.anpost.co</th> <th>om"</th> <th></th>	content="http	s://www.anpost.co	om"	
3		Yes	s://www.anpost.co	om" -	100%
3	name="acsbAceBase"> <meta allow="" and="" at="" double="" impaired="" least="" maximum-scale="{2" meta="" name="The" or<="" pinch-zoom="" scaling="" should="" standard="" tag="" th="" the="" to="" user-scalable="yes" users="" using="" viewport="" visually=""/> <th>Yes</th> <th></th> <th>om" -</th> <th>100%</th>	Yes		om" -	100%
3	name="acsbAceBase"> <meta allow="" and="" at="" content="" double="" higher}="" impaired="" least="" maximum-scale="{2" meta="" name="The" or="" pinch-zoom="" scaling="" should="" standard="" strings.<="" tag="" td="" the="" to="" user-scalable="yes" users="" using="" viewport="" visually=""/> <td>Yes</td> <td>Pass</td> <td>om" -</td> <td>100%</td>	Yes	Pass	om" -	100%



Website: anpost.com | Verdict : Non-compliant | Date: April 16, 2021

Requirement

Relevant Successes Failures Score

Code snapshots of some successful elements

<main id="main" class="content" aria-label="Page Content" tabindex="-1"><div
 id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M33SliderBanner1_m33
 module" class="m33 m33--dark" > <div class="m33__banner__wrapper"> <div cl...

Yes

- <footer class="footer"><div class="grid-container flex--space-between"> <nav class="footer__nav">About An Post Working with...
- 5 Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

104

3

97%

Code snapshots of some successful elements

- Personal
- Business
- Money
- Community Focus
- Help & amp; Support



Website: anpost.com | Verdict : Non-compliant | Date: April 16, 2021

#	Rec	IIIIr	ρm	ent
TT .	1100	MIII	~!!!	VIII.

Relevant Successes Failures Score

- Find Post
 Office
- Shop
-
- <a href="/Post-Parcels" class="header__nav__l1__link gtm-nav" title="Post & amp; Parcels"
 >Post & amp; Parcels < span class="header__nav__expand__bn" >
- <a href="/Post-Parcels/Sending" class="header__nav__link--strong gtm-nav" title="Sending"
 >Sending

Code snapshots of some failed elements

-
-
-

6	Buttons should include text explaining their
	functionality, and if icons are used as
	buttons, a screen-reader only text or an
	"aria-label" attribute should be used for that
	description.

Yes

11

0

100%



Website: anpost.com | Verdict : Non-compliant | Date: April 16, 2021

Requirement

Relevant Successes Failures Score

Code snapshots of some successful elements

- ...
- <input type="button"
 name="p\$It\$WebPartZone9\$zoneContent\$pageplaceholder\$p\$It\$ctl01\$M33SliderBanner1\$
 btSubmit" value="Track Post" onclick="if(!validateForm())return false;
 showLoadingState(); doPostBack('p\$It\$WebPartZone9\$zoneContent\$pageplaceholder...
- <span
 id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M03TwoColumn2_ltrCol
 1Button" class="m03__card__cta bn bn--secondary gtm-cta" >Apply for a loan
- <span
 id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M03TwoColumn2_ltrCol
 2Button" class="m03__card__cta bn bn--secondary gtm-cta" >More on our credit
 card
- <span
 id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M03TwoColumn_ltrCol1
 Button" class="m03__card__cta bn bn--secondary gtm-cta" >Apply for a current
 account
- <span
 id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M03TwoColumn_ltrCol2
 Button" class="m03__card__cta bn bn--secondary gtm-cta" >More on our currency card
- <button type="button" class="footer__nav-lang__trigger js-lang-trigger" > English</button>
- Manage
- <a class="ot-sdk-show-settings cookie-settings" id="ot-sdk-btn" style=" position: fixed; left: -1px !important; bottom: -1px !important; z-index: 2147483648; text-indent: -9999px; width: 44px !important...
- <button id="onetrust-pc-btn-handler" tabindex="0" >Manage</button>



Website: anpost.com | Verdict : Non-compliant | Date: April 16, 2021

#	Requirement	Relevant	Successes	Failures	Score	
7	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	4	7	36%	

Code snapshots of some successful elements

- <input type="button"
 name="p\$lt\$WebPartZone9\$zoneContent\$pageplaceholder\$p\$lt\$ctl01\$M33SliderBanner1\$
 btSubmit" value="Track Post" onclick="if(!validateForm())return false;
 showLoadingState();__doPostBack('p\$lt\$WebPartZone9\$zoneContent\$pageplaceholder...
- <button type="button" class="footer__nav-lang__trigger js-lang-trigger" > English</button>
- <button id="onetrust-pc-btn-handler" tabindex="0" >Manage</button>
- <button id="onetrust-accept-btn-handler" tabindex="0" >Accept All</button>

- ...
- <span
 id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M03TwoColumn2_ltrCol
 1Button" class="m03__card__cta bn bn--secondary gtm-cta" >Apply for a loan
- <span
 id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M03TwoColumn2_ltrCol
 2Button" class="m03__card__cta bn bn--secondary gtm-cta" >More on our credit
 card
- <span
 id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M03TwoColumn_ltrCol1
 Button" class="m03__card__cta bn bn--secondary gtm-cta" >Apply for a current
 account



Website: anpost.com | Verdict : Non-compliant | Date: April 16, 2021

Requirement

Relevant Successes Failures Score

- <span
 id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M03TwoColumn_ltrCol2
 Button" class="m03__card__cta bn bn--secondary gtm-cta" >More on our currency card
- Manage
- <a class="ot-sdk-show-settings cookie-settings" id="ot-sdk-btn" style=" position: fixed; left: -1px !important; bottom: -1px !important; z-index: 2147483648; text-indent: -9999px; width: 44px !important...
- 8 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.

Yes 0 14

0%

- Check an Address
- UK & amp; US Virtual Address (AddressPal)
- Login to Online Banking
- Register for Online Banking
- Login to your Currency Card



#	Requirement	Relevant	Successes	Failures	Score	
	 <div aria-label="Calculate Postage" class="m11cardicon calculator gtm-linkclick" role="img"></div> 					
	 <a a="" aria-label="Buy a </th><th>" buy="" href="/Post-Parcels/Click-and-Post/Post
title=" label"="" postage="" role="img" target="_blank
gtm-linkclick"><div class="</th"><th>"m11cardico</th><th>on sending-do</th><th></th></div>	"m11cardico	on sending-do			
	 <a class="m11card card g
><div class=" gtm<br="" href="/Shop" m11cardicon="" stamp="">Stamps"> 	-linkclick" role:	="img" aria-label=	="Buy	nk"	
	 <div classes<="" li=""> role="img" aria-label="TV Licence"></div> 	ass="m11ca	ardicon tv gtm-	linkclick"		
	 <a href="https://www.facebook.com/AnPos
round facebook gtm-footer">Facebook 	•	ank" class="bgg	reen icon ico	n	
9	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-	
10	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including	Yes	0	4	0%	



Website: anpost.com | Verdict : Non-compliant | Date: April 16, 2021

Requirement

Relevant Successes **Failures** Score

100%

Code snapshots of some failed elements

- <span</p> id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M03TwoColumn2_ltrCol 1Button" class="m03__card__cta bn bn--secondary gtm-cta" >Apply for a loan
- <span</p> id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M03TwoColumn2_ltrCol 2Button" class="m03 card cta bn bn--secondary gtm-cta" >More on our credit card
- Apply for a current account
- <span</p> id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M03TwoColumn_ltrCol2 Button" class="m03__card__cta bn bn--secondary gtm-cta" >More on our currency card
- 11 Interactive elements that can be navigated Yes Fail 0% using the keyboard should be surrounded by a visual outline whenever they are focused. Yes Pass
- 12 Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.

Code snapshots of some successful elements

 Skip to main content



#	Requirement	Relevant	Successes	Failures	Score
13	Active popups should include an "ariamodal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
15	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	14	0	100%
16	An H1 title provides information to blind- users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
	Code snapshots of some successful elements	5			
	 <h1 class="m33_header" id="p_lt_WebPartZone9_zoneContent_page de1Title">Internation</h1> 	-		iderBanner1_	<u>I</u> bISIi
17	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
18	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	-	Fail	0%



#	Requirement	Relevant	Successes	Failures	Score
	Code snapshots of some failed elements				
	• <h4></h4>				
19	Making use of an accessibility interface helps to ensure that visually impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0	-
20	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
21	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
22	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
23	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-
24	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	0	5	0%



Website: anpost.com | Verdict : Non-compliant | Date: April 16, 2021

Requirement

Relevant Successes Failures Score

Code snapshots of some failed elements

- <a href="/Post-Parcels" class="header__nav__l1__link gtm-nav" title="Post & amp; Parcels"
 >Post & amp; Parcels < span class="header__nav__expand__bn" >
- Mobile
- Green Hub
- Money
- Government Services
- 25 Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".

Yes

0

0

5

0%

- <a href="/Post-Parcels" class="header__nav__l1__link gtm-nav" title="Post & amp; Parcels"
 >Post & amp; Parcels < span class="header__nav__expand__bn" >
- Mobile
- Green Hub
- Money
- Government Services



#	Requirement	Relevant	Successes	Failures	Score					
26	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	Pass	-	100%					
	Code snapshots of some successful elements	5								
	 <nav class="headernav js-headernav"><ul class="headernavl1"><li class="headernavl1itemhas-children"> <a "none".<="" "presentation"="" attribute="" class="headernavl1link gtm-nav" equals="" href="/Post-Parcels" or="" role"="" td="" that="" title="Post & Description of the second of the</th></tr><tr><td>27</td><td>Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a " to=""><td>Yes</td><td>24</td><td>0</td><td>100%</td></nav>						Yes	24	0	100%
	Code snapshots of some successful elements	5								
										
		span>								
	<span class="headernavexpandbn</p></td><td>">									
	<span class="headernavexpandbn</td><td>arrow-green-c</td><td>lown">									
	 									



Requirement

WCAG 2.1 AA Level Web Accessibility Audit

Website: anpost.com | Verdict : Non-compliant | Date: April 16, 2021

Relevant

Successes

Failures

Score

29 E	 <span <="" class="m38headerrighticon" li=""> <svg 2000="" height="24" http:="" svg"="" viewbox="0 0 xmlns=" width="24" www.w3.org=""><pad="m2.78038 1.51782="" 1.71308c3.15896="" 1<="" 2="" 2.40825="" 2.60351c2.58512="" 3.47555="" li=""> <span <="" aria-atomic="true" class="ot-scrn-rdr" li=""> mages should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. Code snapshots of some successful elements </pad="m2.78038></svg>	m38header 0 24 24" fill="non th fill-rule="even 2.58512 2.09167	_righticonloa e" odd" clip-rule=" 2.78038 1.896	ading" >evenodd"	
29 E	 <svg 2000="" height="24" http:="" svg"="" viewbox="0 0 xmlns=" width="24" www.w3.org=""><pa d="M2.78038 2.60351C2.58512 2.40825 2 1.71308C3.15896 1.51782 3.47555 1 </pa></svg> <span "alt"="" and="" aria-atomic="true" attribute.<="" both="" class="ot-scrn-rdr" contains,="" describes="" description="" embedded="" image="" li="" objects="" text="" that="" the="" using="">) 24 24" fill="non th fill-rule="even 2.58512 2.09167 e" aria-live="polit	e" odd" clip-rule=" 2.78038 1.896 te" >	evenodd" 4L2.9637	
29 E	xmlns="http://www.w3.org/2000/svg" > <pa d="M2.78038 2.60351C2.58512 2.40825 2 1.71308C3.15896 1.51782 3.47555 1 • • <span "alt"="" alternative="" an="" and="" aria-atomic="true" attribute.<="" both="" class="ot-scrn-rdr" contains,="" describes="" description="" embedded="" have="" image="" mages="" objects="" should="" text="" th="" that="" the="" using=""><th>th fill-rule="even 2.58512 2.09167 e" aria-live="polit</th><th>odd" clip-rule=" 2.78038 1.896 te" ></th></pa>	th fill-rule="even 2.58512 2.09167 e" aria-live="polit	odd" clip-rule=" 2.78038 1.896 te" >	4L2.9637	100%
29 E	mages should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.			0	100%
29 E	description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	2	0	100%
29 🖪	and snanshots of some successful elements				
	Jour Shapshots of Some Successful elements	s			
	<img <="" li="" src="/build/images/logos/anPostLogo"/>	o.svg" alt="Go ba	ack to the home	epage">	
	 <img p_lt_webpartzone9_zonecontent_page<br="" src="/AnPost/media/m10background
id="/>Logo" class="m10logo" alt="Logo"> 	•		•	esktop
re	Every "area" element of a "map" tag should be regarded as a standard image and eceive an alternative text description using an "alt" attribute.	No	0	0	-
30 B d s ir a	Background images that are not just for	Yes	0	4	0%



Website: anpost.com | Verdict : Non-compliant | Date: April 16, 2021

#	Requirement	Relevant	Successes

Failures Score

- <div
 id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M03TwoColumn2_pnlCo
 I1Background" class="m03__card__image" data-img-path="/AnPost/media/m03images/M03-Loans-Garden.jpg?ext=.jpg" aria-label="Personal Lending " style="background-image: ...
- <div
 id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M03TwoColumn2_pnlCo
 l2Background" class="m03__card__image" data-img-path="/AnPost/media/m03images/M03-Credit-Card.jpg?ext=.jpg" aria-label="Credit Card " style="background-image: url(&q...
- <div
 id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M03TwoColumn_pnlCol
 1Background" class="m03__card__image" data-img-path="/AnPost/media/m03images/M03-MoneyBack-Family.jpg?ext=.jpg" aria-label="Using An Post money card" style="backgrou...
- <div
 id="p_It_WebPartZone9_zoneContent_pageplaceholder_p_It_ctl01_M03TwoColumn_pnlCol
 2Background" class="m03__card__image" data-img-path="/AnPost/media/m03images/M03-commission-free-cash.jpg?ext=.jpg" aria-label="" style="background-image: url("...

31	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
32	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
33	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-



#	Requirement	Relevant	Successes	Failures	Score						
34	Form fields should either include an "aria- label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	-	Fail	0%						
	Code snapshots of some failed elements										
	 <input "true"="" aria-required"="" attribute="" blind="" class="m38trackinput form </td></tr><tr><td>35</td><td>Required form fields should include an" equals="" id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M33SliderBanner1_m33 TTformtrackinput" know="" name="p\$It\$WebPartZone9\$zoneContent\$pageplaceholder\$p\$It\$ctl01\$M33SliderBanner1\$ m33TTformtrackinput" screen-readers="" so="" td="" that="" their="" to="" type="text" users="" using="" validation.<=""/><td>Yes</td><td>-</td><td>Fail</td><td>0%</td>							Yes	-	Fail	0%
	Code snapshots of some failed elements										
	 <input "button"="" "button".="" "role"="" a="" be="" buttons="" can="" class="m38trackinp </th><th>geplaceholder_</th><th></th><th></th><th></th></tr><tr><td>36</td><td>All forms should have a submission button that is built as an input type" element,="" enter="" equals="" form="" hidden="" id="p_lt_WebPartZone9_zoneContent_pag TTformtrackinput" if="" include="" key.<="" name="p\$lt\$WebPartZone9\$zoneContent\$ m33TTformtrackinput" or="" submit"="" submitted="" tag="" td="" that="" the="" to="" type="text" using=""/><td>Yes</td><td>Pass</td><td>-</td><td>100%</td>	Yes	Pass	-	100%						
	Code snapshots of some successful elements	5									
	 <form action="/" id="form" method="post"> <div class="aspNetHidden"> <input <="" id="CMSCsrfToken" li="" name="CMSCsrfToken" type="hidden" value="4wZErTO5Tb4vWsjclf30XQqrz9XDHLXvVj898CjoLp5gej9Pb6RwL0mQfn9CEWwsFg xYT3Xy+B8PxSfbQwPQlbru+lw1lGSjx2EpUG0zqSg="/> </div></form>										



Website: anpost.com | Verdict : Non-compliant | Date: April 16, 2021

#	Requirement	Relevant	Successes	Failures	Score	
37	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-	
38	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	6	1	86%	

Code snapshots of some successful elements

- <div id="onetrust-banner-sdk" class="otFlat top vertical-align-content" role="dialog" aria-labelledby="onetrust-policy-title" aria-describedby="onetrust-policy-text" style="top: 0px; bottom: auto" ><div class="ot-sdk-container" ><div class="ot-sdk-ro...
- <div id="onetrust-pc-sdk" class="otPcCenter ot-hide ot-fade-in" aria-modal="true" role="dialog" aria-labelledby="ot-pc-title" lang="en" ><!-- Close Button --><div class="ot-pc-header" ><!-- Logo Tag --><div class="ot-pc-logo" role="img" aria-label="C...
- <input type="checkbox" name="ot-group-id-C0002" id="ot-group-id-C0002" aria-checked="false" role="switch" class="category-switch-handler" data-optanongroupid="C0002" aria-labelledby="ot-header-id-C0002" >
- <input type="checkbox" name="ot-group-id-C0003" id="ot-group-id-C0003" aria-checked="false" role="switch" class="category-switch-handler" data-optanongroupid="C0003" aria-labelledby="ot-header-id-C0003" >
- <input type="checkbox" name="ot-group-id-C0004" id="ot-group-id-C0004" aria-checked="false" role="switch" class="category-switch-handler" data-optanongroupid="C0004" aria-labelledby="ot-header-id-C0004" >
- <input type="checkbox" name="ot-group-id-C0005" id="ot-group-id-C0005" aria-checked="false" role="switch" class="category-switch-handler" data-optanongroupid="C0005" aria-labelledby="ot-header-id-C0005" >



Website: anpost.com | Verdict : Non-compliant | Date: April 16, 2021

#	Requirement	Relevant	Successes	Failures	Score					
	Code snapshots of some failed elements									
	 <div aria-describedby="onetrust-policy-text" aria-labelledby="onetrust-policy-title" class="otFlat top vertical-align-content" id="onetrust-banner-sdk" role="dialog" style="top: 0px; bottom: auto"><div class="ot-sdk-container"><div "true="" and="" aria-invalid"="" attributes="" change="" changes.<="" class="ot-sdk-ro </th></tr><tr><th>39</th><th>The validity status of every form element must be represented in the code at all times using the" dynamically="" false"="" status="" th="" the="" values,="" when=""><th>No</th><th>0</th><th>0</th><th>-</th></div></div></div>						No	0	0	-
40	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and	Yes	108	40	73%					

Code snapshots of some successful elements

background color.

- Personal
- Business
- Money
- Community Focus
- Help & amp; Support



Website: anpost.com | Verdict: Non-compliant | Date: April 16, 2021

Requirement

Relevant Successes Failures Score

- Find Post
 Office
- Shop
- <a href="/Post-Parcels" class="header__nav__l1__link gtm-nav" title="Post & amp; Parcels"
 >Post & amp; Parcels < span class="header__nav__expand__bn" >
- <a href="/Post-Parcels/Sending" class="header__nav__link--strong gtm-nav" title="Sending"
 >Sending
- Calculate Postage

- Need to track more than one item? Try our <strong class="smal...
- <strong class="small gtm-linkclick-tracking">advanced tracking
- Calculate Postage
- Buy a Postage Label
- Buy Stamps



Website: anpost.com | Verdict : Non-compliant | Date: April 16, 2021

# Requirement	#	Req	uire	ment
---------------	---	-----	------	------

Relevant Successes Failures Score

- TV Licence
- <h2
 id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M06Image_Content2_lbl
 Title" class="m06__card__heading">Delivering for you after Brexit</h2>
- Since January 1st key changes have been implemented to how you will send goods and receive online shopping from Great Britain. Visit our Brexit page to find out more about these changes.
- Find out more
- <h2
 id="p_lt_WebPartZone9_zoneContent_pageplaceholder_p_lt_ctl01_M06Image_Content3_lbl
 Title" class="m06__card__heading">Click & amp; Post</h2>

41	Letter spacing should not be set to below - 1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
42	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	0	14	0%



Website: anpost.com | Verdict: Non-compliant | Date: April 16, 2021

Requirement

Relevant Successes Failures Score

Code snapshots of some successful elements

- Find out more
- <a href="/Post-Parcels/Click-and-Post" target="" class="m06__card__link gtm-linkclick"
 >Find out more
-
-
-
- Apply for a loan
- More on our credit card
- Apply for a current account
- More on our currency card
- Facebook



#	Requirement	Relevant	Successes	Failures	Score
43	A common accessibility mistake is to treat carousels as live regions using the "arialive" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
44	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
45	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	-
46	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-
47	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
48	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
49	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-