Swing Kinematics as Predictors of Contact Quality in Major League Baseball Hitters

Henry Bednar (University of Mississippi, Oxford, MS)
Dr. Ben Carter (University of Mississippi, Oxford, MS)

Bat speed is crucial to hitting performance in baseball. Faster swings produce higher exit velocities and better outcomes, with each additional mile per hour adding approximately six feet of distance (Petriello, 2024; Szymanski et al., 2009). Beyond bat speed, swing length, vertical path, and angle at contact each shape how hard and how valuably a hitter makes contact (Powers & Yurko, 2025). Statcast bat tracking data now records these kinematics for every competitive swing in Major League Baseball (Petriello, 2024). This study examines how six swing kinematics predict contact quality among Major League Baseball hitters from 2023 through 2025.

This study uses a cross-sectional design with Statcast bat tracking data for all qualified hitters from the 2023 through 2025 seasons, yielding 408 player-seasons. Six standardized swing kinematics serve as predictors: bat speed, swing length, attack angle, attack direction, ideal attack angle rate, and swing path tilt. Two outcomes are modeled: average exit velocity and expected weighted on-base average on contact, measuring raw and valued contact quality. Two multiple linear regressions model each outcome with year as a covariate and heteroscedasticity-consistent standard errors, reporting standardized coefficients (Table 1, Figure 1).

Across 408 player-seasons, average bat speed was 71.96 mph (SD = 2.72), exit velocity was 89.82 mph (SD = 2.15), and expected weighted on-base average on contact was .389 (SD = .051), with bat speed showing the strongest bivariate associations ($r = .727$ and $r = .692$, $p < .001$). The six kinematics predicted exit velocity, $R^2 = .587$, $F(8, 399) = 73.50$, $p < .001$, with bat speed dominant ($b = .855$), swing length negative ($b = -.167$) consistent with shorter swings allowing more time to read pitches, and attack angle non-significant ($b = -.002$, $p = .976$), all others $p < .001$ (Table 1, Figure 1). The same set explained a larger share of expected weighted on-base average on contact, $R^2 = .663$, $F(8, 399) = 70.57$, $p < .001$, where bat speed dominated ($b = .839$) but swing plane gained. Swing path tilt was second ($b = .300$), attack angle became significant ($b = .204$), and attack direction showed a suppression effect ($b = .110$), all $p < .001$. Ideal angle rate was non-significant in both models ($b = .027$, $p = .425$). Bat speed is the primary driver of contact quality, but swing plane carries additional weight when accounting for run value.

Bat speed is the dominant swing kinematic for contact quality in Major League Baseball, and the central finding is that swing path tilt and attack angle matter for whether hard contact produces run value but add little once raw exit velocity is the target, suggesting swing plane governs where the ball goes more than how hard it leaves the bat. For player development staff, bat speed training should be paired with attention to swing plane. Key limitations include the cross-sectional design and pooling three seasons without accounting for within-player change. Future research should use longitudinal within-player data and account for swing intention and pitch context.

References

Petriello, M. (2024, May 13). Everything to know about Statcast's new bat-tracking data. *MLB.com*. https://www.mlb.com/news/what-you-need-to-know-about-statcast-bat-tracking

Powers, S., & Yurko, R. (2025). *Swinging, fast and slow: Interpreting variation in baseball swing tracking metrics*. arXiv. https://arxiv.org/abs/2507.01238

Szymanski, D. J., DeRenne, C., & Spaniol, F. J. (2009). Contributing factors for increased bat swing velocity. *Journal of Strength and Conditioning Research, 23*(4), 1338–1352.