5242. Greatest English Letter in Upper and Lower Case

My Submissions (/contest/weekly-contest-298/problems/greatest-english-letter-in-upper-and-lower-case/submissions/)

Back to Contest (/contest/weekly-contest-298/)

Given a string of English letters s, return the **greatest** English letter which occurs as **both** a lowercase and uppercase letter in s. The returned letter should be in **uppercase**. If no such letter exists, return an empty string.

An English letter b is greater than another letter a if b appears after a in the English alphabet.

User Accepted: 0 User Tried: 0 Total Accepted: 0 Total Submissions: 0 Difficulty: (Easy)

⋄ ∘suggestior

system/)

Example 1:

```
Input: s = "lEeTcOdE"
Output: "E"
Explanation:
The letter 'E' is the only letter to appear in both lower and upper case.
```

Example 2:

```
Input: s = "arRAzFif"
Output: "R"
Explanation:
The letter 'R' is the greatest letter to appear in both lower and upper case.
Note that 'A' and 'F' also appear in both lower and upper case, but 'R' is greater than 'F' or 'A'.
```

Example 3:

```
Input: s = "AbCdEfGhIjK"
Output: ""
Explanation:
There is no letter that appears in both lower and upper case.
```

Constraints:

- 1 <= s.length <= 1000
- s consists of lowercase and uppercase English letters.

```
JavaScript
                                                                                                                                   2
                                                                                                                             4
    const counter = (a_{or_s}) \Rightarrow \{ let m = new Map(); for (const x of a_or_s) m.set(x, m.get(x) + 1 || 1); return m; \};
    const ord = (c) => c.charCodeAt();
2
    const isUpperCase = (c) => { let x = ord(c); return x >= 65 \&\& x <= 90; };
3
4
    const greatestLetter = (s) => {
    let a = "", b = "", res = "";
5
6
        for (const c of s) isUpperCase(c) ? a += c : b += c;
7
8
        let ma = counter(a), mb = counter(b);
9,
        for (const c of s) {
10
             if (isUpperCase(c) && ma.get(c) >= 1 && mb.get(c.toLowerCase()) >= 1) {
11
                 if (c > res) res = c;
12
13
        }
14
        return res;
15
    };
```

Custom Testcase

Use Example Testcases

Submission Result: Accepted (/submissions/detail/725571408/)
More Details > (/submissions/detail/725571408/)

Share your acceptance!

Copyright © 2022 LeetCode

Help Center (/support) | Jobs (/jobs) | Bug Bounty (/bugbounty) | Online Interview (/interview/) | Students (/student) | Terms (/terms) | Privacy Policy (/privacy)

United States (/region)