☆ Premium e--(/) Explore Problems(/problemset/all/) Interview Contest #August LeetCoding Table (/discuss/) Storediscussion/655704/) (/subscribe? ₽₽ ref=nb_npl)

5851. Find Unique Binary String

My Submissions (/contest/weekly-contest-255/problems/find-unique-binary-string/submissions/)

Back to Contest (/contest/weekly-contest-255/)

Given an array of strings nums containing n unique binary strings each of length n, return a binary string of length n that **does not appear** in nums . If there are multiple answers, you may return **any** of them.

User Accepted: 0 **User Tried:** 0 **Total Accepted:** 0 **Total Submissions:** 0 Medium Difficulty:

Example 1:

```
Input: nums = ["01","10"]
Output: "11"
Explanation: "11" does not appear in nums. "00" would also be correct.
```

Example 2:

```
Input: nums = ["00","01"]
Output: "11"
Explanation: "11" does not appear in nums. "10" would also be correct.
```

Example 3:

```
Input: nums = ["111","011","001"]
Output: "101"
Explanation: "101" does not appear in nums. "000", "010", "100", and "110" would also be correct.
```

Constraints:

- n == nums.length 1 <= n <= 16 • nums[i].length == n nums[i] is either '0' or '1'.
- JavaScript ďΣ \mathfrak{C} 1 ▼ const findDifferentBinaryString = (nums) => { 2 let n = nums.length;

```
3
        let se = new Set();
 4 ▼
         for (const s of nums) {
 5
             let tmp = parseInt(s, 2);
 6
             // pr(tmp);
 7
             se.add(tmp);
 8
        }
 9
        let a = [...se];
10
        a.sort((x, y) \Rightarrow x - y);
        let min = a[0], max = a[a.length - 1];
11
12
        // pr(a, min, max);
13 🔻
        for (let x = min + 1; x < max; x++) {
14
             let s = x.toString(2);
15
             if (!se.has(x) && s.length == n) return s;
16
17
        let res = (max + 1).toString(2);
18
        let res2 = (min - 1).toString(2);
19
        // pr("res1", res, n)
```

```
20 ▼
        if (res.length < n) {</pre>
             res = '0'.repeat(n - res.length) + res;
21
22
             return res;
23 ▼
        } else if (res.length == n) {
24
             return res;
25 ▼
        } else {
26
             // pr("res2", res2)
27
             if (res2.length < n) res2 = '0'.repeat(n - res2.length) + res2;</pre>
28
             return res2;
29
        }
30
    };
```

☐ Custom Testcase

Use Example Testcases

Run & Submit

Submission Result: Accepted (/submissions/detail/542207409/) @

More Details > (/submissions/detail/542207409/)

Share your acceptance!

⊲2

Copyright © 2021 LeetCode

Help Center (/support) | Jobs (/jobs) | Bug Bounty (/bugbounty) | Online Interview (/interview/) | Students (/student) | Terms (/terms) |

Privacy Policy (/privacy)

United States (/region)