5450. Number of Subsequences That Satisfy the Given Sum Condition

ntest/weekly-contest-195/problems/number-of-subsequences-that-satisfy-the-given-sum-condition/submissions/)

ntest/weekly-contest-195/)

Given an array of integers `nums` and an integer `target`.

Return the number of **non-empty** subsequences of `nums` such that the sum of the minimum and maximum element on it is less or equal than `target`.

Since the answer may be too large, return it modulo 10^9 + 7.

User Accepted:	5
User Tried:	11
Total Accepted:	5
Total Submissions:	12
Difficulty:	Medium

Example 1:

```
Input: nums = [3,5,6,7], target = 9
Output: 4
Explanation: There are 4 subsequences that satisfy the c
[3] -> Min value + max value <= target (3 + 3 <= 9)
[3,5] -> (3 + 5 <= 9)
[3,5,6] -> (3 + 6 <= 9)
[3,6] -> (3 + 6 <= 9)
```

Example 2:

```
Input: nums = [3,3,6,8], target = 10
Output: 6
Explanation: There are 6 subsequences that satisfy the condition. (nums can have repeated
[3] , [3] , [3,3], [3,6] , [3,6] , [3,3,6]
```

Example 3:

```
Input: nums = [2,3,3,4,6,7], target = 12
Output: 61
Explanation: There are 63 non-empty subsequences, two of them don't satisfy the condition
Number of valid subsequences (63 - 2 = 61).
```

Example 4:

```
Input: nums = [5,2,4,1,7,6,8], target = 16
Output: 127
Explanation: All non-empty subset satisfy the condition (2^7 - 1) = 127
```

Constraints:

- `1 <= nums.length <= 10^5`
- `1 <= nums[i] <= 10^6`
- `1 <= target <= 10^6`

TypeScript ▾

```typescript
function numSubseq(nums: number[], target: number): number {

};
```

☐ **Custom Testcase**   (Use Example Testcases)

▶ Run   ☁ Submit