2503. Maximum Number of Points From Grid Queries

My Submissions (/contest/weekly-contest-323/problems/maximum-number-of-points-from-grid-queries/submissions/)

Back to Contest (/contest/weekly-contest-323/)

You are given an m x n integer matrix grid and an array queries of size k.

Find an array answer of size k such that for each integer queres [i] you start in the **top left** cell of the matrix and repeat the following process:

- If queries[i] is strictly greater than the value of the current cell that you are in, then you get one point if it is your first time visiting this cell, and you can move to any adjacent cell in all 4 directions: up, down, left, and right.
- Otherwise, you do not get any points, and you end this process.

After the process, answer[i] is the **maximum** number of points you can get. **Note** that for each query you are allowed to visit the same cell **multiple** times.

Return the resulting array answer.

User Accepted:	841
User Tried:	2069
Total Accepted:	916
Total Submissions:	4328
Difficulty:	Hard

Example 1:

1	2	3
2	5	7
3	5	1

1	2	3
2	5	7
3	5	1

1	2	3
2	5	7
3	5	1

Input: grid = [[1,2,3],[2,5,7],[3,5,1]], queries = [5,6,2]

Output: [5,8,1]

Explanation: The diagrams above show which cells we visit to get points for each query.

Example 2:

5	2	1
1	1	2

Input: grid = [[5,2,1],[1,1,2]], queries = [3]

Output: [0]

Explanation: We can not get any points because the value of the top left cell is already greater than or equal to 3.

Constraints:

- m == grid.length
- n == grid[i].length
- 2 <= m, n <= 1000
- $4 \le m * n \le 10^5$
- k == queries.length
- 1 <= k <= 10⁴
- 1 <= grid[i][j], queries[i] <= 10^6

Discuss (https://leetcode.com/problems/maximum-number-of-points-from-grid-queries/discuss)

JavaScript 🔻





•

const initialize2DArray = (n, m) => { let d = []; for (let i = 0; i < n; i++) { let t = Array(m).fill(false); d.push(t);
} return d; };</pre>

- 3 const dx = [-1, 1, 0, 0], dy = [0, 0, -1, 1];
- 4 v const maxPoints = (g, queries) ⇒> {

```
let n = g.length, m = g[0].length, cnt = 0, res = Array(queries.length), vis = initialize2DArray(n, m), pq = new
5 ▼
    MinPriorityQueue({
             compare: (x, y) \Rightarrow \{
 6 •
                 if (x[0] != y[0]) return x[0] - y[0];
7
8
                 if (x[1] != y[1]) return x[1] - y[1];
9
                 return x[2] - y[2];
10
             }
        });
11
        queries = queries.map((x, i) \Rightarrow [x, i]).sort((x, y) \Rightarrow \{
12 •
13
             if (x[0] != y[0]) return x[0] - y[0];
             return x[1] - y[1];
14
15
        });
        pq.enqueue([g[0][0], 0, 0]);
16
17
        vis[0][0] = true;
         for (const [q, i] of queries) {
18 ▼
19 ▼
             while (pq.size() && q > pq.front()[0]) {
20
                 let [, x, y] = pq.dequeue();
21
                 cnt++;
                 for (let k = 0; k < 4; k++) {
22 🔻
                     let nx = x + dx[k], ny = y + dy[k];
23
                     if (nx < 0 \mid | nx >= n \mid | ny < 0 \mid | ny >= m \mid | vis[nx][ny]) continue;
24
                     pq.enqueue([g[nx][ny], nx, ny]);
25
26
                      vis[nx][ny] = true;
27
28
             }
29
             res[i] = cnt;
30
31
        return res;
32
    };
```

□ Custom Testcase

Use Example Testcases

Submission Result: Accepted (/submissions/detail/857953920/) @

More Details > (/submissions/detail/857953920/)

Run

Share your acceptance!

Copyright © 2022 LeetCode

Help Center (/support) | Jobs (/jobs) | Bug Bounty (/bugbounty) | Online Interview (/interview/) | Students (/student) | Terms (/terms) | Privacy Policy (/privacy)

United States (/region)