lesson_3

August 23, 2022

1 Lesson 3

1.1 Collections

```
[1]: 1 = [42, "test", 3.14]
[2]: t = (42, "test", 3.14)
 [3]: s = \{42, "test", 3.14\}
 [4]: d = {"num": 42, "text": "test"}
 [5]: id(1)
 [5]: 4394796480
 [6]: id(1[0])
 [6]: 4347588176
     List -> Dynamic Array
 [7]: 1.append("new")
 [8]: 1
[8]: [42, 'test', 3.14, 'new']
[10]: id(1)
[10]: 4394796480
[11]: a = 42
[12]: id(a)
[12]: 4347588176
```

```
[13]: id(1[0])
[13]: 4347588176
[14]: 1
[14]: [42, 'test', 3.14, 'new']
[15]: 1[2]
[15]: 3.14
[16]: "new" in 1
[16]: True
[17]: "no" in l
[17]: False
[18]: len(1)
[18]: 4
[20]: a = (1, 2)
      b = ("new", 24)
[21]: id(a)
[21]: 4388608896
[30]: c = a + b
[33]: id(c)
[33]: 4393733312
[31]: id(c[2])
[31]: 4348657328
[32]: id(b[0])
[32]: 4348657328
[34]: 1_a = [1, 2]
```

```
[35]: 1_b = ["new", 24]
[36]: id(1_a)
[36]: 4394765888
[37]: 1_c = 1_a + 1_b
[38]: 1_c
[38]: [1, 2, 'new', 24]
[40]: id(1_c)
[40]: 4394487488
[42]: id(l_b[0])
[42]: 4348657328
[43]: id(1_c[2])
[43]: 4348657328
[44]: 1_c[2] = "brand new"
[45]: 1_c
[45]: [1, 2, 'brand new', 24]
[46]: 1_b
[46]: ['new', 24]
[47]: l_c.append("new")
[48]: id(l_c[-1])
[48]: 4348657328
[49]: a = ([1, 2], 42)
[50]: id(a)
[50]: 4425770624
[51]: id(a[0])
```

```
[51]: 4417707968
[52]: a[0].append(24)
[53]: a
[53]: ([1, 2, 24], 42)
[54]: id(a)
[54]: 4425770624
[55]: id(a[0])
[55]: 4417707968
[56]: s
[56]: {3.14, 42, 'test'}
[57]: s[0]
                                                 Traceback (most recent call last)
      Input In [57], in <cell line: 1>()
      ----> 1 s[0]
      TypeError: 'set' object is not subscriptable
[58]: for item in s:
          print(item)
     42
     3.14
     test
[59]: s.add(42)
[60]: s
[60]: {3.14, 42, 'test'}
[61]: d
[61]: {'num': 42, 'text': 'test'}
 []:
```