

You're invited to join Talentvine, our exclusive candidate network

[Request Access](#)

Daily Coding Problem

[Blog](#)

Daily Coding Problem #123

Problem

This problem was asked by LinkedIn.

Given a string, return whether it represents a number. Here are the different kinds of numbers:

- "10", a positive integer
- "-10", a negative integer
- "10.1", a positive real number
- "-10.1", a negative real number
- "1e5", a number in scientific notation

And here are examples of non-numbers:

- "a"
- "x 1"
- "a -2"
- "-"

Solution

We can solve this problem bottom-up, starting from positive integers:

- A positive integer contains only digits.
- A negative integer starts with '-' and the rest is a positive integer.
- A positive decimal contains one '.' and the substrings before and after '.' are positive integers.
- A negative decimal starts with '-' and the rest is a positive decimal.
- A positive number is either a positive integer or decimal.
- A negative number is either a negative integer or decimal.
- A scientific notation number contains one 'e' and the substrings before and after 'e' are each either a positive or negative number.
- And finally, a number is either a positive number, a negative number, or a scientific number.

```
def is_number(s):  
    return is_positive_number(s) or is_negative_number(s) or  
    is_scientific_number(s)  
  
def is_scientific_number(s):  
    if s.count('e') != 1:  
        return False  
  
    before_e, after_e = s.split('e')  
  
    return ((is_positive_number(before_e) or is_negative_number(before_e))  
            and (is_positive_number(after_e) or is_negative_number(after_e)))  
  
def is_positive_number(s):  
    return is_positive_integer(s) or is_positive_real(s)  
  
def is_negative_number(s):  
    return is_negative_integer(s) or is_negative_real(s)
```

```
def is_negative_real(s):  
    return s.startswith('-') and is_positive_real(s[1:])  
  
def is_positive_real(s):  
    if s.count('.') != 1:  
        return False  
  
    integer_part, decimal_part = s.split('.')  
  
    return is_positive_integer(integer_part) and is_positive_integer(decimal_part)  
  
def is_negative_integer(s):  
    return s.startswith('-') and is_positive_integer(s[1:])  
  
def is_positive_integer(s):  
    return s.isdigit()
```

© Daily Coding Problem 2019

[Privacy Policy](#)

[Terms of Service](#)

[Press](#)