

# 4160 Lecture 6

date: 02/08/2018

## Viewing

- Typical model
  - TODO Image here
- Pipeline of transformations
  - TODO Image here
- Transformation Step
  - Object Space -> World Space -> Canonical Space -> Screen Space

$$p_s = M_{vp} M_{proj} M_{world} M_{model} P$$

- Image-to-Pixel Mapping (Viewport transformation)

$$M_{vp} = \begin{bmatrix} \frac{n_x}{2} & 0 & 0 & \frac{n_x - 1}{2} \\ 0 & \frac{n_y}{2} & 0 & \frac{n_y - 1}{2} \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

- Keep the depth information by third rows.
- Projection transformation

- Orthographic Projection: Get rid of z

$$\begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix} \Rightarrow \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$

- To keep track the depth: scale into a cube
    - $\begin{bmatrix} \frac{2}{1-r} \end{bmatrix}$

- Perspective Projection

- Similar triangles:  $\frac{y'}{d} = \frac{y}{-z}$
    - Allow arbitrary  $w$ :

$$\begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix} \rightarrow \begin{bmatrix} xw \\ yw \\ zw \\ w \end{bmatrix}$$

$$\blacksquare \begin{bmatrix} -xd/z \\ -yd/z \\ 1 \end{bmatrix} \rightarrow \begin{bmatrix} xd \\ yd \\ -z \end{bmatrix} = \begin{bmatrix} d & 0 & 0 & 0 \\ 0 & d & 0 & 0 \\ 0 & 0 & -1 & 0 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ 1 \end{bmatrix}$$

- Camera Matrix

- Inverse of basis transfer matrix

- $\begin{bmatrix} \vec{u} & \vec{v} & \vec{w} & \vec{e} \\ 0 & 0 & 0 & 1 \end{bmatrix}^{-1}$