Regression Analysis Regression Analysis in Practice

Nicoleta Serban, Ph.D.

Professor

Stewart School of Industrial and Systems Engineering

Emergency Department Healthcare Costs: Findings

About This Lesson



Georgia Tech

Access to Care: Intervention

Access to Primary Care

- Availability
 - Proxy for appointment wait times
 - Takes values between 0 (low wait times) and 1 (high wait times)

Interpretation

 An increase of 1% in lack of availability of primary care providers results in \$1.078 unit increase in ED cost PMPM, given all other predictors fixed

Policy Research Question

 Does improvement in availability of primary care providers reduce the cost of ED care?



Findings: Access Intervention

newdata=dataAdult.no.out index = which(newdata\$Availability >= 0.5)

Improve Availability to at most 0.5 congestion experienced by all communities newdata\$Availability[index] = 0.5

Predict by changing Availability with all other predictors fixed EDCost.predict = predict(reg.step.no.out, newdata, interval="prediction")[,1]


Compare predicted to fitted for those communities with intervention

EDCost.diff.fitted = exp(fitted(reg.step.no.out)) - exp(EDCost.predict)
hist(EDCost.diff.fitted[index], xlab="Difference in Expected versus Predicted ED Cost",
main="Predicted vs. Fitted with Intervention", col="orange")

Compare predicted to observed for those communities with intervention


EDCost.diff.observed = EDCost.pmpm[-909] - exp(EDCost.predict)
summary(EDCost.diff.observed[index])
hist(EDCost.diff.observed[index], xlab="Difference in Observed versus Predicted ED Cost",
main="Predicted vs. Observed with Intervention", col="red")





Findings: State Variations

- Large variations in ED healthcare cost across the four states
 - North Carolina leads and Alabama trails in ED care cost. Why?
 - Medicaid programs vary by state
 - Different health policies and reimbursements levels
 - North Carolina leads and Alabama trails also in ED utilization PMPM



The correlation between ED cost and ED utilization is 0.899

Georgia Tech

Findings: Utilization

- Utilization of physician office visits is positively associated with ED cost of care given the other predicting variables fixed in the model
 - Correlation between utilization of physician office visits and utilization of ED is high (0.54)
 - There may be communities with higher utilization of healthcare in general and thus higher ED costs
- Utilization of inpatient care (hospitalizations) is positively associated with ED cost of care given the other predicting variables fixed in the model
 - There is a very weak correlation between utilization of inpatient care and utilization of ED
 - Further investigation is needed



Findings: Other Variables

- Education is the only socioeconomic variable selected in the reduced model
 - Other socioeconomic variables do not add additional explanatory power given the other predicting variables in the model
- Availability of primary care providers is statistically significantly associated with ED cost of care
 - Intervening to improve availability shows a reduction in the expected ED cost of care according to the fitted model
 - · Such analysis relies on causal inference
- Whether living in urban or rural communities is not statistically significantly associated to ED cost of care given other predicting variables in the model



