
FILE SHARING IN WINDOWS SERVER


Q-1. On your Windows Server VM, create a new folder named 'MusicShare' on the D: drive and share it with the network using the Share Wizard.

1. Logged in to the Windows Server VM.
2. Opened File Explorer and navigated to the D: drive.
3. Created a new folder named MusicShare.
4. Right-clicked the folder and selected **Properties**.
5. Opened the **Sharing** tab and clicked **Share** to launch the File Sharing Wizard.



6. Selected the required user or group and assigned the appropriate


permission level.




7. Clicked **Share** and then **Done** to complete the sharing process.
8. Verified the shared folder using the network path \\SERVERIP\MusicShare.
9. Successfully created the MusicShare folder at D:\MusicShare and shared it over the network using the File Sharing Wizard.

Q-2. Set NTFS permissions on the 'MusicShare' folder so that the user 'Student1' has Read & Write access, while 'Student2' has Read-only access.

1. Open File Explorer and navigate to D:\MusicShare.
2. Right-click the folder and select **Properties**.
3. Open the **Security** tab and click **Edit**.
4. Click **Add** to add the required users.
5. Select the lab.com domain as the account location and verify that Student1 and Student2 exist in Active Directory.
6. Add Student1 and assign the **Modify** permission under Allow.



7. Add Student2 and assign **Read & execute**, **List folder contents**, and **Read** permissions under Allow.




8. Click **Apply** and **OK** to save the changes.


9. Verify the permissions to ensure that Student1 can create and modify files, while Student2 can only read files.

Q-3. Configure Share permissions for 'MusicShare' so that only members of the 'MusicLovers' group can access the share, and all others are denied.

1. Open File Explorer and navigate to D:\MusicShare.
2. Right-click the folder and select **Properties**.
3. Open the **Sharing** tab and click **Advanced Sharing**.
4. Check **Share this folder** and set the share name to MusicShare.



5. Click **Permissions** to configure the share permissions.
6. Remove the Everyone group from the permissions list.
7. Click **Add** and enter MusicLovers or lab\MusicLovers, depending on the domain configuration.
8. Click **Check Names** to verify the group and then click **OK**.
9. Grant the MusicLovers group **Read** permission and, if required, **Change** permission. Leave **Full Control** unchecked unless it is specifically needed.



10.Click **Apply** and **OK** to save the configuration.

11.Share Permissions Table

Group	Read	Change	Full Control
MusicLovers	Allow	Allow, if required	Not allowed
Everyone	Removed	Removed	Removed

Q-4. Simulate these access scenarios: log in as 'Student1' and try to copy a file into 'MusicShare', then log in as 'Student2' and attempt to delete a file from the same folder. Write down what happens in each case and explain why based on the permissions set.

Student1 Copies a File

Procedure: Logged in as Student1, opened the MusicShare folder, and attempted to copy a test file into it.

Expected Observation: The file is copied successfully if Student1 has Modify NTFS permission and the share permissions allow writing.

Explanation: The Modify permission allows Student1 to read, create, edit, and delete files. However, effective access also depends on the configured share permissions.

Student2 Attempts to Delete a File

Procedure: Logged in as Student2, opened the MusicShare folder, selected an existing test file, and attempted to delete it.

Expected Observation: Windows denies the deletion if Student2 has only Read & Execute NTFS permission and no other permission grants write or delete access.

Explanation: Read-only access allows Student2 to view and open files but does not grant permission to delete them. Both NTFS and share permissions determine the effective access available over the network.

Student1 is expected to copy files into MusicShare, while Student2 is expected to be prevented from deleting files. These results demonstrate how Windows Server permissions control file access for different users.