

모바일 앱 개발


202241408 허윤

https://github.com/heoheoyun/mobileapp.git









0411

History for mobileapp / 0404 on main

-O- Commits on Apr 5, 2025

Add files via upload

Add files via upload

Add files via upload

Ald heoheoyun authored on Apr 5

Update readMe.md

Ald heoheoyun authored on Apr 5

Create readMe.md

Add files via upload

Add files via upload

Apr 5


Update readMe.md

Add heoheoyun authored on Apr 5

Create readMe.md

Add heoheoyun authored on Apr 4

End of commit history for this file



-o- Commits on Apr 11, 2025 Add files via upload a heoheoyun authored on Apr 11 Create readMe.md heoheoyun authored on Apr 11 Add files via upload a heoheoyun authored on Apr 11 Create readMe.md heoheoyun authored on Apr 11 Add files via upload heoheoyun authored on Apr 11 Add files via upload heoheoyun authored on Apr 11 Create readMe.md heoheoyun authored on Apr 11 Delete 0411/ChangeBG hecheoyun authored on Apr 11 Create ChangeBG heoheoyun authored on Apr 11 Add files via upload heoheoyun authored on Apr 11 Create readMe.md heoheoyun authored on Apr 11 Create readMe.md

heoheoyun authored on Apr 11

-O- End of commit history for this file


History for mobileapp / 0418 on main Commits on Apr 18, 2025 Add files via upload heoheoyun authored on Apr 18 Create readMe.md heoheoyun authored on Apr 18 Update readMe.md heoheoyun authored on Apr 18 Add files via upload heoheoyun authored on Apr 18 Create readMe.md heoheoyun authored on Apr 18 Add files via upload heoheoyun authored on Apr 18 Create readMd.md heoheoyun authored on Apr 18 Add files via upload heoheoyun authored on Apr 18 Create readMe.,md heoheoyun authored on Apr 18 Create readMe.md heoheoyun authored on Apr 18

-o- End of commit history for this file

0418

0502

0509



Add files via upload

heoheoyun authored last month

Create readMe.md
heoheoyun authored last month

Add files via upload
heoheoyun authored last month

Add files via upload
heoheoyun authored last month


Create readMe.md
heoheoyun authored last month

Create readMe.md
heoheoyun authored last month

Create readMe.md
heoheoyun authored last month

-o- End of commit history for this file

0523




0530

Commits


History for mobileapp / 0530 on main

Commits on May 30, 2025



End of commit history for this file

Final_report





앱 개요

- 간단한 학습 학습을 돕는 안드로이드 앱입니다.
- 주요 기능 퀴즈, 즐겨찾기, 학습 통계를 포함합니다.
- 학습 정리 용어, 예제, 자신만의 정리 등 을 입력할 수 있습니다.

사용 기술 및 저장 방식





Android Studio

안드로이드 스튜디오에서 개발됩니다.

파일구조

```
리 복사
LearningApp/
- app/
   - src/
       └─ main/
          ├ java/
              com/example/learningapp/
                                                  # 010 014
                 - MainActivity.java
                                                  # 학교 항목 추가
                  AddLearningActivity.java
                  - LearningListActivity.java
                                                  # 전체 학습 항목 목록
                  - FavoriteActivity.java
                                                  # 즐거灸刀 号带
                  - QuizActivity.java
                                                  # 퀴즈 기능
                  - StatsActivity.java
                                                  # 871 3415
                  - LearningAdapter.java
                                                  # RecyclerView O/SIE/
                  ├─ DBHelper.java
                                                  # SQLite 团이터베이스 관리
                 └─ model/
                     LearningItem.java
                                                  # 데이터 모듈 클레스
           - res/
              - layout/
                  activity_main.xml
                  - activity_add_learning.xml
                  activity_learning_list.xml
                  activity_favorite.xml
                  - activity_quiz.xml
                  activity_stats.xml
                  - item_learning.xml
                                                  # RecyclerView 항목 레이아웃
                 values/
                  - strings.xml
                                                  # 다국어 문자열
                                                  # 44 2144
                   - colors.xml
                  - dimens.xml
                                                  # 크기 리소스
                 - themes.xml
                                                  # 810 482
              - drawable/
                 (아이콘, 버튼 이미지 등)
          AndroidManifest.xml
   -- build.gradle (모듈 단위)
├─ build.gradle (프로젝트 단위)
- README.md
```

LearningItem.java

```
package com.example.learningapp.model;
public class LearningItem {
   private final int id;
   private final String title;
   private final String description;
   private final boolean isFavorite;
   public LearningItem(int id, String title, String description, boolean isFavorite) {
        this.title = title;
        this.description = description;
        this.isFavorite = isFavorite;
   public int getId() { return id; }
   public String getTitle() { return title; }
   public String getDescription() { return description; }
   public boolean isFavorite() { return isFavorite; }
```

AddLearningActivity.jav

```
a
       package com.example.learningapp;
     vimport android.os.Bundle;
       import android.widget.Button;
       import android.widget.CheckBox;
       import android.widget.EditText;
       import android.widget.Toast;
       import androidx.appcompat.app.AppCompatActivity;
       public class AddLearningActivity extends AppCompatActivity {
           EditText etTitle, etDesc;
           CheckBox cbFavorite;
           Button btnSave;
           DBHelper db;
```

```
protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    etTitle = findViewById(R.id.et_title);
    etDesc = findViewById(R.id.et_description);
    cbFavorite = findViewById(R.id.cb_favorite);
    btnSave = findViewById(R.id.btn_save);
    db = new DBHelper( context: this);
    btnSave.setOnClickListener( View v -> {
        String title = etTitle.getText().toString().trim();
        String desc = etDesc.getText().toString().trim();
        int isFavorite = cbFavorite.isChecked() ? 1 : 0;
       if (title.isEmpty() || desc.isEmpty()) {
            Toast.makeText( context this, text "모든 항목을 <u>입력해주세요</u>.", Toast.LENGTH_SHORT).show();
        if (inserted) {
            Toast.makeText( context this, text "저장 실패", Toast.LENGTH_SHORT).show();
```

DBHelper.java

```
@Override
      package com.example.learningapp;
                                                                                      public void onCreate(SQLiteDatabase db) {
                                                                         17 (T) (Q) V
                                                                                          String createTable = "CREATE TABLE learning (" +
    v import android.content.ContentValues;
                                                                                                   "id INTEGER PRIMARY KEY AUTOINCREMENT," +
      import android.content.Context;
                                                                                                   "title TEXT NOT NULL," +
      import android.database.Cursor;
                                                                                                   "description TEXT NOT NULL," +
      import android.database.sqlite.*;
                                                                                                   "is_favorite INTEGER DEFAULT 0," +
                                                                                                   "timestamp DATETIME DEFAULT CURRENT_TIMESTAMP)";
                                                                                          db.execSQL(createTable);
      public class DBHelper extends SQLiteOpenHelper {
         private static final String DB_NAME = "LearningApp.db";
         private static final int DB_VERSION = 1;
                                                                                      @Override
                                                                         28 (1) (a) V
                                                                                      public void onUpgrade(SQLiteDatabase db, int oldVer, int newVer) {
                                                                                           db.execSQL("DROP TABLE IF EXISTS learning");
         public DBHelper(Context context) {
                                                                                          onCreate(db);
              super(context, DB_NAME, factory: null, DB_VERSION);
          @Override
                                                                                      public boolean insertLearning(String title, String desc, int isFavorite) {
(f) (a) v
          public void onCreate(SQLiteDatabase db) {
                                                                                          SQLiteDatabase db = getWritableDatabase();
              String createTable = "CREATE TABLE learning (" +
                                                                                          ContentValues cv = new ContentValues();
                      "id INTEGER PRIMARY KEY AUTOINCREMENT," +
                                                                                          cv.put("title", title);
                      "title TEXT NOT NULL," +
                                                                                          cv.put("description", desc);
                      "description TEXT NOT NULL," +
                                                                                           cv.put("is_favorite", isFavorite);
                      "is_favorite INTEGER DEFAULT 0," +
                                                                                           long result = db.insert( table: "learning", nullColumnHack: null, cv);
                      "timestamp DATETIME DEFAULT CURRENT_TIMESTAMP)";
                                                                                           return result != -1;
              db.execSQL(createTable);
```

```
public Cursor getFavorites() {
    return getReadableDatabase().rawQuery( sql: "SELECT * FROM learning WHERE is_favorite = 1 ORDER BY timestamp DESC", selectionArgs null);
public void updateFavorite(int id, int isFavorite) {
    SQLiteDatabase db = getWritableDatabase();
    ContentValues cv = new ContentValues();
    cv.put("is_favorite", isFavorite);
    db.update( table: "learning", cv, whereClause: "id = ?", new String[]{String.valueOf(id)});
public void deleteLearning(int id) {
    SQLiteDatabase db = getWritableDatabase();
    db.delete( table: "learning", whereClause: "id = ?", new String[]{String.valueOf(id)});
```

FavoriteActivity.ja

```
V_{\mathbf{A}}
    package com.example.learningapp;
  v import android.database.Cursor;
    import android.os.Bundle;
    import android.widget.Toast;
    import androidx.appcompat.app.AppCompatActivity;
    import androidx.recyclerview.widget.LinearLayoutManager;
    import androidx.recyclerview.widget.RecyclerView;
    import com.example.learningapp.model.LearningItem;
    import java.util.ArrayList;
    import java.util.List;
   public class FavoriteActivity extends AppCompatActivity {
        RecyclerView recyclerView;
        DBHelper db;
        List<LearningItem> favoriteList;
        LearningAdapter adapter;
        @Override
        protected void onCreate(Bundle savedInstanceState) {
            super.onCreate(savedInstanceState);
            setContentView(R.layout.activity_favorite);
```

```
@Override
protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_favorite);
    recyclerView = findViewById(R.id.recycler_favorite);
    recyclerView.setLayoutManager(new LinearLayoutManager(context this));
    db = new DBHelper( context: this);
    favoriteList = new ArrayList<>();
    loadFavorites();
private void loadFavorites() {
    Cursor cursor = db.getFavorites();
    while (cursor.moveToNext()) {
        int id = cursor.getInt(cursor.getColumnIndexOrThrow( columnName: "id"));
        String title = cursor.getString(cursor.getColumnIndexOrThrow(columnName: "title"));
        String desc = cursor.getString(cursor.getColumnIndexOrThrow( columnName: "description"));
        int isFav = cursor.getInt(cursor.getColumnIndexOrThrow( columnName: "is_favorite"));
        favoriteList.add(new LearningItem(id, title, desc, isFavorite: isFav == 1));
    adapter = new LearningAdapter( context this, favoriteList, new LearningAdapter.OnItemClickListener()
         public void onItemClick(LearningItem item) {
         public void onItemLongClick(LearningItem item) {
             db.updateFavorite(item.getId(), isFavorite: 0);
             Toast.makeText( context FavoriteActivity.this, text "<u>즐거찾기</u> 해제됨", Toast.LENGTH_SHORT).show();
             recreate();
      recyclerView.setAdapter(adapter);
```

LearningAdapter.java

```
package com.example.learningapp;
public class LearningAdapter extends RecyclerView.Adapter<LearningAdapter.ViewHolder> {
    private final Context context;
    private final List<LearningItem> items;
    private final OnItemClickListener listener;
    public interface OnItemClickListener {
        void onItemClick(LearningItem item);
        void onItemLongClick(LearningItem item): // 		 삭제용 홈클릭 이벤트
    public LearningAdapter(Context context, List<LearningItem> items, OnItemClickListener listener) {
    public static class ViewHolder extends RecyclerView.ViewHolder {
        TextView tvTitle, tvDescription;
```

```
public ViewHolder(View v) {
    super(v);
    tvTitle = v.findViewById(R.id.tv_title);
    tvDescription = v.findViewById(R.id.tv_description);
}
```

```
public void bind(LearningItem item, OnItemClickListener) {
    itemView.setOnClickListener( View v -> listener.onItemClick(item));
    itemWiew.setOnLongClickListener( View v -> {
        listener.onItemLongClick(item);
        return true;
    });
}

@NonNull

@Override

public ViewHolder onCreateViewHolder(@NonNull ViewGroup parent, int viewType) {

View view = LayoutInflater.from(context).inflate(R.layout.item_learning, parent, attachToRoot faireturn new ViewHolder(view);
}

@Override

public void onBindViewHolder(@NonNull ViewHolder holder, int position) {
    LearningItem item = items.get(position);
    holder.tvTitle.setText(item.getTitle());
    holder.tvDescription.setText(item.getDescription());
    holder.bind(item, listener);
}

@Override

@Override

public int getItemCount() { return items.size(); }
```

LearningItem.java

```
package com.example.learningapp.model;
public class LearningItem {
   private final int id;
   private final String title;
   private final String description;
   private final boolean isFavorite;
   public LearningItem(int id, String title, String description, boolean isFavorite) {
        this.title = title;
        this.description = description;
        this.isFavorite = isFavorite;
   public int getId() { return id; }
   public String getTitle() { return title; }
   public String getDescription() { return description; }
   public boolean isFavorite() { return isFavorite; }
```

LearningList.java

```
package com.example.learningapp;
       > import ...
14 ▷ ♦ public class LearningListActivity extends AppCompatActivity {
            RecyclerView recyclerView;
            DBHelper db;
            List<LearningItem> itemList;
            LearningAdapter adapter;
            @Override
            protected void onCreate(Bundle savedInstanceState) {
                super.onCreate(savedInstanceState);
                recyclerView = findViewById(R.id.recycler_learning);
                recyclerView.setLayoutManager(new LinearLayoutManager(context this);
                db = new DBHelper( context: this);
                itemList = new ArrayList<>();
                loadData();
            private void loadData() {
                Cursor cursor = db.getAllLearnings();
                while (cursor.moveToNext()) {
```

```
int id = cursor.getInt(cursor.getColumnIndexOrThrow( columnName: "id"));
           String title = cursor.getString(cursor.getColumnIndexOrThrow( columnName: "title"));
           String desc = cursor.getString(cursor.getColumnIndexOrThrow( columnName: "description"));
           int isFav = cursor.getInt(cursor.getColumnIndexOrThrow( columnName: "is_favorite"));
           itemList.add(new LearningItem(id, title, desc, isFavorite: isFav == 1));
       adapter = new LearningAdapter( context this, itemList, new LearningAdapter.OnItemClickListener() {
           @Override
           public void onItemClick(LearningItem item) {
                int newFav = item.isFavorite() ? 0 : 1;
       db.updateFavorite(item.getId(), newFav);
       Toast.makeText( context LearningListActivity.this, newFav == 1 ? "즐거찾기 추가됨" : "즐거찾기 해제됨", Toast.LENGTH_SHORT).show();
   public void onItemLongClick(LearningItem item) {
       new AlertDialog.Builder( context LearningListActivity.this)
              .setTitle("삭제 확인")
                  Toast.makeText( context LearningListActivity.this, text "석제됨", Toast.LENGTH_SHORT).show();
              .setNegativeButton( text "취소", listener null)
              .show();
recyclerView.setAdapter(adapter);
```

MainActivity.jav

```
package com.example.learningapp;
      > import ...
9 > <> public class MainActivity extends AppCompatActivity {
            TextView tvGoal;
            Button btnAdd, btnList, btnQuiz, btnFavorite, btnStats;
            @Override
            protected void onCreate(Bundle savedInstanceState) {
                super.onCreate(savedInstanceState);
                setContentView(R.layout.activity_main);
                tvGoal = findViewById(R.id.tv_today_goal);
                btnAdd = findViewById(R.id.btn_add_learning);
                btnList = findViewById(R.id.btn_learning_list);
                btnQuiz = findViewById(R.id.btn_quiz);
                btnFavorite = findViewById(R.id.btn_favorite);
                btnStats = findViewById(R.id.btn_stats);
                btnAdd.setOnClickListener( View v -> startActivity(new Intent( packageContext this, AddLearningActivity.class)));
                btnList.setOnClickListener( View v -> startActivity(new Intent( packageContext this, LearningListActivity.class)));
                btnQuiz.setOnClickListener( View v -> startActivity(new Intent( packageContext this, QuizActivity.class)));
                btnFavorite.setOnClickListener( View v -> startActivity(new Intent( packageContext this, FavoriteActivity.class)));
                btnStats.setOnClickListener( View v -> startActivity(new Intent( packageContext this, StatsActivity.class)));
```

QuizActivity.java

```
package com.example.learningapp;
> import ...
public class QuizActivity extends AppCompatActivity {
     private static final String TAG = "QuizActivity";
     private TextView tvQuestion, tvResult;
     private Button btnTrue, btnFalse, btnNext;
     private List<LearningItem> quizItems;
     private final Random random = new Random();
     @Override
     protected void onCreate(Bundle savedInstanceState) {
         super.onCreate(savedInstanceState);
         setContentView(R.layout.activity_quiz);
         tvQuestion = findViewById(R.id.tv_quiz_question);
         tvResult = findViewById(R.id.tv_result);
         btnTrue = findViewById(R.id.btn_answer_true);
         btnFalse = findViewById(R.id.btn_answer_false);
         btnNext = findViewById(R.id.btn_next);
         loadQuizData();
         btnTrue.setOnClickListener( View v -> checkAnswer( userAnswer true));
         btnFalse.setOnClickListener( View v -> checkAnswer( userAnswer false));
         btnNext.setOnClickListener( View v -> showNextQuestion());
```

```
private void loadQuizData() {
    quizItems = new ArrayList<>();
    try (DBHelper db = new DBHelper( context this);
        Cursor cursor = db.getAllLearnings()) {
        while (cursor.moveToNext()) {
           int id = cursor.getInt(cursor.getColumnIndexOrThrow( columnName: "id"));
           String title = cursor.getString(cursor.getColumnIndexOrThrow(columnName: "title"));
           String desc = cursor.getString(cursor.getColumnIndexOrThrow( columnName: "description"));
           boolean fav = cursor.getInt(cursor.getColumnIndexOrThrow( columnName: "is_favorite")) == 1;
           // 🗸 수정된 부분: 4개의 인자 전달
           quizItems.add(new LearningItem(id, title, desc, fav));
   } catch (Exception e) {
        Log.e(TAG, msg: "퀴즈 데이터 로드 중 오류 발생", e);
   if (quizItems.isEmpty()) {
        btnTrue.setEnabled(false);
        btnFalse.setEnabled(false);
    } else {
        showNextQuestion();
```

```
private void showNextQuestion() {
   int currentIndex = random.nextInt(quizItems.size());
  LearningItem currentQuestion = quizItems.get(currentIndex);
  boolean makeFalse = random.nextBoolean();
   String shownTitle = makeFalse ? getRandomWrongTitle(currentQuestion.getTitle()) : currentQuestion.getTitle();
   String questionText = currentQuestion.getDescription() +
                                                                 @~
                                                                           private String getRandomWrongTitle(String correctTitle) {
         getString(makeFalse ? "오답 (아니오)" : "정답 (예)") +
                                                                               for (int i = 0; i < 10; i++) {
         ": \"" + shownTitle + "\"";
                                                                                    int idx = random.nextInt(quizItems.size());
   tvQuestion.setText(questionText);
                                                                                    String title = quizItems.get(idx).getTitle();
   tvQuestion.setTag(!makeFalse);
                                                                                    if (!title.equals(correctTitle)) return title;
                                                                               return "????";
                                                                          private void checkAnswer(boolean userAnswer) {
                                                                               boolean correctAnswer = (boolean) tvQuestion.getTag();
                                                                               if (userAnswer == correctAnswer) {
                                                                                    tvResult.setText("청답입니다!");
                                                                               } else {
                                                                                    tvResult.setText("오답입니다!");
                                                                               btnNext.setVisibility(View.VISIBLE);
```

StatsActivity.java

```
package com.example.learningapp;
      import ....
8 ▷ ♦ public class StatsActivity extends AppCompatActivity {
            DBHelper db;
            @Override
            protected void onCreate(Bundle savedInstanceState) {
                super.onCreate(savedInstanceState);
                setContentView(R.layout.activity_stats);
                tvTotal = findViewById(R.id.tv_total);
                tvFavorite = findViewById(R.id.tv_favorite);
                tvLast = findViewById(R.id.tv_last);
                db = new DBHelper( context; this);
                loadStats();
            private void loadStats() {
                int total = 0;
                int favorite = 0;
                String <u>lastDate</u> = "없음";
                Cursor allCursor = db.getAllLearnings();
                Cursor favCursor = db.getFavorites();
```

```
if (allCursor != null) {
    total = allCursor.getCount();
    if (allCursor.moveToFirst()) {
        lastDate = allCursor.getString(allCursor.getColumnIndexOrThrow( columnName: "timestamp"));
    }
}

if (favCursor != null) {
    favorite = favCursor.getCount();
}

tvTotal.setText("총 등록된 학습 항목: {total}개");
    tvFavorite.setText("즐거짖기 항목: {favorite}개");
    tvLast.setText("가장 최근 등록일: {lastDate}");
}

}
```

activity_add_learning.xml

```
<ScrollView xmlns:android="http://schemas.android.com/apk/res/android"</pre>
    android:layout_width="match_parent"
    android:layout_height="match_parent">
    <LinearLayout
        android:orientation="vertical"
        android:padding="24dp"
        android:layout_width="match_parent"
        android:layout_height="wrap_content">
            android:id="@+id/et_title"
            android:hint="학습 제목"
            android:inputType="textCapSentences"
            android:autofillHints="username"
            android:layout_width="match_parent"
            android:layout_height="wrap_content" />
        <EditText
            android:id="@+id/et_description"
            android:hint="학습 내용"
            android:inputType="textMultiLine"
            android:autofillHints="text"
            android: layout_width="match_parent"
            android: Layout_height="100dp"
            android:gravity="top" />
        <CheckBox
            android:id="@+id/cb_favorite"
            android:text="즐겨찾기 추가"
            android:layout_marginTop="12dp"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content" />
```

```
| Section | Sec
```

activity_favorite.xml

activity_learning_list.xml

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"</pre>
    android:orientation="vertical"
    android:padding="24dp"
    android:gravity="center"
    android:background="@color/white"
    android:layout_width="match_parent"
    android:layout_height="match_parent">
    <TextView
        android:text="오늘의 학습 목표"
        android:textSize="20sp"
        android:textStyle="bold"
        android:textColor="@color/black"
        android:layout_marginBottom="16dp"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content" />
    <TextView
        android:id="@+id/tv_today_goal"
        android:text="오늘 목표를 입력해보세요!"
        android:textSize="16sp"
        android:textColor="@color/black"
        android:layout_marginBottom="16dp"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content" />
    <Button
        android:id="@+id/btn_add_learning"
        android:text="학습 등록"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />
```

```
<Button
       android:id="@+id/btn_learning_list"
       android:text="학습 목록"
       android:layout_width="match_parent"
        android:layout_height="wrap_content" />
    <Button
       android:id="@+id/btn_quiz"
       android:text="퀴즈"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />
    <Button
       android:id="0+id/btn_favorite"
       android:text="즐겨찾기"
       android:layout_width="match_parent"
        android:layout_height="wrap_content" />
    <Button
       android:id="@+id/btn_stats"
       android:text="학습 통계"
        android:layout_width="match_parent"
       android:layout_height="wrap_content" />
</LinearLayout>
```

activity_quiz.xml

```
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"</pre>
    android:orientation="vertical"
    android:padding="24dp"
    android:gravity="center"
    android:layout_width="match_parent"
    android:layout_height="match_parent">
    <TextView
        android:id="@+id/tv_quiz_question"
        android:textSize="16sp"
        android:textColor="@color/black"
        android:textAlignment="center"
        android:layout_marginBottom="16dp"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />
    <Button
        android:id="@+id/btn_answer_true"
        android:text="정답 (예)"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_marginBottom="8dp" />
    <Button
        android:id="@+id/btn_answer_false"
        android:text="오달 (아니오)"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_marginBottom="16dp" />
```

```
<TextView
        android:id="@+id/tv_result"
        android:textSize="16sp"
        android:textColor="@color/black"
        android:layout_marginTop="12dp"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content" />
    <Button
        android:id="@+id/btn_next"
        android:text="다음 문제"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:visibility="gone" />
</LinearLayout>
```

activity_stats.xml

```
kScrollView xmlns:android="http://schemas.android.com/apk/res/android"
   android:layout_width="match_parent"
   android:layout_height="match_parent">
    <LinearLayout
        android:orientation="vertical"
       android:padding="24dp"
       android:layout_width="match_parent"
       android:layout_height="wrap_content">
       <TextView
            android:text="학습 통계"
            android:textSize="24sp"
            android:textStyle="bold"
            android:textColor="@color/black"
            android:layout_marginBottom="16dp"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content" />
        <TextView
            android:id="@+id/tv_total"
            android:textSize="16sp"
            android:textColor="@color/black"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content" />
```

```
<TextView
            android:id="@+id/tv_favorite"
            android:textSize="16sp"
            android:textColor="@color/black"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content" />
        <TextView
            android:id="@+id/tv_last"
            android:textSize="16sp"
            android:textColor="@color/black"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content" />
    </LinearLayout>
</ScrollView>
```

Item_learning.xml

```
<androidx.cardview.widget.CardView xmlns:android="http://schemas.android.com/apk/res/android"</p>
    android:layout_marginBottom="16dp"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:elevation="4dp">
    <LinearLayout
        android:orientation="vertical"
        android:padding="24dp"
        android:layout_width="match_parent"
        android:layout_height="wrap_content">
        <TextView
            android:id="@+id/tv_title"
            android:textSize="20sp"
            android:textStyle="bold"
            android:textColor="@color/black"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"/>
        <TextView
            android:textSize="16sp"
            android:layout_marginTop="4dp"
            android:textColor="@color/black"
            android:layout_width="wrap_content"
            android:layout_height="wrap_content" />
    </LinearLayout>
```

colors.xml

dimens.xml


strings.xml

```
<resources>
    <string name="app_name">LearningApp</string>
    <string name="today_goal">오늘의 학습 목표</string>
    <string name="input_goal">오늘 목표를 입력해보세요!</string>
    <string name="add_learning">학습 등록</string>
    <string name="learning_list">학습 목록</string>
    <string name="quiz">퀴즈</string>
    <string name="favorite">즐겨찾기</string>
    <string name="stats">학습 통계</string>
    <string name="save">저장</string>
    <string name="title_hint">학습 제목</string>
    <string name="description_hint">학습 내용</string>
    <string name="favorite_check">즐겨찾기 추가</string>
  ♀ <string name="true_answer">정답 (예)</string>
    <string name="false_answer">오답 (아니오)</string>
    <string name="next_question">다음 문제</string>
    <string name="quiz_result_correct">정답입니다!</string>
    <string name="quiz_result_wrong">오답입니다!</string>
    <string name="no_data">등록된 학습 항목이 없습니다.</string>
    <string name="learning_stats">학습 통계</string>
    <string name="total_items">총 등록된 학습 항목: %1$d개</string>
    <string name="favorite_items">즐겨찾기 항목: %1$d개</string>
    <string name="last_registered">가장 최근 등록일: %1$s</string>
 </resources>
```

MainActivity 전체 메뉴 진입 화면입니다.



AddLearningActivity 학습 등록 입력 폼입니다.



LearningListActivity 등록된 학습 목록을 보여줍니다.



QuizActivity

FavoriteActivity

자신이 등록한 예제를 통해 퀴즈를 제공합니다. 즐겨찾기 학습을 볼 수 있습니다.

StatsActivity

학습 통계를 시각화하여 보여줍니다.







점수: 19

왜냐하면

Github: 7점

예제나 레포트를 중간에 하지 않은 것 늦게 제출한 것도 있음.

프로젝트:11점

완성도가 그렇게 높다고는 생각이 들지 않지만 앱 내에 존재하는 모든 기능은 정상적으로 돌아감.