Horns unit

https://github.com/heptagons/meccano/units/horns

Abstract

Horns unit is a group of seven meccano ¹ strips intended to build polygons. We found the formula to calculate the internal angles then look for polygons and found hexagons, octagons and dodecagons. We found no pentagons.




Figure 1: The **horn unit** has seven strips: Two of length a, two of length b + d, two of length c and one of length e. We expect to build polygons with internal angle $C_1B_1B_2$ and perimeter including segments a, e, a.

1 Algebra

From figure 1 we start with triangle $\triangle A_1B_1C_1$. At vertex A_1 we have angle A and the supplement A':

$$A \equiv \angle B_1 A_1 C_1 \tag{1}$$

$$\cos A = \frac{b^2 + c^2 - a^2}{2bc}$$
 if and only if $a < b + c$ (2)

$$A' \equiv \angle EA_1B_1 = \pi - A \tag{3}$$

$$\cos A' = \cos(\pi - A) = -\cos A = \frac{-b^2 - c^2 + a^2}{2bc}$$
(4)

We define $f \equiv b + d$ and $g \equiv \overline{EB_1}$. With the law of cosines we have:

$$f \equiv b + d \qquad (5)$$

$$g^2 = c^2 + d^2 - 2cd \cos A' \qquad (6)$$

$$= c^{2} + d^{2} - (2cd) \frac{-b^{2} - c^{2} + a^{2}}{2bc}$$

$$= \frac{bc^{2} + bd^{2} + b^{2}d + c^{2}d - a^{2}d}{b}$$

$$= \frac{(b+d)(bd+c^{2}) - a^{2}d}{b}$$
(7)

 $^{^{1}}$ Meccano mathematics by 't Hooft

Define a new variable $h = (b+d)(bd+c^2) - a^2d$:

$$h \equiv \boxed{(bd + c^2)f - a^2d}$$
 $\in \mathbb{Z}$ (8)

$$h \equiv \boxed{(bd + c^2)f - a^2d} \qquad \in \mathbb{Z} \qquad (8)$$

$$g^2 = \boxed{\frac{h}{b}} \qquad \text{if and only if } 0 < h < b \qquad (9)$$

We calculate angles $F \equiv \angle C_1 B_1 E$ and $G \equiv \angle B_2 B_1 E$. We replace g^2 by h/b:

$$\cos F = \frac{a^2 + g^2 - f^2}{2ag} = \frac{a^2b - bf^2 + h}{2abg}$$
 (10)

$$\cos G = \boxed{\frac{e}{2g}} \tag{11}$$

Define new variable $j = a^2b - bf^2 + h$ so:

$$j \equiv \boxed{a^2b - bf^2 + h}$$
 $\in \mathbb{Z}$ (12)

$$\cos F = \frac{a^2b - bf^2 + h}{2abg} = \boxed{\frac{j}{2abg}} \tag{13}$$

We calculate cosines squares and products. Again we replace g^2 by h/b:

$$\cos F \cos G = \frac{ej}{4abg^2} = \frac{bej}{4abh} = \boxed{\frac{ej}{4ah}}$$
 $\in \mathbb{Q}$ (14)

$$\cos^2 F = \frac{j^2}{4a^2b^2g^2} = \frac{bj^2}{4a^2b^2h} = \left| \frac{j^2}{4a^2bh} \right| \in \mathbb{Q}$$
 (15)

$$\cos^2 G = \frac{e^2}{4g^2} = \boxed{\frac{be^2}{4h}} \tag{16}$$

(18)

$$\cos^2 F \cos^2 G = \frac{be^2 j^2}{16a^2 bh^2} = \boxed{\frac{e^2 j^2}{16a^2 h^2}}$$
 $\in \mathbb{Q}$ (17)

We calculate the sines part squared and set a common denominator as square $16a^2b^2h^2$:

$$(\sin F \sin G)^{2} = (1 - \cos^{2}F)(1 - \cos^{2}G)$$

$$= 1 - \cos^{2}F - \cos^{2}G + \cos^{2}F \cos^{2}G$$

$$= 1 - \frac{j^{2}}{4a^{2}bh} - \frac{be^{2}}{4h} + \frac{e^{2}j^{2}}{16a^{2}h^{2}}$$

$$= 1 - \frac{j^{2}}{4a^{2}bh} - \frac{be^{2}}{4h} + \frac{e^{2}j^{2}}{16a^{2}h^{2}}$$

$$= \frac{16a^{2}b^{2}h^{2} - (4bh)j^{2} - (4a^{2}b^{2}h)be^{2} + (b^{2})e^{2}j^{2}}{16a^{2}b^{2}h^{2}}$$

$$= \frac{16a^{2}b^{2}h^{2} - 4bhj^{2} - 4a^{2}b^{3}e^{2}h + b^{2}e^{2}j^{2}}{16a^{2}b^{2}h^{2}}$$

$$= \frac{b(be^{2} - 4h)(j^{2} - 4a^{2}bh)}{16a^{2}b^{2}h^{2}}$$

$$(20)$$

Extract square root to get $\sin F \sin G = \sqrt{D/A}$ where $D, A \in \mathbb{Z}$:

$$\sin F \sin G = \boxed{\frac{\sqrt{b(be^2 - 4h)(j^2 - 4a^2bh)}}{4abh}} \in \mathbb{A}$$
 (21)

We sum the angles F and G to get:

$$F + G \equiv \angle B_2 B_1 C_1$$

$$\cos (F + G) = \cos F \cos G - \sin F \sin G$$

$$= \frac{ej}{4ah} - \frac{\sqrt{b(be^2 - 4h)(j^2 - 4a^2bh)}}{4abh}$$

$$= \frac{bej - \sqrt{b(be^2 - 4h)(j^2 - 4a^2bh)}}{4abh}$$

$$\in \mathbb{A}$$
(22)

2 Software

3 Examples

3.1 Hexagons examples




Figure 2: $Horns(5,8,7,0,11) 60^{\circ}$.




Figure 3: $Horns(7,3,5,4,9) 60^{\circ}$.

3.2 Octagons examples




Figure 4: $Horns(2,3,3,3,8) 45^{\circ}$.




Figure 5: $Horns(3,2,3,7,12) 45^{\circ}$.




Figure 6: $Horns(14,9,9,9,16) 45^{\circ}$.




Figure 7: $Horns(14,11,11,11,24) 45^{\circ}$.




Figure 8: $Horns(21,21,14,6,24) 45^{\circ}$.

$3.3\quad {\rm Dode cagons\ examples}$




Figure 9: $Horns(6,5,5,5,8) 30^{\circ}$.




Figure 10: $Horns(15,4,13,21,20) 30^{\circ}$.




Figure 11: $Horns(15,9,12,16,20) 30^{\circ}$.




Figure 12: $Horns(15,14,13,11,20) 30^{\circ}$.




Figure 13: $Horns(15,18,15,7,20) 30^{\circ}$.




Figure 14: Horns(10,13,13,13,24) 30°.