1、搭建Autosar的MCAL生成环境

卖家'漩涡遨游aa' 专属资料，非在漩涡遨游aa 购买资料，不提供答疑(一次购买仅提供有限次数10次答疑)

由于咸鱼的S32K3xx_SIP.zip 中SIP包中不含有MCAL的RTD包和EBtresos, 而这两个又是在davinci cfg中生成mcal代码的关键工具包，所有这里提前准备好了

在CBD2300384_D00\ThirdParty\Mcal_S32k\目录下新建Supply文件夹，把附件包中的SW32K3_RTD_4.4_2.0.1.zip和tresos.7z都解压放在Supply文件夹中

（注：tresos版本是tresos Studio 28.2，相当于把安装的内容拷过来名字命名为tresos）

接下来点击SIP包的第三方工具来重新选择我们需要的MCAL为S32K344，打开

CBD2300384_D00\ThirdParty\McalIntegrationHelper\3rdPartyMcalIntegrationHelper.exe







这里选择S32K344，因为手上的板子是S32K344 172封装的


3rd Party MCAL Integration Helper
Please first choose the derivative you want to
The following BSWMD files will be copied and used.
Derivative
<<Filter>>
File
s32k312 - mqfp172
s32k314 - mapbga257
s32k314 - mqfp172
s32k322 - mqfp100
s32k322 - mqfp172
s32k324 - mapbga257
s32k324 - mqfp172
s32k341 - mqfp100
s32k341 - mqfp172
s32k342 - mqfp100
s32k342 - mqfp172
s32k344 - mapbga257
s32k344 - mqfp172
Adc_s32k344_mqfp172.epd
Crypto_s32k344_mqfp172.epd
Dio_s32k344_mqfp172.epd
Fls_s32k344_mqfp172.epd
Gpt_s32k344_mqfp172.epd
I2c_s32k344_mqfp172.epd
Icu_s32k344_mqfp172.epd
Mcl_s32k344_mqfp172.epd
Mcu_s32k344_mqfp172.epd
Ocu_s32k344_mqfp172.epd
Port_s32k344_mqfp172.epd
Pwm_s32k344_mqfp172.epd
Spi_s32k344_mqfp172.epd
Progress
...
See log file for deta
VECTOR
<<Back
Copy files


3rd Party MCAL Integration Helper
Please first choose the derivative you want to
The following BSWMD files will be copied and used.
Derivative
<<Filter>>
File
s32k312 - mqfp172
s32k314 - mapbga257
s32k314 - mqfp172
s32k322 - mqfp100
s32k322 - mqfp172
s32k324 - mapbga257
s32k324 - mqfp172
s32k341 - mqfp100
s32k341 - mqfp172
s32k342 - mqfp100
s32k342 - mqfp172
s32k344 - mapbga257
s32k344 - mqfp172
Adc_s32k344_mqfp172.epd
Crypto_s32k344_mqfp172.epd
Dio_s32k344_mqfp172.epd
Fls_s32k344_mqfp172.epd
Gpt_s32k344_mqfp172.epd
I2c_s32k344_mqfp172.epd
Icu_s32k344_mqfp172.epd
Mcl_s32k344_mqfp172.epd
Mcu_s32k344_mqfp172.epd
Ocu_s32k344_mqfp172.epd
Port_s32k344_mqfp172.epd
Pwm_s32k344_mqfp172.epd
Spi_s32k344_mqfp172.epd
Progress
Completed
See log file for deta
完成
VECTOR
<<Back
Finalize


3rd Party MCAL Integration Helper
According to the actions you have choosen the following actions will be executed:
Actions to finalize the packages after derivative has been chosen
Customize DaVinci CFG5 Configuration Files
Waiting
Patch DaVinci input files to Eth defintion
Waiting
Progress
VECTOR
<<Back
Start


3rd Party MCAL Integration Helper
According to the actions you have choosen the following actions will be executed:
Actions to finalize the packages after derivative has been chosen
Customize DaVinci CFG5 Configuration Files
Finished
Patch DaVinci input files to Eth defintion
Finished
Progress
Completed
See log file for deta
VECTOR
Exit

完成！