4、添加Port/Dio模块

卖家'漩涡遨游aa' 专属资料，非在漩涡遨游aa 购买资料，不提供答疑(一次购买仅提供有限次数10次答疑)

添加PTA29/30/31用作io demo测试





一、Davinci添加Port/Dio

1.1、添加Port


Project Settings
Modules
Additional Definitions
Code Generation
Settings
Generator User Settings
External Generation Steps
Custom Workflow
Custom Workflow Steps
ECUC File References
Modules
Additional Definitions
Platform Functions
Project Settings
SWC Templates and Contract Headers
Settings
Variants
Base
BswM
Name:
Short Name Path:
Add Module Assistant
Add Module - Source
Select the source of the module definitions.
Select from Software Integration Package (SIP)
Select from AUTOSAR Standard Definition
Select additional definition
< Back
Next >
Finish
Cancel


Add Module Assistant
Add Module - Definition
Select the definition of the modules to be added.
Note: Some modules may not be available depending on derivative selected for project/module.
Show only those definitions, which are not yet instantiated in the ECU configuration (or which can be instantiated multiple times).
Automatic handling of VTT modules
Port
Module
Definition Reference
Domain
Keywords
Port
/TS_T40D34M20I1R0/Port
I/O
VTTPort
/MICROSAR/VTT/VTTPort
Complex Driver
1 of 2 elements selected
Configuration of the Port module.
< Back
Next >
Finish
Cancel



MSCR计算公式如下：

MSCR =(PORTx(X=A...G)-PORTA) *32 + PinX



同理添加PTA30/31





1.2、添加Dio

同1.1步骤





PTA的高十六位的id是1， 低十六位是0



添加



DIO ID计算参考公式
PORTA L(0-15)=0　　PORTA H(16-31)=1
PORTB L(0-15)=2　　PORTB H(16-31)=3
Dio_Ch: 0-15　　(如PA01, chid=1,　PA29,chid=13)

1.3、EcuM添加Port_Init



1.4、生成port/dio/os/rte/ecum的代码

二、IAR添加MCAL和davinci生成的Port/Dio代码编译

Dio



Port



CBD2300384_D00\ThirdParty\Mcal_S32k\Supply\SW32K3_RTD_4.4_2.0.1\eclipse\plugins\Base_TS_T40D34M20I1R0\inc

修改_Dio_MemMap.h 为Dio_MemMap.h ，让其使能include



添加davinci 生成的Port和dio的代码到IAR工程