

LAPORAN HASIL Pengerjaan
SISTEM INFORMASI BERBASIS WEB FRAMEWORK
MINGGU 6

TUGAS



Disusun Oleh:

Herawati Putri Awaliyah
NIM.E41241945 / Golongan E

PROGRAM STUDI TEKNIK INFORMATIKA
JURUSAN TEKNOLOGI INFORMASI
POLITEKNIK NEGERI JEMBER

2025

BAB 1

- Berikut hasil nya
 - Data layanan salon

Indah Salon

Dashboard

Products

Customers

Articles

Settings

Back to Landing

Data Layanan Salon

Tambah Layanan Salon

Nama Layanan

Kategori

Harga

Promo

Hair Spa

Hair Treatment

100000

Tidak Ada

Tambah

Daftar Layanan Salon

Show 10 entries

Search

No	Nama Layanan	Kategori	Harga	Promo	Aksi
1	Hair Cut	Hair Treatment	Rp 162,842	Buy 1 Get 1	
2	Manicure	Facial	Rp 61,035	Buy 1 Get 1	
3	Hair Spa	Facial	Rp 102,830	Buy 1 Get 1	
4	Pedicure	Hair Treatment	Rp 266,888	Tidak Ada	
5	Hair Spa	Hair Styling	Rp 178,050	Diskon 10%	
6	Hair Coloring	Hair Treatment	Rp 249,218	Diskon 10%	
7	Hair Cut	Hair Treatment	Rp 160,602	Diskon 10%	
8	Pedicure	Hair Styling	Rp 67,262	Diskon 20%	
9	Pedicure	Nail Care	Rp 253,347	Diskon 20%	

- Data pelanggan

Data Pelanggan

Tambah Pelanggan

Nama

No HP

Email

Alamat

Tambah

Daftar Pelanggan

<<<<<<

Show 10 entries

Search

No	Nama	No HP	Email	Alamat	Aksi
1	Siti Aisyah	081234567890	siti@gmail.com	Bandung	
2	Rina Putri	081345678901	rina@gmail.com	Jakarta	
3	Dewi Lestari	082123456789	dewi@gmail.com	Surabaya	
4	Maya Sari	083456789012	maya@gmail.com	Yogyakarta	
5	Nadia Putri	085678901234	nadia@gmail.com	Bekasi	
6	amel	0812345678765	leonardo@gmail.com	sumber Sari	

- Data karyawan

Indah Salon

Dashboard

Products

Customers

Karyawan

Settings

Back to Landing

Data Karyawan

Nama

Jabatan

Email

No HP

Gaji

Tambah

Show 10 entries

Search

ID	Nama	Jabatan	Email	No HP	Gaji	Aksi
1	Mr. Hazle Metz PhD	Makeup Artist	norma.corkery@example.org	640-387-2837	5892764	Mr. Hazle Metz PhD Makeup Artist norma.corkery@example.org 640-387-2837 5892764 Update Delete
2	Orin Gutkowski	Admin	ritchie.dusty@example.net	458-549-9819	2700510	Orin Gutkowski Admin ritchie.dusty@example.net 458-549-9819 2700510 Update Delete
3	Karson Jerde	Admin	kendrick05@example.net	1-938-563-5426	3775648	Karson Jerde Admin

- Berikut kode nya
 - Kode data layanan salon

1. Admincontroller

```
app > Http > Controllers > AdminController.php > AdminController
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6 use Illuminate\Support\Facades\DB;
7 use App\Models\Product;
8
9 class AdminController extends Controller
10 {
11
12     // dashboard
13     public function index(): Factory|View
14     {
15         return view(view: 'admin.index');
16     }
17
18     // halaman tabel mahasiswa
19     public function product(): Factory|View
20     {
21         $products = DB::table(table: 'products')->get();
22         return view(view: 'admin.product', data: compact(var_name: 'products'));
23     }
24
25     public function store(Request $request): RedirectResponse
26     {
27         DB::table(table: 'products')->insert(values: [
28             'name' => $request->name,
29             'category' => $request->category,
30             'price' => $request->price,
31             'promo' => $request->promo,
32             'created_at' => now(),
33             'updated_at' => now()
34         ]);
35
36         return redirect()->route(route: 'product.index')->with(key: 'success',value: 'Data berhasil ditambahkan');
37     }
}
```

```
app > Http > Controllers > AdminController.php > AdminController
9 class AdminController extends Controller
39 public function edit($id): Factory|View
40 {
41     $product = DB::table(table: 'products')->where(column: 'id',operator: $id)->first();
42
43     return view(view: 'admin.edit', data: compact(var_name: 'product'));
44 }
45
46 public function update(Request $request, $id): RedirectResponse
47 {
48     DB::table(table: 'products')->where(column: 'id',operator: $id)->update(values: [
49         'name' => $request->name,
50         'category' => $request->category,
51         'price' => $request->price,
52         'promo' => $request->promo,
53         'updated_at' => now()
54     ]);
55     return redirect()->route(route: 'product.index')->with(key: 'success',value: 'Data berhasil diupdate');
56 }
57
58 public function destroy($id): RedirectResponse
59 {
60     DB::table(table: 'products')->where(column: 'id',operator: $id)->delete();
61     return redirect()->route(route: 'product.index')->with(key: 'success',value: 'Data berhasil dihapus');
62 }
63
64 // halaman pelanggan
65 public function customer(): Factory|View
66 {
67     $customers = DB::table(table: 'customers')->get();
68     return view(view: 'admin.customer', data: compact(var_name: 'customers'));
69 }
70
71 // tambah pelanggan
72 public function customerStore(Request $request): RedirectResponse
73 {
74     DB::table(table: 'customers')->insert(values: [
```

```

app > Http > Controllers > AdminController.php > AdminController
9 class AdminController extends Controller
72 public function customerStore(Request $request): RedirectResponse
75     'name' => $request->name,
76     'phone' => $request->phone,
77     'email' => $request->email,
78     'address' => $request->address,
79     'created_at' => now(),
80     'updated_at' => now()
81 ];
82
83 return redirect()->route(route: 'customer.index')
84 ->with(key: 'success',value: 'Pelanggan berhasil ditambahkan');
85 }
86
87 // hapus pelanggan
1 reference | 0 overrides
88 public function customerDelete($id): RedirectResponse
89 {
90     DB::table(table: 'customers')->where(column: 'id',operator: $id)->delete();
91
92     return redirect()->route(route: 'customer.index')
93     ->with(key: 'success',value: 'Pelanggan berhasil dihapus');
94 }
95
96 // edit pelanggan
1 reference | 0 overrides
97 public function customerEdit($id): Factory|View
98 {
99     $customer = DB::table(table: 'customers')->where(column: 'id',operator: $id)->first();
100     return view(view: 'admin.customer_edit', data: compact(var_name: 'customer'));
101 }
102
103 // update pelanggan
1 reference | 0 overrides
104 public function customerUpdate(Request $request, $id): RedirectResponse
105 {
106     DB::table(table: 'customers')->where(column: 'id',operator: $id)->update(values: [
107         'name' => $request->name,
108         'phone' => $request->phone,
109         'email' => $request->email,
110         'address' => $request->address,
111         'updated_at' => now()
112     ]);
113
114     return redirect()->route(route: 'customer.index')
115     ->with(key: 'success',value: 'Data pelanggan berhasil diupdate');
116 }
117
118 }

```

2. Frontendcontroller

```

app > Http > Controllers > FrontendController.php > FrontendController
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6
7 class FrontendController extends Controller
8 {
9     1 reference | 0 overrides
10     public function index(): Factory|View
11     {
12         return view(view: 'frontend.index');
13     }
14 }

```

3. Model product

```

app > Models > Product.php > Product > fillable
1  <?php
2
3  namespace App\Models;
4
5  use Illuminate\Database\Eloquent\Factories\HasFactory;
6  use Illuminate\Database\Eloquent\Model;
7  use Illuminate\Support\Facades\DB;
8
9  4 references | 0 implementations
10 class Product extends Model
11 {
12     use HasFactory;
13
14     0 references
15     protected $fillable = [
16         'name',
17         'category',
18         'price',
19         'promo'
20     ];
21 }

```

4. Factories product

```

database > factories > ProductFactory.php > ProductFactory > definition()
1  <?php
2
3  namespace Database\Factories;
4
5  use Illuminate\Database\Eloquent\Factories\Factory;
6
7  /**
8   * @extends \Illuminate\Database\Eloquent\Factories\Factory<\App\Models\Product>
9   */
10 0 references | 0 implementations
11 class ProductFactory extends Factory
12 {
13     0 references | 0 overrides
14     public function definition(): array
15     {
16         return [
17             'name' => $this->faker->randomElement(array: [
18                 'Hair Spa',
19                 'Hair Coloring',
20                 'Hair Cut',
21                 'Facial Glow',
22                 'Manicure',
23                 'Pedicure'
24             ]),
25             'category' => $this->faker->randomElement(array: [
26                 'Hair Treatment',
27                 'Hair Styling',
28                 'Facial',
29                 'Nail Care'
30             ]),
31             'price' => $this->faker->numberBetween(int1: 50000, int2: 300000),
32             'promo' => $this->faker->randomElement(array: [
33                 'Tidak Ada',
34                 'Diskon 10%',
35                 'Diskon 20%',
36                 'Buy 1 Get 1'
37             ]),
38         ];
39     }
40 }

```

5. Migration

```
database > migrations > 2026_02_27_063619_create_products_table.php
1  <?php
2
3  use Illuminate\Database\Migrations\Migration;
4  use Illuminate\Database\Schema\Blueprint;
5  use Illuminate\Support\Facades\Schema;
6
7  return new class extends Migration
8  {
9      /**
10       * Run the migrations.
11       */
12      public function up(): void
13      {
14          Schema::create(table: 'products', callback: function (Blueprint $table): void {
15              $table->id();
16              $table->string(column: 'name'); // nama layanan
17              $table->string(column: 'category'); // kategori
18              $table->integer(column: 'price'); // harga
19              $table->string(column: 'promo')->nullable(); // promo
20              $table->timestamps();
21          });
22      }
23
24      /**
25       * Reverse the migrations.
26       */
27      public function down(): void
28      {
29          Schema::dropIfExists(table: 'products');
30      }
31  };
```

6. Seeders product

```
database > seeders > ProductSeeder.php > ProductSeeder
1  <?php
2
3  namespace Database\Seeders;
4
5  use Illuminate\Database\Seeder;
6  use App\Models\Product; // ← ini yang harus ditambahkan
7
8  1 reference | 0 implementations
9  class ProductSeeder extends Seeder
10  {
11      0 references | 0 overrides
12      public function run(): void
13      {
14          Product::factory()->count(count: 10)->create();
15      }
16  }
```

7. View/admin/product

```
resources > views > admin > productblade.php
1  @extends(view: 'layouts.admin')
2
3  @section(section: 'content')
4
5  <div class="container-fluid">
6
7  <h3 class="mb-4 fw-bold"> Data Layanan Salon</h3>
8
9  <!-- FORM TAMBAH DI ATAS -->
10 <div class="card shadow-sm mb-4">
11 <div class="card-header bg-primary text-white">
12   Tambah Layanan Salon
13 </div>
14
15 <div class="card-body">
16
17   <form action="{{ route(name: 'product.store') }}" method="POST">
18     @csrf
19
20     <div class="row">
21
22       <div class="col-md-3">
23         <label class="form-label">Nama Layanan</label>
24         <input type="text" name="name" class="form-control" placeholder="Hair Spa">
25       </div>
26
27       <div class="col-md-3">
28         <label class="form-label">Kategori</label>
29         <select name="category" class="form-select">
30           <option>Hair Treatment</option>
31           <option>Hair Styling</option>
32           <option>Facial</option>
33           <option>Nail Care</option>
34         </select>
35       </div>
36
37       <div class="col-md-2">
38         <label class="form-label">Harga</label>
39         <input type="number" name="price" class="form-control" placeholder="100000">
40       </div>
41
42       <div class="col-md-2">
```



```

resources > views > admin > product.blade.php
3  <@section(section: 'content')
5  <div class="container-fluid">
10 <div class="card shadow-sm mb-4">
15 <div class="card-body">
17 <form action="{{ route(name: 'product.store') }}" method="POST">
41
42 <div class="col-md-2">
43 <label class="form-label">Promo</label>
44 <select name="promo" class="form-select">
45 <option>Tidak Ada</option>
46 <option>Diskon 10%</option>
47 <option>Diskon 20%</option>
48 <option>Buy 1 Get 1</option>
49 </select>
50 </div>
51
52 <div class="col-md-2 d-flex align-items-end">
53 <button class="btn btn-primary w-100">
54 <i class="bi bi-plus-circle"></i> Tambah
55 </button>
56 </div>
57
58 </div>
59
60 </form>
61
62 </div>
63 </div>
64
65
66 <!-- TABEL DATA -->
67 > <div class="card shadow-sm"> ...
136 </div>
137
138 </div>
139
140 @endsection

```

8. View/layouts/admin

```

resources > views > layouts > admin.blade.php
1  <!DOCTYPE html>
2  <html>
3  <head>
4  <title>Admin Dashboard</title>
5  <meta charset="UTF-8">
6  <meta name="viewport" content="width=device-width, initial-scale=1">
7
8  <!-- Bootstrap -->
9  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet">
10
11 <!-- Bootstrap Icons -->
12 <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.1/font/bootstrap-icons.css">
13 <script src="https://cdn.datatables.net/1.13.4/js/dataTables.bootstrap5.min.js"></script>
14
15 <style>
16     body {
17         margin: 0;
18         background-color: #f1f5f9;
19     }
20
21     .sidebar {
22         height: 100vh;
23         background: linear-gradient(to bottom, #023e8a, #0077b6);
24         color: white;
25         padding-top: 20px;
26         position: fixed;
27         width: 250px;
28     }
29
30     .sidebar h4 {
31         text-align: center;
32         margin-bottom: 30px;
33     }
34
35     .sidebar a {
36         display: block;
37         color: white;
38         padding: 12px 25px;
39         text-decoration: none;
40         transition: 0.3s;
41     }

```



```

resources > views > layouts > admin.blade.php
2  <html>
3  <head>
15 <style>
43     .sidebar a:hover {
44         background-color: rgba(255,255,255,0.2);
45         padding-left: 35px;
46     }
47
48     .content {
49         margin-left: 250px;
50         padding: 30px;
51     }
52 </style>
53
54 </head>
55
56 <body>
57
58     <div class="sidebar">
59         <h4>Indah Salon</h4>
60         <a href="/admin">Dashboard</a>
61         <a href="/admin/product">Products</a>
62         <a href="/admin/customer">Customers</a>
63         <a href="#">Articles</a>
64         <a href="#">Settings</a>
65         <a href="/">← Back to Landing</a>
66     </div>
67
68     <div class="content">
69
70         <!-- Alert Success -->
71         @if(session(key: 'success'))
72         <div class="alert alert-success alert-dismissible fade show d-flex align-items-center">
73             <i class="bi bi-check-circle-fill me-2"></i>
74             <div>{{ session(key: 'success') }}</div>
75             <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
76         </div>
77         @endif
78
79         <!-- Alert Error -->
80         @if ($errors->any())
81         <div class="alert alert-danger alert-dismissible fade show d-flex align-items-center">
82
83             <div>
84                 <ul class="mb-0">
85                     @foreach ($errors->all() as $error)
86                     <li>{{ $error }}</li>
87                     @endforeach
88                 </ul>
89             </div>
90             <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
91         </div>
92         @endif
93
94         @yield(section: 'content')
95     </div>
96
97     <!-- Bootstrap JS -->
98     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></script>
99     <script src="https://code.jquery.com/jquery-3.7.0.js"></script>
100
101     <script src="https://cdn.datatables.net/1.13.4/js/jquery.dataTables.min.js"></script>
102
103     <script>
104         $(document).ready(function () {
105             $('#datatable').DataTable();
106         });
107     </script>
108
109 </body>
110 </html>

```

9. View/layouts/frontend

```

resources > views > layouts > frontend.blade.php
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>Ocean Landing Page</title>
5 <meta charset="UTF-8">
6 <meta name="viewport" content="width=device-width, initial-scale=1">
7
8 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet">
9
10 <style>
11     html {
12         scroll-behavior: smooth;
13     }
14
15     body {
16         margin: 0;
17     }
18
19     /* Navbar */
20     .navbar {
21         background: linear-gradient(to right, #0077b6, #00b4d8);
22     }
23
24     .navbar a {
25         color: white !important;
26     }
27
28     /* Hero Section */
29     .hero {
30         background: url('https://images.unsplash.com/photo-1507525428034-b723cf961d3e') no-repeat center center;
31         background-size: cover;
32         height: 100vh;
33         position: relative;
34         color: white;
35     }
36
37     .overlay {
38         background: linear-gradient(to right, #0077b6, #00b4d8);
39         height: 100%;
40         width: 100%;
41         position: absolute;
42     }
43
44     .hero-content {
45         position: relative;
46         z-index: 2;
47         top: 50%;
48         transform: translateY(-50%);
49         text-align: center;
50     }
51
52     /* Section Style */
53     .section {
54         padding: 100px 0;
55     }
56
57     .bg-ocean {
58         background: linear-gradient(to right, #0077b6, #00b4d8);
59         color: white;
60     }
61
62     .btn-ocean {
63         background-color: #00b4d8;
64         border: none;
65     }
66
67     .btn-ocean:hover {
68         background-color: #0077b6;
69     }
70 </style>
71 </head>
72 <body>
73
74 @yield(section: 'content')
75
76 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></script>
77 </body>
78 </html>

```

10. Route/web

```

routes > web.php
1 <?php
2
3 use Illuminate\Support\Facades\Route;
4 use App\Http\Controllers\FrontendController;
5 use App\Http\Controllers\AdminController;
6
7 Route::get(uri: '/admin', action: [AdminController::class, 'index']);
8 Route::get(uri: '/', action: [FrontendController::class, 'index']);
9
10 //route customer
11 Route::get(uri: '/admin/customer', action: [AdminController::class, 'customer'])->name(name: 'customer.index');
12
13 Route::get(uri: '/admin/customer/edit/{id}', action: [AdminController::class, 'customerEdit'])->name(name: 'customer.edit');
14 Route::post(uri: '/admin/customer/update/{id}', action: [AdminController::class, 'customerUpdate'])->name(name: 'customer.update');
15
16 Route::post(uri: '/admin/customer/store', action: [AdminController::class, 'customerStore'])->name(name: 'customer.store');
17 Route::get(uri: '/admin/customer/delete/{id}', action: [AdminController::class, 'customerDelete'])->name(name: 'customer.delete');
18
19
20
21 // route product
22 Route::get(uri: '/admin/product', action: [AdminController::class, 'product'])->name(name: 'product.index');
23 Route::post(uri: '/admin/product/store', action: [AdminController::class, 'store'])->name(name: 'product.store');
24 Route::get(uri: '/admin/product/edit/{id}', action: [AdminController::class, 'edit'])->name(name: 'product.edit');
25 Route::post(uri: '/admin/product/update/{id}', action: [AdminController::class, 'update'])->name(name: 'product.update');
26 Route::get(uri: '/admin/product/delete/{id}', action: [AdminController::class, 'destroy'])->name(name: 'product.delete');

```

3. Perbedaan nya query builder dan eloquent

a. Importan pada model

Contoh:

Query builder

```

app > Models > Product.php > Product > fillable
1 <?php
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7 use Illuminate\Support\Facades\DB;
8

```

Sedangkan eloquent

```

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

```

b. Admin controller nya pada functionnya

Contoh :

Query builder

```

public function product(): Factory|View
{
    $products = DB::table('products')->get();
    return view(view: 'admin.product', data: compact('products'));
}

```

Sedangkan eloquent

```

1 reference | 0 overrides
public function store(Request $request): RedirectResponse
{
    Product::create(attributes: $request->all());

    return redirect()->route(route: 'product.index')
        key: ->with('svalue: uccess', 'Data berhasil ditambahkan');
}

```