

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>My Portfolio</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
  <header>
    <h1>My Portfolio</h1>
    <nav>
      <ul>
        <li><a href="#about">About</a></li>
        <li><a href="#projects">Projects</a></li>
        <li><a href="#contact">Contact</a></li>
      </ul>
    </nav>
  </header>

  <section id="about">
    <h2>About Me</h2>
    <p>Hi, I'm [Iretomiwa Olajide], a web developer passionate about coding and design.</p>
  </section>

  <section id="projects">
    <h2>Projects</h2>
    <div class="project">
      <h3>Project 1</h3>
      <p>A virtual assistant community hangout.</p>
    </div>
    <div class="project">
      <h3>Project 2</h3>
      <p>CV review and sampling.</p>
    </div>
  </section>

  <section id="contact">
    <h2>Contact Me</h2>
    <p>Email: tomiwaolajide7102@gmail.com</p>
    <p>LinkedIn: <a href="#">Your Profile</a></p>
  </section>

  <script src="script.js"></script>
```

```
</body>
</html>
```

```
body {
  font-family: Arial, sans-serif;
  margin: 0;
  padding: 0;
  background-color: #f4f4f4;
  color: #333;
}
```

```
header {
  background-color: #333;
  color: white;
  text-align: center;
  padding: 20px;
}
```

```
nav ul {
  list-style: none;
  padding: 0;
}
```

```
nav ul li {
  display: inline;
  margin: 0 15px;
}
```

```
nav ul li a {
  color: white;
  text-decoration: none;
}
```

```
section {
  padding: 50px;
  text-align: center;
}
```

```
.project {
  background-color: white;
  margin: 20px auto;
  padding: 20px;
  width: 50%;
  box-shadow: 2px 2px 10px rgba(0, 0, 0, 0.1);
}
```

```
}
```

```
document.addEventListener("DOMContentLoaded", function() {  
    alert("Welcome to my portfolio website!");  
});
```