

Security incident report yummyrecipes

Identify the network protocol involved in the incident

The incident involves the DNS resolution protocol and port 80 for HTTP requests, which in this case was used to download malicious content through the browser

Document the incident

The incident was confirmed to have been caused by a former employee who modified the source code to redirect users to a malicious website named **greatrecipesforme.com**.

The legitimate connection observed in the analyzed logs begins with a DNS query from the client using source port **52444** to resolve the domain name. After the DNS resolution and the successful completion of the **TCP three-way handshake**, the user accesses the legitimate website. However, the logs show an HTTP request to **greatrecipesforme.com**, which initiates the download of malicious software.

Subsequent attempts to access the website reveal that DNS responses redirect traffic to a different IP address associated with **greatrecipesforme.com**, indicating that the malicious redirection remains active and continues to expose users to the unauthorized software download.

Recommend one remediation for brute force attacks

One preventive security measure is to restrict administrative access to a predefined list of authorized IP addresses through firewall rules. This reduces the attack surface and limits unauthorized access attempts.

However, the primary mitigation should be the implementation of a strong password policy. Passwords should contain uppercase and lowercase letters, numbers, and special characters, with a minimum length of 11 characters. This helps protect accounts against brute-force and credential-based attacks.

Additionally, Multi-Factor Authentication (MFA) should be enabled for all administrative accounts. MFA provides an additional layer of security and can prevent unauthorized access even if credentials are compromised during a future security incident.