```
#!/usr/bin/perl env
```

```
# prints tsv as:
# species name\tmass\tlifespan
# original table had double rows for some species.
# output table only includes the second row
# Atanasov should have made up his mind about the mass of Eudyptes chrysocome.
use v5.10;
use strict;
use warnings;
use Data::Dumper;
# hash table as:
# species name => { MASS => value, LIFESPAN => value }
my %table;
my $current species = "";
my $column counter = 0;
while(<>){
    chomp;
    # remove leading whitespace
    s/^\s*//;
    # skip the Order lines
    next if m/^0r[gd]er/;
    # grab the species name, set it as key for the table, and go to next line
    if ( m/\d+\. (\w+\s?\w+)/ ){
        $current_species = $1;
        $table{ $current species } = {};
        $column counter = 0;
        next;
    }
    # append fragmented species name to current species and update the table
    if ( m/^([a-z]+)/ ){
        my $fragment .= $1;
        my $ref = $table{$current_species};
        delete $table{$current species};
        $table{$current_species . ' ' . $fragment} = $ref;
        next;
    }
    # grab mass
    if ( $column counter == 0 ){
```

```
$table{$current_species}{MASS} = $_;
}
# grab lifespace
if ($column_counter == 2) {
    $table{$current_species}{LIFESPAN} = $_;
}
$column_counter++;
}
# print Dumper(\%table);

foreach my $species (sort keys %table) {
    my $mass = $table{$species}{MASS};
    my $lifespan = $table{$species}{LIFESPAN};

$species =~ s/ /_/;
    say "$species\t$mass\t$lifespan";
}
```