

# Flexible Modeling of Transition Processes via Bayesian Spline Rate Models

with Application to Estimating and Projecting Modern Contraceptive Prevalence

Herb Susmann    Leontine Alkema

University of Massachusetts Amherst

July 2022

UMassAmherst

- Increasing interest in estimates and projections of demographic and health indicators.

# Background

- Increasing interest in estimates and projections of demographic and health indicators.
- Some indicators have been observed to evolve similarly across populations.
  - They tend to follow a *transition* between stable states.

- Increasing interest in estimates and projections of demographic and health indicators.
- Some indicators have been observed to evolve similarly across populations.
  - They tend to follow a *transition* between stable states.
- Classic example: demographic transition.
  - Transition from **high** total fertility rate and **high** under-5 mortality to **low** fertility, **low** mortality.

- Increasing interest in estimates and projections of demographic and health indicators.
- Some indicators have been observed to evolve similarly across populations.
  - They tend to follow a *transition* between stable states.
- Classic example: demographic transition.
  - Transition from **high** total fertility rate and **high** under-5 mortality to **low** fertility, **low** mortality.
- Existing statistical models for estimating and projecting trends in these indicators draw on these patterns.

- Increasing interest in estimates and projections of demographic and health indicators.
- Some indicators have been observed to evolve similarly across populations.
  - They tend to follow a *transition* between stable states.
- Classic example: demographic transition.
  - Transition from **high** total fertility rate and **high** under-5 mortality to **low** fertility, **low** mortality.
- Existing statistical models for estimating and projecting trends in these indicators draw on these patterns.
- **This presentation:** We propose a new type of model, called *B-spline Transition Models*, for flexibly estimating indicators that follow transitions.

- **Modern Contraceptive Prevalence Rate (mCPR)** for married or in-union women: proportion of married or in-union women of reproductive age using (or with partner using) a modern contraceptive method.

- **Modern Contraceptive Prevalence Rate (mCPR)** for married or in-union women: proportion of married or in-union women of reproductive age using (or with partner using) a modern contraceptive method.
- Transition: low to high mCPR.




- **Modern Contraceptive Prevalence Rate (mCPR)** for married or in-union women: proportion of married or in-union women of reproductive age using (or with partner using) a modern contraceptive method.
- Transition: low to high mCPR.
- Existing model: Family Planning Estimation Model (FPEM, Cahill et al. 2018).


- **Modern Contraceptive Prevalence Rate (mCPR)** for married or in-union women: proportion of married or in-union women of reproductive age using (or with partner using) a modern contraceptive method.
- Transition: low to high mCPR.
- Existing model: Family Planning Estimation Model (FPEM, Cahill et al. 2018).
- Goal: estimate and project mCPR in countries from 1970-2030.

- **Modern Contraceptive Prevalence Rate (mCPR)** for married or in-union women: proportion of married or in-union women of reproductive age using (or with partner using) a modern contraceptive method.
- Transition: low to high mCPR.
- Existing model: Family Planning Estimation Model (FPEM, Cahill et al. 2018).
- Goal: estimate and project mCPR in countries from 1970-2030.
- Dataset aggregated by United Nations Population Division (UNPD) from surveys conducted by governments or international organizations.

# Raw Data



# Example Fits



- Let  $\eta_{c,t}$  be the true value of the indicator in country  $c$  at time  $t$  ( $c = 1, \dots, C, t = 1, \dots, T$ ).


- Let  $\eta_{c,t}$  be the true value of the indicator in country  $c$  at time  $t$  ( $c = 1, \dots, C, t = 1, \dots, T$ ).
- Observed data  $y_i, i = 1, \dots, n$  with associated properties  $c[i], t[i], \dots$

- Let  $\eta_{c,t}$  be the true value of the indicator in country  $c$  at time  $t$  ( $c = 1, \dots, C$ ,  $t = 1, \dots, T$ ).
- Observed data  $y_i$ ,  $i = 1, \dots, n$  with associated properties  $c[i]$ ,  $t[i]$ , ...
- *Process model* describes evolution of  $\eta_{c,t}$ .



- Let  $\eta_{c,t}$  be the true value of the indicator in country  $c$  at time  $t$  ( $c = 1, \dots, C$ ,  $t = 1, \dots, T$ ).
- Observed data  $y_i$ ,  $i = 1, \dots, n$  with associated properties  $c[i]$ ,  $t[i]$ , ...
- *Process model* describes evolution of  $\eta_{c,t}$ .
- *Data model* describes relationship between  $y_i$  and  $\eta_{c[i],t[i]}$ .

# Modeling Framework



- **Our contribution:** a model class for indicators that follow a transition.

# Transition Models

- **Our contribution:** a model class for indicators that follow a transition.
- *Transition Models* have a process model given by

$$g_1(\eta_{c,t}) = \underbrace{g_3(t, \eta_{c,s \neq t}, \alpha_c)}_{\text{systematic}} + \underbrace{\epsilon_{c,t}}_{\text{smoothing}} .$$

# Transition Models

- **Our contribution:** a model class for indicators that follow a transition.
- *Transition Models* have a process model given by

$$g_1(\eta_{c,t}) = \underbrace{g_3(t, \eta_{c,s \neq t}, \alpha_c)}_{\text{systematic}} + \underbrace{\epsilon_{c,t}}_{\text{smoothing}}.$$

- The systematic component has the following form:

$$g_3(t, \eta_{c,s \neq t}, \alpha_c) = \begin{cases} \Omega_c, & t = t_c^*, \\ g_1(\eta_{c,t-1}) + f(\eta_{c,t-1}, P_c, \beta_c), & t > t_c^*, \\ g_1(\eta_{c,t+1}) - f(\eta_{c,t+1}, P_c, \beta_c), & t < t_c^*, \end{cases}$$

where  $\alpha_c = \{\Omega_c, P_c, \beta_c\}$ .

# Transition Models

- **Our contribution:** a model class for indicators that follow a transition.
- *Transition Models* have a process model given by

$$g_1(\eta_{c,t}) = \underbrace{g_3(t, \eta_{c,s \neq t}, \alpha_c)}_{\text{systematic}} + \underbrace{\epsilon_{c,t}}_{\text{smoothing}}.$$



- The systematic component has the following form:

$$g_3(t, \eta_{c,s \neq t}, \alpha_c) = \begin{cases} \Omega_c, & t = t_c^*, \\ g_1(\eta_{c,t-1}) + f(\eta_{c,t-1}, P_c, \beta_c), & t > t_c^*, \\ g_1(\eta_{c,t+1}) - f(\eta_{c,t+1}, P_c, \beta_c), & t < t_c^*, \end{cases}$$


where  $\alpha_c = \{\Omega_c, P_c, \beta_c\}$ .

- The function  $f$  is called the *transition function*.

# Example B-spline Transition Function



# Sharing information on shape of transition function





# Smoothing component



- Recall the process model has two components:

$$g_1(\eta_{c,t}) = \underbrace{g_3(t, \eta_{c,s \neq t}, \alpha_c)}_{\text{systematic}} + \underbrace{\epsilon_{c,t}}_{\text{smoothing}} .$$

- Smoothing component: AR(1) process of the form

$$\epsilon_{c,t} | \epsilon_{c,t-1}, \tau, \rho \sim N(\rho * \epsilon_{c,t-1}, \tau^2)$$

# Smoothing component



- Let  $y_i$ ,  $i = 1, \dots, n$  be the observed mCPR for country  $c[i]$  and year  $y[i]$  from data source  $d[i]$ .
- For each observation we have an estimate  $s_i^2$  of the sampling error.
- We also expect each data source to have additional non-sampling error  $\sigma_{d[i]}^2$ .
- Truncated normal data model:

$$y_i | \eta_{c[i], t[i]}, \sigma_{d[i]}^2 \sim N_{(0,1)} \left( \eta_{c[i], t[i]}, s_i^2 + \sigma_{d[i]}^2 \right).$$

# Choosing a spline specification


Validation exercise: hold out all observations after a cutoff year  $L = 2010$ .

	95% UI				Error	
	% Below	% Included	% Above	CI Width $\times 100$	ME $\times 100$	MAE $\times 100$
Model Check 2 ( $L = 2010$ ), $n = 133$						
B-spline ( $d = 2$ , $K = 5$ )	3.76%	94.7%	1.5%	32.0	-1.670	4.64
B-spline ( $d = 2$ , $K = 7$ )	6.02%	91.7%	2.26%	31.5	-1.260	4.68
B-spline ( $d = 3$ , $K = 5$ )	3.76%	94.7%	1.5%	32.4	-1.630	4.48
B-spline ( $d = 3$ , $K = 7$ )	3.76%	94%	2.26%	31.6	-0.965	4.57


95% UI: 95% uncertainty interval. ME: median error. MAE: median absolute error.

Measures calculated using the last held-out observation within each area.


# Illustrative Fits




# Kenya Raw Data



# Kenya Transition Function




# Kenya Smoothing Component







# Kenya mCPR Estimates




# Rwanda Raw Data




# Rwanda Transition Function




# Rwanda Smoothing Component



# Rwanda mCPR Estimates



# Trends can be seen in regional and subregional transition functions



- Subclass of *Transition Models* for indicators that follow transitions.
- B-spline Transition Model: flexible modelling approach based on B-splines.
- Generated estimations and projections of mCPR in countries from 1970-2030.
- Found systematically different transitions in countries across regions.
- Flexible model framework that can be easily extended to new settings and use cases.