



KIEN WELL TOY INDUSTRIAL CO., LTD

NO. 89, LN. 168, YILIN RD., RENDE DIST., TAINAN CITY 71752, TAIWAN (R.O.C)
TEL : +886-6-2798175 • FAX : +886-6-2798176
WWW.KWCGUN.COM • EMAIL : sales@kwcgun.com



K08-00820



2020 PRODUCT CATALOG +
THE BEST SHOOTING GEAR

HISTORY

- 1978 Found in 1978, Shun-Chi Huang found Kien Well Toy Industrial Company in Tainan, the south part of Taiwan. It was first established in Huang's house with around 10 workers. We start off as a toy manufacturer and the most famous product is our matchbox car.
- 1987 with supporting from Taiwan Toy Manufacturers Association (TTMA), KWC starts to import computerization management. We are also one of the first few toy manufacturers successfully integrate computer system at work place.
- 1989 the company cooperates with top Japan airsoft producer and switch business direction from toy manufacturing to airsoft production.
- 1992 our 1911 spring pistols is a great hit in Japan market. Then the following year, we launch four more spring pistol series.
- 1993 with years of experience in airsoft industry, Shun-Chi Huang teams up with several Taiwanese airsoft manufacturers and establishes Taiwan Airsoft Development Association. He is also elected as the first and second chairman of the association.
- 1995 KWC launches our first gas blowback replicas.
- 1997 KWC is the first ISO 9002 certified airsoft manufacturer in Taiwan. We also launches gas revolver replicas at the same year.
- 2004 We introduce our first mid-size sub-machine gun replica with gas blowback system.
- 2007 We start to work on non-blowback CO2 replicas. The CO2 replicas are more reliable, shoot harder and last longer than gas. It is also known for better performance in cooler temperature.
- 2008 KWC launch our first CO2 blowback pistol—KCB12. Afterwards we successfully turn several other gas pistol into CO2 power replicas.
- 2010 KWC introduces full metal CO2 blowback 1911. This has right away makes it to most popular replicas of all time.
- 2012 To keep up with increasing demand of Airgun and airsoft, KWC expands our factory in a new location.
- 2014 As an ethical supplier of WalMart, KWC successfully passes the ES audit. This promote our products to all customers thru over 11,000 WalMart stores in the USA.
- 2015 KWC establishes a new headquarter in Tainan, Taiwan. As our goal of continuing growth and improvement, we strive for best quality products.

CONTENT

BLOW BACK

MODEL 54 SERIES	02
MODEL 51 SERIES	03
MODEL 19 SERIES	04
MODEL 20 SERIES	05
MODEL 48 SERIES	06-07
MODEL 23 SERIES	08
MODEL 46 SERIES	09
MODEL 77 SERIES	10-11
MODEL 76 SERIES	12-13

MODEL 15 SERIES	14
MODEL 41 SERIES	15
MODEL 18 SERIES	16
MODEL 07 SERIES	17
MODEL 88 SERIES	18
MODEL 89 SERIES	19
MODEL 44 SERIES	20
MODEL 74 SERIES	21
MODEL 12 SERIES	22

NON-BLOW BACK

MODEL 44 PELLET SERIES	23
MODEL 46 PELLET SERIES	24
MODEL 76 PELLET SERIES	25
PELLET REVOLVER SERIES	26-27
REVOLVER SERIES	28-29
MODEL 40 SERIES	30
MODEL 42 SERIES	31

MODEL 43 SERIES	32
MODEL 44 SERIES	33
MODEL 45 SERIES	34
MODEL 55 SERIES	35
MODEL 46 SERIES	36
MODEL 47 SERIES	37
MODEL 48 SERIES	38-39

SPRING GUN

SPRING AIRSOFT SERIES	03, 36-43
SPRING AIRGUN SERIES	44-45

MODEL M4 SERIES	46-47
-----------------------	-------

ACCESSORIES

ACCESSORIES	48-49
-------------------	-------

MODEL 54 SERIES

- High grade CO2 blowback
- 1:1 scale
- Semi auto / Full auto
- Operated by 12g CO2 cartridge
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



Integral muzzle break



Full auto option available



Double Action & Single Action

AAKCMF540AZB AIRGUN

STEEL BB **45**
4.5 mm (0.177")

FULL AUTO

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	1100 g	269 mm	2.0 Joule Max	105 m/s Max	METAL SLIDE	15 rds.	AAKCM510AZQ

AAKCCF540AZB AIRSOFT

AIRSOFT **6**
6 mm (0.2g)

FULL AUTO

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	1094 g	269 mm	1.3 Joule Max	112 m/s Max	METAL SLIDE	21 rds.	AAKCCM510AZQ



Full auto option available



Double Action & Single Action



AAKCCB510BZB
Silver Version Available



MODEL 51 SERIES

- High grade CO2 blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



Semi Auto



Double Action & Single Action

AAKCCB510AZB / AAKCCB510BZB AIRSOFT

AIRSOFT **6**
6 mm (0.2g)

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	1100 g	265 mm	1.6 Joule Max	126 m/s Max	METAL SLIDE	21 rds.	AAKCCM510AZQ

AAKACZ510AZB SPRING GUN

AIRSOFT **6**
6 mm (0.2g)

SPRING

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
SPRING COCKING	895 g	274 mm	0.5 Joule Max	73 m/s Max	HEAVY WEIGHT	26 rds.	AAKACS510AZN



AAKcmb191azb AIRGUN

STEEL BB 4.5
4.5 mm (0.177")

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	750 g	205 mm	1.7 Joule Max	100 m/s Max	METAL SLIDE	17 rds.	AAKCM190AZQ

AAKccb191azb AIRSOFT

AIRSOFT 6
6 mm (0.2g)

CO₂


RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	745 g	197 mm	1.2 Joule Max	111 m/s Max	METAL SLIDE	15 rds.	AAKCM190AZQ



Ported slide



Trigger Safety



Adjustable Hop up



Tactical Sight

MODEL 19 · 20 SERIES

- Premium blowback airgun
- Full function blowback
- 1:1 scale
- Weaver rail compatible with standard flashlight and laser
- Semi auto / full auto options on model 20
- Operated by 12g CO₂ cartridge
- Adjustable Hop up system



AAKcmf201azb

AIRGUN

STEEL BB 4.5
4.5 mm (0.177")

FULL AUTO

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	755 g	205 mm	1.5 Joule Max	92 m/s Max	METAL SLIDE	17 rds.	AAKCM190AZQ

AAKccf201azb

AIRSOFT

AIRSOFT 6
6 mm (0.2g)

FULL AUTO

CO₂


RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	730 g	205 mm	1.4 Joule Max	118 m/s Max	METAL SLIDE	15 rds.	AAKCM190AZQ

MODEL 48 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO₂ cartridge
- Semi auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open
- Interchangeable grips with three different sizes



Tactical Rail



Ported slide



Single Action Only



Hidden manual safety



Blowback

AAKcmb480azb		AIRGUN	STEEL BB 4.5 4.5 mm (0.177")	CO ₂	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	724 g	194 mm	1.6 Joule Max	95 m/s Max	METAL SLIDE	15 rds.	AAKcmm480azq					

AAKcmb483azb		AIRGUN	STEEL BB 4.5 4.5 mm (0.177")	CO ₂	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	760 g	214 mm	1.9 Joule Max	102 m/s Max	METAL SLIDE	15 rds.	AAKcmm480azq					

AAKccb480azb		AIRSOFT	AIRSOFT 6 6 mm (0.2g)	CO ₂	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	710 g	194 mm	1.4 Joule Max	117 m/s Max	METAL SLIDE	15 rds.	AAKccm480azq					

AAKccb483azb		AIRSOFT	AIRSOFT 6 6 mm (0.2g)	CO ₂	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	758 g	214 mm	1.7 Joule Max	131 m/s Max	METAL SLIDE	15 rds.	AAKccm480azq					

MODEL 23 SERIES



Double Action & Single Action



Weaver rail



Semi auto / Full auto



Ambidextrous Safety & Decocker



AAKCMF230AZB

AIRGUN

STEEL BB 4.5
4.5 mm (0.177")

FULL AUTO

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	1080 g	216 mm	1.5 Joule Max	95 m/s Max	FULL METAL	18 rds.	AAKCM230AZQ

AAKCCF230AJB

AIRSOFT

AIRSOFT 6
6 mm (0.2g)

FULL AUTO

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	1069 g	216 mm	1.5 Joule Max	125 m/s Max	FULL METAL	21 rds.	AAKCM230AZQ

AAKMB460AZB

AIRGUN

STEEL BB 4.5
4.5 mm (0.177")

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	815 g	185 mm	1.9 Joule Max	105 m/s Max	METAL SLIDE	16 rds.	AAKCM460AZQ

AAKCCB460AZB / AAKCCB460EZB

AIRSOFT

AIRSOFT 6
6 mm (0.2g)

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	797 g	185 mm	1.8 Joule Max	134 m/s Max	METAL SLIDE	16 rds.	AAKCM460AZQ



Adjustable sight



Single Action



Ambidextrous safety



Interchangeable grips

MODEL 46 SERIES

- 1:1 scale
- Operated by 12g CO₂ cartridge
- Weaver rail compatible with standard flashlight or laser
- Functional trigger safety



AAKCCB460EZB
DUAL TONE



MODEL 77 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open
- Strong blowback recoil




AAKcmb770azb		AIRGUN	STEEL BB 4.5 4.5 mm (0.177")	CO2	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	925 g	220 mm	1.6 Joule Max	97 m/s Max	FULL METAL	17 rds.	AAKcmM770azq					

AAKccb770azb		AIRSOFT	AIRSOFT 6 6 mm (0.2g)	CO2	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	900 g	218 mm	1.4 Joule Max	118 m/s Max	FULL METAL	14 rds.	AAKccM770azq					



Blowback



Adjustable Hop up



High Capacity Magazine Available

Extended Magazine
see P49

CUSTOMIZATION



Weathering Edition



Slide With Hair Line Edition



Multi Color Grip



MODEL 76 SERIES


- Full function blowback
- 1:1 scale
- Operated by 12g CO₂ cartridge
- Semi auto
- Adjustable HOP UP system
- Real gun disassembly process
- Real Gun operation including ejection port and hold open
- Strong blowback recoil



Customization
(weathering edition)



Grip Safety



Adjustable Hop up

AAKcmb760azb AIRGUN

STEEL BB 4.5
4.5 mm (0.177")

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	900 g	215 mm	1.7 Joule Max	100 m/s Max	FULL METAL	17 rds.	AAKcmm760azq

AAKccb760azb AIRSOFT

AIRSOFT 6
6 mm (0.2g)

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	890 g	218 mm	1.4 Joule Max	118 m/s Max	FULL METAL	14 rds.	AAKccm760azq





MODEL 15 SERIES

- High grade CO2 blowback
- Full function blowback
- 1:1 scale
- Operated by 12g CO2 cartridge
- Weaver rail compatible with standard flashlight and laser
- Semi auto / Full auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



Blowback



Double Action and Single Action



Semi Auto



Full Auto

MODEL 41 SERIES

- Realism toggle-lock recoil operation
- 1:1 SCALE
- Operated by 12g CO2 cartridge
- Real gun disassembly process
- Real gun operation including hold open



AAKCMF410AZB		AIRGUN	STEEL BB 4.5 4.5 mm (0.177")	CO ₂	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	834 g	220 mm	1.6 Joule Max	95 m/s Max	FULL METAL	21 rds.	AAKCMF410AZQ					

AAKCCB410AZB		AIRSOFT	AIRSOFT 6 mm (0.2g)	CO ₂	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	830 g	220 mm	1.3 Joule Max	112 m/s Max	FULL METAL	15 rds.	AAKCCB410AZQ					

AAKCMF150AZB		AIRGUN	STEEL BB 4.5 4.5 mm (0.177")	FULL AUTO	CO ₂	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	1100 g	215 mm	1.7 Joule Max	99 m/s Max	FULL METAL	19 rds.	AAKCMF150AZQ						

AAKCCF150AZB		AIRSOFT	AIRSOFT 6 mm (0.2g)	FULL AUTO	CO ₂	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	1100 g	215 mm	1.6 Joule Max	126 m/s Max	FULL METAL	27 rds.	AAKCCF150AZQ						



4" BARREL



Realism Toggle-lock Recoil



1:1 SCALE



Rear Sight Cover

MODEL 18 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO₂ cartridge.
- Semi auto / Full auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port



Rear Sight Adjustment



Semi / Full Auto Switch



Blowback



Wooden Pattern Grip



BLOW BACK

HOP-UP




MODEL 07 SERIES

- Full function CO₂ blowback
- 1:1 scale
- Semi auto / Full auto
- Adjustable Hop up system
- Real gun operation including ejection port and hold open



Blowback



Adjustable Hop up



Adjustable Front Sight



Adjustable Rear Sight



BLOWBACK

HOP-UP

AAKCMF180AZB		AIRGUN	STEEL BB 4.5 4.5 mm (0.177")	FULL AUTO	CO ₂		
RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	1410 g	300 mm	2.4 Joule Max	118 m/s Max	FULL METAL	19 rds.	AAKCM180AZQ


AAKCMF070AZB		AIRGUN	STEEL BB 4.5 4.5 mm (0.177")	FULL AUTO	CO ₂		
RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	2000 g	596 mm	1.8 Joule Max	101 m/s Max	HALF METAL	25 rds.	AAKCM070AZQ

AAKCCF180AZB		AIRSOFT	AIRSOFT 6 6 mm (0.2g)	FULL AUTO	CO ₂		
RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	1400 g	300 mm	1.7 Joule Max	133 m/s Max	FULL METAL	22 rds.	AAKCCM180AZQ

AAKCCF070AZB		AIRSOFT	AIRSOFT 6 6 mm (0.2g)	FULL AUTO	CO ₂		
RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	2000 g	596 mm	1.8 Joule Max	135 m/s Max	HALF METAL	39 rds.	AAKCCM070AZQ

MODEL 88 · 89 SERIES


- IPSC Pistol
- High grade CO2 blowback
- Full function blowback
- 1:1 Scale
- Operated by 12g CO2 cartridge
- Mount rail compatible with scopes and red dots
- Semi Auto
- Adjustable HOP UP system
- Real gun disassembly process
- Real Gun operation including ejection port and hold open



Rear Sight Adjustment



Ambidextrous
Manual Safety



Adjustable Hop up



AAKCM880AZB | AIRGUN

STEEL BB 4.5
4.5 mm (0.177")



RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	1240 g	215 mm	2.3 Joule Max	115 m/s Max	FULL METAL	16 rds.	AAKCM780AZQ

AAKCC880AZB | AIRSOFT

AIRSOFT 6
6 mm (0.2g)



RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	1150 g	215 mm	1.4 Joule Max	120 m/s Max	FULL METAL	16 rds.	AAKCM780AZQ



AAKCM890AZB | AIRGUN

STEEL BB 4.5
4.5 mm (0.177")



RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	1250 g	279 mm	1.9 Joule Max	103 m/s Max	FULL METAL	17 rds.	AAKCM780AZQ

AAKCC890AZB | AIRSOFT

AIRSOFT 6
6 mm (0.2g)



RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	1250 g	279 mm	1.4 Joule Max	119 m/s Max	FULL METAL	16 rds.	AAKCM780AZQ






Rear Sight Cover



Blowback



Anti Skid Grip



Adjustable Hop up



AIRGUN

STEEL BB 4.5
4.5 mm (0.177")

CO₂

AAKcmb440azb

RECOIL WEIGHT LENGTH ENERGY VELOCITY MATERIAL BB CAPACITY MAGAZINE

BLOWBACK 737 g 160 mm 1.5 Joule Max 92 m/s Max FULL METAL 15 rds. AAKCMM440AZQ

AIRSOFT

AIRSOFT 6
6 mm (0.2g)

CO₂

AAKccb440azb

RECOIL WEIGHT LENGTH ENERGY VELOCITY MATERIAL BB CAPACITY MAGAZINE

BLOWBACK 737 g 160 mm 1.3 Joule Max 113 m/s Max FULL METAL 15 rds. AAKCCM440AZQ

MODEL 44 SERIES

- Compact pistol
- Full function blowback
- Classic collector's replica
- High grade CO₂ blowback
- Operated by 12g CO₂ cartridge
- Semi auto
- Adjustable Hop-up system
- Real gun operation including hold open
- Real gun disassembly process



Blowback



Adjustable Rear Sight



Ambidextrous Safety

MODEL 74 SERIES

- High grade CO₂ blowback
- CO₂ blowback
- 1:1 scale
- Operated by 12g CO₂ cartridge
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open

AIRGUN

STEEL BB 4.5
4.5 mm (0.177")

CO₂

AAKcmb740azb

RECOIL WEIGHT LENGTH ENERGY VELOCITY MATERIAL BB CAPACITY MAGAZINE

BLOWBACK 1275 g 225 mm 2.0 Joule Max 108 m/s Max FULL METAL 18 rds. AAKCMM740AZQ

AIRSOFT

AIRSOFT 6
6 mm (0.2g)

CO₂


AAKccb740azb

RECOIL WEIGHT LENGTH ENERGY VELOCITY MATERIAL BB CAPACITY MAGAZINE

BLOWBACK 1220 g 225 mm 1.8 Joule Max 135 m/s Max FULL METAL 24 rds. AAKCCM740AZQ



Blowback



Adjustable Hop up

MODEL 12 SERIES

- Full function blowback
- 1:1 scale
- Operated by 12g CO₂ cartridge
- Semi auto
- Adjustable Hop up system
- Real gun disassembly process
- Real gun operation including ejection port and hold open



AAKcmb120azb

AIRGUN

STEEL BB 4.5

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	875 g	200 mm	1.7 Joule Max	97 m/s Max	METAL SLIDE	19 rds.	AAKcmm120azq

AAKccb120azb

AIRSOFT

AIRSOFT 6

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
BLOWBACK	900 g	200 mm	1.4 Joule Max	116 m/s Max	METAL SLIDE	22 rds.	AAKccm120azq

MODEL 44 PELLET SERIES

- Compact pistol
- Classic collector's replica
- Operated by 12g CO₂ cartridge
- Novel pellet rotary clip design
- Equipped with high precision rifled barrel
- Spare magazine part # AAKCPS440
- Spare rotary clip part # AAKCPW440



AAKcpd441azb

AIRGUN

**PELLETS AIR GUN
4.5 mm (0.177")**

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	754 g	162 mm	2.6 Joule Max	105 m/s Max	FULL METAL	6X2 Pellet	AAKcps440



6X2 Rotary Clip



Rear Sight Cover




Anti Skid Grip



MODEL 46 PELLET SERIES

- Operated by 12g CO₂ cartridge
- Semi auto only
- Novel pellet rotary clip design
- Tactical design with railed full metal slide
- Equipped with high precision rifled barrel
- Spare magazine part # AAKCPS460
- Spare rotary clip part # AAKCPW460



MODEL 76 PELLET SERIES

- 1:1 SCALE
- Operated by 12g CO₂
- SEMI AUTO
- Novel pellet rotary clip design
- Equipped with high precision rifled barrel
- Spare rotary clip part # AAKCPW760AZN



AAKCPD463AZB **AIRGUN** **PELLETS AIR GUN** **4.5 mm (0.177")** **CO₂**

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	799 g	182 mm	2.9 Joule Max	110 m/s Max	METAL SLIDE	8X2 Pellet	AAKCPS460

AAKCPD761AZB **AIRGUN** **PELLETS AIR GUN** **4.5 mm (0.177")** **CO₂**


RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	990 g	220 mm	2.8 Joule Max	105 m/s Max	METAL SLIDE	6X2 Pellet	AAKCPS760AZQ




Double Action &
Single Action Trigger



Anti Skid Grip



Vertical Adjustment



Horizontal Adjustment

PELLET REVOLVER SERIES

- Classic revolver
- 1:1 scale
- Rotary pellet clip



AAKCPD681AZB
BARREL LENGTH 6 INCH



AAKCPD671AZB
BARREL LENGTH 4 INCH

AAKCPD661AZB
BARREL LENGTH 2.5 INCH



AAKCPD661AZB		AIRGUN		PELLETS AIR GUN			
RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	870 g	195 mm	2.5 Joule Max	100 m/s Max	FULL METAL	8 Pellet	AAKCPW680AZN

AAKCPD671AZB		AIRGUN		PELLETS AIR GUN			
RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	955 g	230 mm	2.8 Joule Max	108 m/s Max	FULL METAL	8 Pellet	AAKCPW680AZN

AAKCPD681AZB		AIRGUN		PELLETS AIR GUN			
RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	1085 g	285 mm	3.0 Joule Max	110 m/s Max	FULL METAL	8 Pellet	AAKCPW680AZN

REVOLVER SERIES

- Classic revolver
- Double action & singl action trigger
- Full metal
- Shell loaded revolver



◀ BARREL LENGTH
4 INCH



AAKCMD671AZB

AIRGUN

STEEL BB 4.5
4.5 mm (0.177")

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	950 g	235 mm	2.0 Joule Max	109 m/s Max	METAL SLIDE	6 rds.	AAKCMW680AZL

AAKCCD671AZB

AIRSOFT

AIRSOFT
6 mm (0.2g)

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	950 g	235 mm	1.9 Joule Max	138 m/s Max	METAL SLIDE	6 rds.	AAKCCW680AZL



◀ BARREL LENGTH
6 INCH



Chrome Plating Finish

AAKCMD682EZB

AIRGUN

STEEL BB 4.5
4.5 mm (0.177")

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	1100 g	285 mm	2.7 Joule Max	125 m/s Max	FULL METAL	6 rds.	AAKCMW680AZL



◀ BARREL LENGTH
6 INCH



AAKCMD681AZB

AIRGUN

STEEL BB 4.5
4.5 mm (0.177")

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	1100 g	285 mm	2.7 Joule Max	125 m/s Max	FULL METAL	6 rds.	AAKCMW680AZL


AAKCCD681AZB

AIRSOFT


AIRSOFT
6 mm (0.2g)

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	1100 g	285 mm	2.7 Joule Max	165 m/s Max	FULL METAL	6 rds.	AAKCCW680AZL



Vertical Adjustment



Horizontal Adjustment



Manual Safely



Speedloader



◀ BARREL LENGTH
2.5 INCH



AAKCMD661EZB
Chrome Plating Finish

AAKCMD661AZB / AAKCMD661EZB

AIRGUN

STEEL BB 4.5
4.5 mm (0.177")

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	900 g	200 mm	1.3 Joule Max	86 m/s Max	METAL SLIDE	6 rds.	AAKCMW680AZL

AAKCCD661AZB

AIRSOFT

AIRSOFT
6 mm (0.2g)

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	900 g	200 mm	1.6 Joule Max	125 m/s Max	METAL SLIDE	6 rds.	AAKCCW680AZL



Tactical Rail

AAKCMD401AZB | AIRGUN

STEEL BB 4.5
4.5 mm (0.177")

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	840 g	220 mm	2.5 Joule Max	120 m/s Max	METAL SLIDE	21 rds.	AAKCMS400AZQ

AAKCCD401AZB | AIRSOFT

AIRSOFT 6
6 mm (0.2g)

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	840 g	220 mm	2.5 Joule Max	157 m/s Max	METAL SLIDE	15 rds.	AAKCCS400AZQ

MODEL 40 · 42 SERIES

- 1:1 scale
- Operated by 12g CO₂ cartridge
- Semi auto
- Interchangeable parts between non-blow back 40's series and 42's series. Works great for customization.
- Efficient CO₂ shooting system with more than 200 BB shots per CO₂ cartridge
- Full Metal grip on 42 series.



Tactical Rail

AAKCMD421AZB | AIRGUN

STEEL BB 4.5
4.5 mm (0.177")

CO₂


RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	1073 g	223 mm	2.5 Joule Max	120 m/s Max	METAL SLIDE	20 rds.	AAKCMS420AZQ

AAKCCD421AZB | AIRSOFT

AIRSOFT 6
6 mm (0.2g)

CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	1050 g	220 mm	2.3 Joule Max	152 m/s Max	METAL SLIDE	14 rds.	AAKCCS420AZQ



MODEL 43 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Efficient CO2 shooting system with more than 200 BB shots per CO2 cartridge
- Semi auto
- Metal slide and hammer case for realistic weight



AAKCMD431AZB | AIRGUN

	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	800 g	205 mm	2.5 Joule Max	120 m/s Max	METAL SLIDE	21 rds.	AAKCMS430AZQ	

AAKCCD431AZB | AIRSOFT

	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	800 g	205 mm	1.8 Joule Max	134 m/s Max	METAL SLIDE	15 rds.	AAKCCS430AZQ	



MODEL 44 SERIES

- 1:1 scale
- Operated by 12g CO2 cartridge
- Semi auto only
- Compact of pistol
- Super stable and long life



Anti Skid Grip



AAKCMD440AZB | AIRGUN

	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	392 g	161 mm	2.7 Joule Max	125 m/s Max	PLASTIC	18 rds.	AAKCMS440AZQ	

AAKCMD441AZB | AIRGUN

	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	800 g	160 mm	2.5 Joule Max	120 m/s Max	FULL METAL	18 rds.	AAKCMS440AZQ	

AAKCCD441AZB | AIRSOFT

	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	775 g	160 mm	1.6 Joule Max	127 m/s Max	FULL METAL	13 rds.	AAKCCS440AZQ	



Fixed Aperture Sight



High Capacity Magazine



Metal Telescopic Stock



Post Front Sight

MODEL 45 SERIES

- 1:1 scale
- Operated by 12g CO₂ cartridge
- Semi auto only
- Compact of pistol
- Super stable and long life

AAKCMD451AZB AIRGUN

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	700 g	194 mm	2.5 Joule Max	120 m/s Max	FULL METAL	19 rds.	AAKCMS450AZQ

AAKCCD451AZC AIRSOFT

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	700 g	194 mm	2.2 Joule Max	150 m/s Max	FULL METAL	15 rds.	AAKCCS450AZQ

AAKCMD550AZB

AIRGUN

STEEL BB 4.5
4.5 mm (0.177") CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	531 g	255 mm	2.5 Joule Max	120 m/s Max	PLASTIC WITH METAL STOCK	39 rds.	AAKCMS550AZQ

AAKCCD550AZB

AIRSOFT

AIRSOFT 6
6 mm (0.2g) CO₂

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	531 g	255 mm	2.3 Joule Max	152 m/s Max	PLASTIC WITH METAL STOCK	26 rds.	AAKCCS550AZQ

MODEL 55 SERIES

- 1:1 scale
- Operated by 12g CO₂ cartridge
- Super stable and long life.
- Telescopic stock
- High capacity magazine
- Semi auto only



MODEL 46 SERIES

- 1:1 scale
- Operated by 12g CO₂ cartridge
- Efficient CO₂ shooting system with more than 200 BBS shots per CO₂ cartridge
- Weaver rail compatible with standard flashlight or laser
- Rubber grip
- Series of products with several versions of different materials and power sources, see chart below for more detail



Rubber Grip

AAKCMD460AZB | AIRGUN

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	565 g	180 mm	2.5 Joule Max	120 m/s Max	PLASTIC SLIDE	21 rds.	AAKCMS460AZQ

AAKCMD461AZB | AIRGUN

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	725 g	181 mm	2.5 Joule Max	120 m/s Max	METAL SLIDE	21 rds.	AAKCMS460AZQ

AAKCCD460AZB | AIRSOFT

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	520 g	180 mm	1.8 Joule Max	134 m/s Max	PLASTIC SLIDE	15 rds.	AAKCCS460AZQ

AAKCCD461AZB | AIRSOFT

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	710 g	181 mm	1.8 Joule Max	134 m/s Max	METAL SLIDE	15 rds.	AAKCCS460AZQ

AAKACZ460AZA | SPRING GUN

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
SPRING COCKING	580 g	180 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	25 rds.	AAKACS460AZN

AAKCMD470AZB | AIRGUN

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	590 g	190 mm	2.5 Joule Max	120 m/s Max	PLASTIC SLIDE	21 rds.	AAKCMS470AZQ

AAKCMD471AZB | AIRGUN

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	760 g	190 mm	2.5 Joule Max	120 m/s Max	METAL SLIDE	21 rds.	AAKCMS470AZQ

AAKCCD470AZB | AIRSOFT

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	510 g	185 mm	1.9 Joule Max	139 m/s Max	PLASTIC SLIDE	14 rds.	AAKCCS470AZQ

AAKCCD471AZB | AIRSOFT

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	685 g	185 mm	1.9 Joule Max	139 m/s Max	METAL SLIDE	14 rds.	AAKCCS470AZQ

AAKACZ470AZA | SPRING GUN

RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
SPRING COCKING	600 g	185 mm	0.6 Joule Max	75 m/s Max	FULL PLASTIC	24 rds.	AAKACS470AZN




MODEL 47 SERIES

- 1:1 scale
- Operated by 12g CO₂ cartridge
- Efficient CO₂ shooting system with more than 250 BBS shots per CO₂ cartridge
- Weaver rail compatible with standard flashlight or laser
- Series of products with several versions of different materials and power sources, see chart below for more detail



MODEL 48 SERIES

- 1:1 scale
- Operated by 12g CO₂ cartridge
- Efficient CO₂ shooting system with more than 200 BBS shots per CO₂ cartridge
- Weaver rail compatible with standard flashlight or laser
- Series of products with several versions of different materials and power sources, see chart below for more detail



AAKCMD480AZB		AIRGUN	STEEL BB 4.5 mm (0.177")	CO ₂	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	515 g	193 mm	2.5 Joule Max	120 m/s Max	PLASTIC SLIDE	19 rds.	AAKCMS480AZQ					

AAKCMD481AZB		AIRGUN	STEEL BB 4.5 mm (0.177")	CO ₂	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	710 g	193 mm	2.5 Joule Max	120 m/s Max	METAL SLIDE	19 rds.	AAKCMS480AZQ					

AAKCCD480AZB		AIRSOFT	AIRSOFT 6 mm (0.2g)	CO ₂	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	480 g	190 mm	1.9 Joule Max	139 m/s Max	PLASTIC SLIDE	15 rds.	AAKCCS480AZQ					

AAKCCD481AZB		AIRSOFT	AIRSOFT 6 mm (0.2g)	CO ₂	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-BLOWBACK	700 g	190 mm	1.9 Joule Max	139 m/s Max	METAL SLIDE	15 rds.	AAKCCS480AZQ					

AAKACZ480AZA		SPRING GUN	AIRSOFT 6 mm (0.2g)	SPRING	RECOIL	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
SPRING COCKING	520 g	190 mm	0.6 Joule Max	78 m/s Max	PLASTIC	24 rds.	AAKACS480AZN					

SPRING AIRSOFT SERIES

- Easy operation with durable long life
- Great starter gun for beginners to the world of airsoft



AAKACZ142AZA SPRING GUN

AIRSOFT 6 mm (0.2g) SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON HOP-UP	350 g	217 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS140AZN

AAKACZ142BZA SPRING GUN

AIRSOFT 6 mm (0.2g) SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON HOP-UP	355 g	217 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS140BZN



AAKACZ030AZA

SPIN / HOP-UP

SPRING GUN

AIRSOFT 6 mm (0.2g) SPRING

WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
400 g	200 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS030AZN

AAKACZ030BZA

SPIN / HOP-UP

SPRING GUN

AIRSOFT 6 mm (0.2g) SPRING

WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
400 g	200 mm	0.5 Joule Max	75 m/s Max	FULL PLASTIC	12 rds.	AAKACS030BZN



AAKACZ112AZA

SPRING GUN

AIRSOFT 6 mm (0.2g)

SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON HOP-UP	360 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS110AZN

AAKACZ112BZA

SPRING GUN

AIRSOFT 6 mm (0.2g)

SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON HOP-UP	360 g	200 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS110AZN



AKACZ130BZA、AAKACZ132BZA

Silver Version Available

AAKACZ130AZA

SPRING GUN

AIRSOFT 6 mm (0.2g)

SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	355 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS130AZN

AAKACZ130BZA

SPRING GUN

AIRSOFT 6 mm (0.2g)

SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	355 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS130BZN

AAKACZ132AZA

SPRING GUN

AIRSOFT 6 mm (0.2g)

SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-HOP UP	400 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS130AZN

AAKACZ132BZA

SPRING GUN

AIRSOFT 6 mm (0.2g)

SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON-HOP UP	400 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS130BZN

SPRING AIRSOFT SERIES

- Easy operation with durable long life
- Great starter gun for beginners to the world of airsoft



AAKACZ162BZA
Silver Version Available



AAKACZ020AZA SPRING GUN AIRSOFT 6 mm (0.2g) MWWWW SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	620 g	235 mm	0.5 Joule Max	75 m/s Max	FULL PLASTIC	11 rds.	AAKACS020AZN

AAKACZ162AZA SPRING GUN AIRSOFT 6 mm (0.2g) MWWWW SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON HOP-UP	360 g	215 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS160AZN

AAKACZ162BZA SPRING GUN AIRSOFT 6 mm (0.2g) MWWWW SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
NON HOP-UP	360 g	200 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS160BZN



AAKACZ113BZA
Silver Version Available

AAKACZ113AZA SPRING GUN AIRSOFT 6 mm (0.2g) MWWWW SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	360 g	200 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS110AZN



AAKACZ260BZC
Silver Version Available

AAKACZ260AZC SPRING GUN AIRSOFT 6 mm (0.2g) MWWWW SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	750 g	235 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS260AZN

AAKACZ113BZA SPRING GUN AIRSOFT 6 mm (0.2g) MWWWW SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	360 g	200 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS110BZN

AAKACZ260BZC SPRING GUN AIRSOFT 6 mm (0.2g) MWWWW SPRING

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	750 g	235 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	12 rds.	AAKACS260BZN



Rubberized Grip




.177 Airgun



Also available in metal slide

AAKAMZ030AZB	SPRING GUN	STEEL BB 4.5 4.5 mm (0.177")	WWWW SPRING
SPIN	WEIGHT	LENGTH	ENERGY

NON HOP-UP 265 g 196 mm 0.6 Joule Max 57 m/s Max FULL PLASTIC 16 rds. AAKAMS030AZN



High Reservoir Magazine



AAKAMZ110AZB	SPRING GUN	STEEL BB 4.5 4.5 mm (0.177")	WWWW SPRING
SPIN	WEIGHT	LENGTH	ENERGY

NON HOP-UP 231 g 219 mm 0.6 Joule Max 63 m/s Max FULL PLASTIC 16 rds. AAKAMS110AZN

SPRING AIRGUN SERIES

- 1:1 scale
- Weaver rail compatible with standard flashlight or laser
- Rubber grip
- 205 rds BB reservoir with 15 rds per load

AAKAMZ460AZB	SPRING GUN	STEEL BB 4.5 4.5 mm (0.177")	WWWW SPRING			
SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY

NON HOP-UP 260 g 182 mm 0.5 Joule Max 55 m/s Max PLASTIC SLIDE 15 rds. AAKAMS460AZN

AAKAMZ461AZB	SPRING GUN	STEEL BB 4.5 4.5 mm (0.177")	WWWW SPRING			
SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY

NON HOP-UP 425 g 183 mm 0.6 Joule Max 60 m/s Max METAL SLIDE 15 rds. AAKAMS460AZN

SPRING AIRGUN SERIES

- Spring powered airgun
- Easy operation with durable long life
- High capacity magazine can load up to 70 BBs per magazine.
- Each loading is 16 rounds.



Spring Steel Gun




High Capacity Magazine



AAKACZ360AZC **SPRING GUN** **AIRSOFT 6** **6 mm (0.2g)** **||||| SPRING**

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	1300 g	766 mm	0.5 Joule Max	71 m/s Max	FULL PLASTIC	18 rds.	AAKACS360AZT




AAKACZ370AZC **SPRING GUN** **AIRSOFT 6** **6 mm (0.2g)** **||||| SPRING**

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	1600 g	766 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	18 rds.	AAKACS360AZT



AAKACZ380AZC **SPRING GUN** **AIRSOFT 6** **6 mm (0.2g)** **||||| SPRING**

SPIN	WEIGHT	LENGTH	ENERGY	VELOCITY	MATERIAL	BB CAPACITY	MAGAZINE
HOP-UP	1350 g	690 mm	0.6 Joule Max	78 m/s Max	FULL PLASTIC	18 rds.	AAKACS360AZT



ACCESSORIES

AAKZZW006BZX
0.20g BB, 2000 Counts BOTTLE



AAKZZW046AZE

Gel Target



AAKZZW041AZE

Trap Target



AAKZZW047AZC

3-Bull's eye Multi-Function Auto Trap Target



AAKZW134AZT

Holster Black



AAKZW134BZT

Holster Desert Camo

AAKZW134CZT

Brown



AAKZW134DZU

Brown finish color

AAKZW033AZX

0.20g BB
750 Counts GRENADE shape



AAKZW033BZX

0.20g BB
750 Counts GRENADE shape



AAKZW080AZX

4.5 mm Steel BB
2000 counts / Grenade



AAKCPW680AZN

Pellet Revolver Clip



Shells are not included

AAKZW150AZL

6 mm / 4.5 mm Speedloader

Pellet Rotary Clip
Assembly for Pellet gun

AAKCPW760AZN 4.5 mm

6X2 Pellet



AAKCPW460AZN 4.5 mm

8X2 Pellet

AAKCPW440AZN 4.5 mm

6X2 Pellet



AAKCCM231A

6 mm 41+1 Plastic



AAKCMM771AZQ

4.5 mm 27 Steel rds.

AAKCCM771AZQ

6 mm 26 Plastic rds.

AAKZW035AZT

Universal Rubber Grip



AAKZW042AZX

12g CO2



AAKZW155AZT

Red Dot Laser

