

LAMPIRAN

koneksi.php

```
<?php
```

```
$host="localhost";
```

```
$user="root";
```

```
$password="";
```

```
$database="projectweb";
```

```
mysql_connect($host,$user,
$password);
```

```
mysql_select_db($database
);
```

```
?>
```

index.php

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta http-equiv="X-UA-
Compatible"
content="IE=edge">
```

```
<meta name="viewport"
content="width=device-
width, initial-scale=1">
```

```
<meta
name="description"
content="">
```

```
<meta name="author"
content="">
```

```
<title>Moeslemah Wear
Product Shop</title>
```

```
<link rel="stylesheet"
href="css/bootstrap.min.css"
type="text/css">
```

```
<link rel="stylesheet"
href="font-
awesome/css/font-
awesome.min.css"
type="text/css">
```

```
<link rel="stylesheet"
href="css/animate.min.css"
type="text/css">
```

```
<link rel="stylesheet"
href="css/creative.css"
type="text/css">
```

```
</head>
```

```
<body id="page-top">
```

```
<nav id="mainNav"
class="navbar navbar-
default navbar-fixed-top">
```

```
<div class="container-
fluid">
```

```
<div class="navbar-
header">
```

```
<button
type="button"
class="navbar-toggle
collapsed" data-
toggle="collapse" data-
target="#bs-example-
navbar-collapse-1">
```

```
<span class="sr-
only">Toggle
navigation</span>
```

```
<span
class="icon-bar"></span>
```

```
<span
class="icon-bar"></span>
```

```
<span
class="icon-bar"></span>
```

```
</button>
```

```
<a class="navbar-
brand page-scroll"
href="#page-
top">Moeslemah Wear</a>
```

```
</div>
```

```
<div class="collapse navbar-
collapse" id="bs-example-
navbar-collapse-1">
```

```
<ul class="nav
navbar-nav navbar-right">
```

```
<li>
```

```
<a
class="page-scroll"
href="admin/index.php">Lo
gin Admin</a>
```

```
</li>
```

```
</ul>
```

```
</div>
```

```
</nav>
```

```
<header>
```

```
<div class="">
```

```
<div class="header-
content">
```

```
<h1 font="Chiller"
color="black"><b>Moeslem
ah Product
Shop</b></h1></font>
```

```
<hr>
```

<p>Kebutuhan
para Muslimah</p>

<a href="#Login"
class="btn btn-primary btn-
xl page-
scroll">Masuk

<font
align="center"> Atau

<a href="#regis"
class="btn btn-primary btn-
xl page-
scroll">Daftar

</div>

</div>

</header>

<section id="Login">

<div class="container">

<div class="row">

<div class="text-
center">

<h2
class="">Login</h2>

<h3
class="">Masukan
Username dan
Password</h3>

</div>

</div>

<form action=""
method="POST"
class="popup-form">

<div
class="row">

<div
class="col-md-6">

<div
class="form-group">

<input
type="text" class="form-
control" name="username"
placeholder="Username*">

<p
class="help-block text-
danger"></p>

</div>

<div
class="form-group">

<input
type="password"
class="form-control"
name="password"
placeholder="Password*">

<p
class="help-block text-
danger"></p>

<div
class="clearfix"></div>

<div
class="col-lg-12 text-
center">

<div
id="success"></div>

<button
type="submit"
name="login" class="btn
btn-xl">Login</button>

</div>

</div>

</form>

<?php

include
'koneksi.php';

if(isset(\$_POST['login'])){

\$user=\$_POST['username'];

\$pass=\$_POST['password'];

\$res=mysql_query("select *
from tb_login where
username='\$user' and
password='\$pass'");

\$data=mysql_fetch_array(\$
res);

\$nm=\$data['nama_lengkap'
];

\$name=\$data['username'];

\$word=\$data['password'];

if(\$user==\$name &&
\$pass==\$word){

echo
'<script>>window.location.as
sign("konsumen/index.php"
)</script>';

}

}

?>

</div>

</div>

</div>

</section>

<section id="regis">

<div class="container">

<div class="row">

```
<div class="col-lg-12 text-center">
```

```
<h2
class="section-
heading">Daftar</h2>
```

```
<h3
class="section-subheading
text-muted">Masukan
Identitas kamu</h3>
```

```
</div>
</div>
```

```
<form
action="daftar.php"
method="POST"
class="popup-form">
```

```
<div
class="row">
```

```
<div
class="col-md-6">
```

```
<div
class="form-group">
<input
type="text" class="form-
control"
name="nama_lengkap"
placeholder="Nama
Lengkap*" >
```

```
<p
class="help-block text-
danger"></p>
```

```
</div>
<div
class="form-group">
```

```
<input
type="text" class="form-
control" name="tlp"
placeholder="Nomor HP*" >
```

```
<p
class="help-block text-
danger"></p>
```

```
</div>
```

```
<div
class="form-group">
<input
type="text" class="form-
control" name="username"
placeholder="Username*" >
```

```
<p
class="help-block text-
danger"></p>
```

```
</div>
```

```
<div
class="form-group">
<input
type="password"
class="form-control"
name="password"
placeholder="Password*" >
```

```
<p
class="help-block text-
danger"></p>
```

```
</div>
```

```
<div
class="clearfix"></div>
```

```
<div
class="col-lg-12 text-
center">
```

```
<div
id="success"></div>
```

```
<button
type="submit"
name="daftar" class="btn
btn-xl">Daftar</button>
```

```
</div>
```

```
</div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<script
src="js/jquery.js"></script>
```

```
<script
src="js/bootstrap.min.js"><
/script>
```

```
<script
src="js/jquery.easing.min.js
"></script>
```

```
<script
src="js/jquery.fittex.js"></s
cript>
```

```
<script
src="js/wow.min.js"></scrip
t>
```

```
<script
src="js/creative.js"></script
>
```

```
</body>
```

```
</html>
```

```
daftar.php
```

```
<?php
```

```
include"koneksi.php";
```

```
$sql="INSERT into tb_login
set
```

```
id_akun='$_POST[id
_aku]',
```

```
nama_lengkap='$_P
OST[nama_lengkap]',
```

```
tlp='$_POST[tlp]',
```

```

        username='$_POST[
username]',
        password='$_POST[
password]";

```

```

        mysql_query($sql)
or die ("Data tidak berhasil
disimpan".mysql_error());

```

```

header("location:index.php
");
?>

```

Fitur Konsumen

index.php

```
<?php
```

```
include('../koneksi.php');
```

```
session_start();
```

```
?>
```

```
<html>
```

```
<head>
```

```

        <title>Moeslemah
Product Shop</title>

```

```

        <link
rel="stylesheet"
type="text/css"
href="assets/css/style.css"/
>

```

```
</head>
```

```
<body>
```

```
<div id="menu">
```

```

        <ul
style="margin-left: 40px;
margin-top: 3px;">

```

```
<li>
```

```

        <a href="index.php"
style="color: #808080;">
Beranda </a>

```

```
</li>
```

```
</ul>
```

```

        <?php
if($_SESSION) { ?>

```

```

        <ul
style="margin-left:
950px;margin-top: 3px;">

```

```
<li>
```

```

        <a href="index.php"
style="color: #808080;">
Login Sebagai : User </a>

```

```
</li>
```

```
</ul>
```

```

        <ul
style="margin-top: 3px;
border-radius: 0px">

```

```
<li>
```

```

        <a
href="../index.php"
style="color: #808080;">
Keluar </a>

```

```
</li>
```

```
</ul>
```

```
<?php } ?>
```

```
</div>
```

```
<div id="container">
```

```

        <?php
//
error_reporting(0);

```

```

        if(isset($_GET['page
'])) {

```

```

                if
(file_exists('pages/'.$_GET['
page'].'.php')) {

```

```

                include('pages/'.$_
GET['page'].'.php');

```

```
}
```

```
else {
```

```

                include('pages/hom
e.php');

```

```
}
```

```
} else {
```

```

                include('pages/hom
e.php');

```

```
}
```

```
?>
```

```
</div>
```

```
<footer>
```

```

        Project 2 ||
M-Pro Shop

```

```
</footer>
```

```

<script
type="text/javascript"
src="assets/js/jquery-
3.1.0.js"></script>

```

```

<script
type="text/javascript">

```

```

        $(document).ready(
function(){

```

```

        $('#login-
trigger').click(function(){

```

```

        $(this).next('#login-
content').slideToggle();

        $(this).toggleClass('
active');

        if
        ($(this).hasClass('active'))
        $(this).find('span').html('&#
x25B2;')

        else
        $(this).find('span').html('&#
x25BC;')

    })

    });

</script>

</body>

</html>

```

```

Home.php

<div>

<p align="center" id="1"
style="font-size: 50px;">
Moeslemah Product Shop
</p><br><br>

<br>

<p align="center" id="2">
</p>

<br><br><br><br><br>

<a
href="?page=home&kat=1"
><div class="logo2">



```

```

<div
class="textbox">

<p
class="text" align="center"
style="color:
#ccc;">Jilbab</p>

</div>

</div></a>

<a
href="?page=home&kat=2"
><div class="logo3">



<div
class="textbox">

<p
class="text" align="center"
style="color:
#ccc;">Lainnya</p>

</div>

</div></a>

```

```

</div>

<div class="container">

<h1>Product</h1><br>

<hr>

<a
href="?page=chart"
class="a-
ker">Keranjang</a>

<br>

<?php
include "core/koneksi.php";

if(isset($_GET['kat'])) {

$kat = $_GET['kat'];

```

```

$qry =
mysql_query("SELECT *
FROM t_barang where
id_kategori = '$kat' order by
kode_barang desc");

} else {

$qry =
mysql_query("SELECT *
FROM t_barang order by
kode_barang desc");

}

while($fetch =
mysql_fetch_array($qry)) {

?>

<div
class="produk">

<h2><?php
echo
$fetch['nama_barang'];
?></h2>



<h2><?php
echo "Rp ". $fetch['harga'];
?></h2>

<a
href="?page=detail&id=<?p
hp
echo
$fetch['kode_barang']
?>"><button>Beli
Barang</button></a>

</div>

<?php
}

?>

</div>

```

Chart.php

```
<div>

<p align="center" id="1"
style="font-size: 50px;">
Moeslemah Product Shop
</p><br><br>

<br>

<p align="center" id="2">
</p>

<br><br><br><br><br><br>

<a
href="?page=home&kat=1"
><div class="logo2">



<div
class="textbox">

<p
class="text" align="center"
style="color:
#ccc;">Jilbab</p>

</div>

</div></a>

<a
href="?page=home&kat=2"
><div class="logo3">



<div
class="textbox">

<p
class="text" align="center"
style="color:
#ccc;">Lainnya</p>

</div>

</div></a>
```

```
</div>

<div class="container">

<h1>Keranjang</h1>

<br>

<hr>

<a
href="?page=home"
class="a-ker">Lanjut
Belanja</a>

<a
href="?page=bayar_proses"
class="a-ker">Bayar</a>

<br>

<?php
include "core/koneksi.php";
error_reporting(0);
if(isset($_SESSION['nama_lengkap'])) {
    $user =
$_SESSION['nama_lengkap']
;

    $qry =
mysql_query("SELECT
t_barang.kode_barang,
t_barang.nama_barang,
t_barang.gambar,
t_barang.harga,
order_temp.stok_barang,
order_temp.total_harga FROM t_barang LEFT
JOIN order_temp ON
t_barang.kode_barang = order_temp.id_barang
WHERE
order_temp.pembeli LIKE
'$user'");

    if(mysql_num_rows
($qry) > 0) {
```

```
while($fetch =
mysql_fetch_array($qry)) {
?>

<div
class="produk">

<h2><?php
echo
$fetch['nama_barang'];
?></h2>



<h2>Stock
Beli : <?php echo
$fetch['stok_barang'];
?></h2>

<h2>Total
Harga : <?php echo "Rp
".$fetch['total_harga'];?>
</h2>

<a
href="?page=hapus&id=<?p
hp echo
$fetch['kode_barang'];
?>"><button>Hapus
Barang</button></a>

</div>

<?php

}

} else {

echo "Anda
Belum Membeli Barang";

}

}

?>

</div>
```

```

Detail.php

<div>

<p align="center" id="1"
style="font-size: 50px;">
Moeslemah Product Shop
</p><br><br>

<br>

<p align="center" id="2">
</p>

<br><br><br><br><br><br>

<a
href="?page=home&kat=1"
><div class="logo2">



<div
class="textbox">

<p
class="text" align="center"
style="color:
#ccc;">Jilbab</p>

</div>

</div></a>

<a
href="?page=home&kat=2"
><div class="logo3">



<div
class="textbox">

<p
class="text" align="center"
style="color:
#ccc;">Lainnya</p>

</div>

</div></a>

```

```

</div>

<div class="container">

<h1>Detail</h1><br>
>

<hr>

<br>

<?php
include "core/koneksi.php";

if(!isset($_GET['id'])) {

    echo "Pilih barang
dulu Yak!";

} else {

    $id = $_GET['id'];

    $qry =
mysql_query("SELECT *
FROM t_barang WHERE
kode_barang LIKE '$id'");

    $fetch =
mysql_fetch_array($qry);

?>

<div
class="produk">

<h2><?php

echo
$fetch['nama_barang'];
?></h2>



<h2>Stock :
<?php echo $fetch['stock'];
?></h2><form
method="POST"
action="?page=tampkeranja
ng&id=<?php echo
$fetch['kode_barang'];
?>">Beli :<input

```

```

type="number"
name="stok" value="1">

<h2><?php
echo
"Rp
".$fetch['harga'];?></h2>

<input
type="submit" value="Beli"
name="beli" class="a-
ker"></form>

</div>

<?php
}
?>

</div>

Bayar.php

<div>

<p align="center" id="1"
style="font-size: 50px;">
Moeslemah Product Shop
</p><br><br>

<br>

<p align="center" id="2">
</p>

<br><br><br><br><br><br>

<a
href="?page=home&kat=1"
><div class="logo2">



<div
class="textbox">

<p
class="text" align="center"
style="color:
#ccc;">Jilbab</p>

```

```

        </div>
    </div></a>

    <a
href="?page=home&kat=2"
><div class="logo3">

        

        <div
class="textbox">

            <p
class="text" align="center"
style="color:
#ccc;">Lainnya</p>

        </div>
    </div></a>
</div>
<div class="container">

    <h1>Bayar</h1><br>
>

    <hr>

    <br>

    <?php

include
"core/koneksi.php";

    if(isset($_SESSION['
username'])) {

        if(isset($_GET['id']))
{

            $user =
$_SESSION['username'];

            $idor = $_GET['id'];

            $yoi =

mysql_query("SELECT *
FROM anggota WHERE
username = '$user'");

            $c =
mysql_fetch_array($yoi);

            $qry =
mysql_query("SELECT
t_bayar.total_harga,
t_bayar.stok_barang,
t_barang.nama_barang
FROM t_bayar LEFT JOIN
t_barang ON
t_bayar.id_barang =
t_barang.kode_barang
WHERE t_bayar.pembeli =
'$user' AND
t_bayar.id_order = '$idor'");

            $aa =
mysql_query("SELECT
sum(total_harga) AS tot
from t_bayar WHERE
pembeli LIKE '$user' AND
id_order LIKE '$idor'");

            $b =
mysql_fetch_array($aa);

            $no =
1;

            ?>

            <h2>Nama Pembeli
: <?php echo $c['nama'];
?></h2>

            <h2>No Telp :
<?php echo $c['notelp'];
?></h2>

            <hr>

            <table border="1"

style="width: 100%; border-
spacing: 0px;">

                <tr
style="background:
#f00000; color: #fff;">

                    <td>Nama
Barang</td>

                    <td>Jumlah
Beli</td>

                    <td>Total
Harga</td>

                </tr>

                <?php

                    while($a =
mysql_fetch_array($qry)) {

                        ?>

                        <tr>

                            <td><?php echo
$a['nama_barang']; ?></td>

                            <td><?php echo
$a['stok_barang']; ?></td>

                            <td><?php echo "Rp
".$a['total_harga']; ?></td>

                        </tr>

```


<pre> <?php } ?> </table> <h2>Total Pembayaran : <?php echo "Rp ". \$b['tot'];?></h2> <?php } else { echo "Belum Order Oyy!"; } } else { echo "Login Dulu Gan!"; } ?> </div> Bayar_proses.php <?php include "core/koneksi.php"; if(isset(\$_SESSION[' username'])) { \$user = \$_SESSION['username']; \$qry = mysql_query("SELECT </pre>	<pre> FROM order_temp WHERE pembeli = '\$user'); \$yo = mysql_query("SELECT * FROM t_bayar WHERE pembeli = '\$user' order by id_bayar desc"); if(isset(\$yo)) { \$b = mysql_fetch_array(\$yo); \$idorder = \$b['id_order']; \$idor = \$idorder + 1; } else { \$idor = "1"; } while(\$a = mysql_fetch_array(\$qry)) { \$idbar = \$a['id_barang']; \$pem = \$a['pembeli']; \$stok = \$a['stok_barang']; \$tot = \$a['total_harga']; mysql_query("INSE RT INTO t_bayar VALUES(',\$idbar','\$pem','\$ stok','\$tot','\$idor)"); } </pre>	<pre> \$del = mysql_query("DELETE FROM order_temp WHERE pembeli = '\$user'"); if(\$del) { header("Location: ?page=bayar&id=".\$_idor); } } else { echo "Anda Harus Login Terlebih Dahulu"; } ?> Tampkeranjang.php <?php include "core/koneksi.php"; if(isset(\$_SESSION['usernam e'])) { if(isset(\$_GET['id'])) { \$id = \$_GET['id']; \$stok = \$_POST['stok']; \$user = \$_SESSION['username']; \$filter = mysql_query("SELECT * FROM order_temp WHERE id_barang = '\$id' AND pembeli = '\$user' "); if(mysql_num_rows (\$filter) == 0) { \$fil = mysql_query("SELECT * </pre>
---	---	---

```
FROM t_barang WHERE
kode_barang LIKE '$id');
```

```
$a =
mysql_fetch_array($fil);
```

```
$harga =
$a['harga'];
```

```
$total = $harga *
$stok;
```

```
$stok_temp =
$a['stock'] - $stok;
```

```
if($stok <=
$a['stock']) {
```

```
mysql_query("INSE
RT INTO order_temp
values('','$id','$user','$stok',
'$total')");
```

```
mysql_query("UPD
ATE t_barang SET stock =
'$stok_temp' WHERE
kode_barang = '$id');
```

```
header("Location:?
page=chart");
```

```
}
```

```
else {
```

```
echo "Stock Tidak
Cukup";
```

```
}
```

```
} else {
echo "Barang Sudah
Terdapat di Keranjang
Belanja Anda";
```

```
}
```

```
} else {
```

```
echo
```

```
"Barang belum dipilih";
```

```
}
```

```
} else {
```

```
echo "Anda Harus
Login Terlebih Dahulu";
```

```
}
```

```
?>
```

```
Fitur Admin (Distributor)
```

```
Index.php
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta name="viewport"
content="width=device-
width, initial-scale=1.0">
```

```
<meta
name="description"
content="Moeslemah
Product Shop">
```

```
<link rel="shortcut icon"
href="img/favicon.png">
```

```
<title>Login Admin</title>
```

```
<link
href="css/bootstrap.min.css"
rel="stylesheet">
```

```
<link href="css/bootstrap-
theme.css"
rel="stylesheet">
```

```
<link href="css/elegant-
icons-style.css"
rel="stylesheet" />
```

```
<link href="css/font-
awesome.css"
rel="stylesheet" />
```

```
<link href="css/style.css"
rel="stylesheet">
```

```
<link href="css/style-
responsive.css"
rel="stylesheet" />
```

```
</head>
```

```
<body class="login-img3-
body">
```

```
<div class="container">
```

```
<form class="login-form"
method="post"
action="proses-login.php">
```

```
<div class="login-
wrap">
```

```
<p class="login-
img"><i
class="icon_lock_alt"></i><
/p>
```

```
<div class="input-
group">
```

```
<span class="input-
group-addon"><i
class="icon_profile"></i></s
pan>
```

```
<input type="text"
class="form-control"
name="username"
placeholder="Username"
autofocus>
```

```
</div>
```

```
<div class="input-
group">
```

```
<span class="input-
group-addon"><i
class="icon_key_alt"></i></
span>
```

```
<input
type="password"
class="form-control"
```

```

name="password"
placeholder="Password">
    </div>
    <button class="btn
btn-primary btn-lg btn-
block" id="submit"
name="submit"
type="submit">Login</butt
on><br>
</div>
</form>
</div>
</body>
</html>
Proses-login.php
<?php
include("koneksi.php");

session_start();

$username =
$_POST['username'];
$password =
$_POST['password'];

if (empty($username) &&
empty($password)) {

header('location:index.php?
error=1');

break;

} else if (empty($username))
{

header('location:index.php?
error=2');

break;

} else if (empty($password))
{

```

```

header('location:index.php?
error=3');

break;

}

$cekuser =
mysql_query("SELECT *
FROM anggota WHERE
username = '$username'
and
password='$password'");

if
(mysql_num_rows($cekuser
) == 1) {

$_SESSION['username'] =
$username;

header('location:admin.php
');

} else{

header('location:index.php?
error=4');

}

?>
Admin.php

<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport"
content="width=device-
width, initial-scale=1.0">
<meta
name="description"
content="Moeslemah
Product Shop">
<link rel="shortcut icon"
href="img/favicon.png">

```

```

<title>Admin</title>
<link
href="css/bootstrap.min.css
" rel="stylesheet">
<link href="css/bootstrap-
theme.css"
rel="stylesheet">
<link href="css/elegant-
icons-style.css"
rel="stylesheet" />
<link href="css/font-
awesome.min.css"
rel="stylesheet" />
<link href="css/style.css"
rel="stylesheet">
<link href="css/style-
responsive.css"
rel="stylesheet" />
</head>
<body>
<section id="container"
class="">
<header class="header
dark-bg">
<div class="toggle-
nav">
<div class="icon-
reorder tooltips" data-
placement="bottom"><i
class="icon_menu"></i></di
v>
</div>
<a href="admin.php"
class="logo">Assalamu'alay
kum <span
class="lite">Admin</span><
/a>
<div class="top-nav
notification-row">

```

```

<ul class="nav pull-right top-
menu">
<li
id="task_notificatoin_bar"
class="dropdown">
<a data-
toggle="dropdown"
class="dropdown-toggle"
href="#">
</ul>
</li>
<li
id="mail_notificatoin_bar"
class="dropdown">
</ul>
</li>
<li class="dropdown">
<a data-
toggle="dropdown"
class="dropdown-toggle"
href="#">
<span
class="profile-ava">

</span>
<span
class="username">Admin</
span>
<b
class="caret"></b>
</a>
<ul
class="dropdown-menu
extended logout">

```

```

<div
class="log-arrow-
up"></div>
<li>
<a
href="logout.php"><i
class="icon_key_alt"></i>
Log Out</a>
</li>
</ul>
</li>
</ul>
</div>
</div>
</header>
<aside>
<div id="sidebar"
class="nav-collapse ">
<!-- sidebar menu
start-->
<ul class="sidebar-
menu">
<li class="">
<a class=""
href="admin.php">
<i
class="icon_house_alt"></i>
>
<span>Dashboard</span>
</a>
</li>
<li class="sub-menu">
<a
href="javascript:;" class="">

```

```

<i
class="icon_document_alt"
></i>
<span>Laporan</span>
<span
class="menu-arrow
arrow_carrot-
right"></span>
</a>
<ul
class="sub">
<li><a
class=""
href="penjualan_admin.php"
">Laporan
Penjualan</a></li>
<li><a
class=""
href="pembelian_admin.ph
p">Laporan
Pembelian</a></li>
</ul>
</li>
<li class="sub-
menu">
<a
href="manage.php"
class="">
<i
class="icon_desktop"></i>
<span>Management
User</span>
</a>
</li>
</ul>
</div>

```

```

</aside>
<section id="main-content">
    <section class="wrapper">
        <div class="row">
            <div class="col-lg-12">
                <h3 class="page-header"><img src = "img/input.png"></i> Input Data</h3>
                <ol class="breadcrumb">
                    <li><i class="fa fa-home"></i><a href="admin.php">Home</a></li>
                </ol>
            </div>
        </div>
    </div>
    Promosikan Produk Anda
    </header>
    <div class="panel-body">
        <form
            enctype="multipart/form-data"
            method="post"
            action="aksi_barang.php">
            <div class="form-group">
                <label>Nama Produk</label>
                <input
                    type="text"
                    name="nama_barang"
                    class="form-control"

```

```

placeholder="Nama Produk
Anda">
            </div>
            <div class="form-group">
                <label>Kategori</label>
                <select
                    name="id_kategori"
                    class="form-control">
                    <option
                        value="1">Jilbab </option>
                    <option
                        value="2">Lainnya
                    </option>
                </select>
            </div>
            <div class="form-group">
                <label>Stock
                Produk</label>
                <input
                    type="text"
                    name="stock"
                    class="form-control"
                    placeholder="Jumlah
                    Produk Anda">
            </div>
            <div class="form-group">
                <label>Harga </label>
                <input
                    type="text"
                    name="harga"
                    class="form-control"
                    placeholder="Harga Satuan
                    Produk Anda">
            </div>

```

```

            <div class="form-group">
                <label>Gambar</label>
                <input
                    type="file"
                    name="gambar"
                >
                <p class="help-block">Masukan Gambar
                Produk Anda</p>
            </div>
            <div class="checkbox">
                <label>
                <input type="checkbox">
                Pastikan produk yang anda
                pasarkan sesuai dengan
                Yang tersedia.
            </label>
            </div>
            <button
                type="submit"
                name="simpan"
                value="simpan"
                class="btn btn-primary">Simpan</button>
        </form>
    </section>
</div>
</div>
<div class="row">

```

<div class="col-lg-12">

<section class="panel">

<header class="panel-heading">

Tabel
Produk

</header>

<table class="table table-striped table-advance table-hover">

<form enctype="multipart/form-data" method="post" action="aksi_barang.php">

<tbody>

<tr>

<th><i class="icon_profile"></i>
Kode Produk</th>

<th><i class="icon_calendar"></i>
Id Kategori</th>

<th><i class="icon_mail_alt"></i>
Nama Produk</th>

<th><i class="icon_pin_alt"></i>
Gambar</th>

<th><i class="icon_mobile"></i>
Stock</th>

<th><i class="icon_cogs"></i>
Harga</th>

<th><i class="icon_cogs"></i>
Aksi</th>

</tr>

<?php

include"koneksi.php";

\$tampil="SELECT *
FROM t_barang";

\$qryTampil=mysql_query(\$tampil);

\$no=1;

while
(\$dataTampil=mysql_fetch_array(\$qryTampil)){

?>

<tr>

<td><?php echo
\$dataTampil['kode_barang']
;?></td>

<td><?php echo
\$dataTampil['id_kategori'];?
></td>

<td><?php echo
\$dataTampil['nama_barang']
;?></td>

<td><center></center></td>

<td><?php echo
\$dataTampil['stock'];?></td>
>

<td>
<?php echo
\$dataTampil['harga'];?></td>
>

<td>

<div class="btn-group">

<a
class="btn btn-primary"
href="edit_barang.php?kode_barang=<?php echo
\$dataTampil['kode_barang']
; ?>">

<i class="icon_plus_alt2"></i>

<a
class="btn btn-danger"onClick="return
confirm('Yakin ingin
menghapus?');">

href="hapus_barang.php?kode_barang=<?php echo
\$dataTampil['kode_barang']
; ?>">

<i class="icon_close_alt2"></i>
>

</div>

</td>

<?php

}

?>

</section>

</section>

</div>

</td>

</section>

<script
src="js/jquery.js"></script>

```
<script
src="js/bootstrap.min.js"><
/script>
```

```
<script
src="js/jquery.scrollTo.min.js"></script>
```

```
<script
src="js/jquery.nicescroll.js"
type="text/javascript"></script>
```

```
<script
src="js/scripts.js"></script>
</body>
```

```
</html>
```

Pembelian_admin.php

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta name="viewport"
content="width=device-
width, initial-scale=1.0">
```

```
<meta
name="description"
content="Moeslemah
Product Shop">
```

```
<link rel="shortcut icon"
href="img/favicon.png">
```

```
<title>Laporan Pembelian
Admin</title>
```

```
<link
href="css/bootstrap.min.css"
rel="stylesheet">
```

```
<link href="css/bootstrap-
theme.css"
rel="stylesheet">
```

```
<link href="css/elegant-
icons-style.css"
rel="stylesheet" />
```

```
<link href="css/font-
awesome.min.css"
rel="stylesheet" />
```

```
<link href="css/style.css"
rel="stylesheet">
```

```
<link href="css/style-
responsive.css"
rel="stylesheet" />
```

```
</head>
```

```
<body>
```

```
<section id="container"
class="">
```

```
<header class="header dark-
bg">
```

```
<div class="toggle-
nav">
```

```
<div class="icon-
reorder tooltips" data-
original-title="Toggle
Navigation" data-
placement="bottom"><i
class="icon_menu"></i></div>
```

```
</div>
```

```
<a href="admin.php"
class="logo">Assalamu'alay
kum <span
class="lite">Admin</span><
/a>
```

```
<div class="top-nav
notification-row">
```

```
<ul class="nav pull-right top-
menu">
```

```
<li
id="task_notificatoin_bar"
class="dropdown">
```

```
<a data-
toggle="dropdown"
class="dropdown-toggle"
href="#">
```

```
</ul>
```

```
</li>
```

```
<li
id="mail_notificatoin_bar"
class="dropdown">
```

```
</ul>
```

```
</li>
```

```
<li class="dropdown">
```

```
<a data-
toggle="dropdown"
class="dropdown-toggle"
href="#">
```

```
<span
class="profile-ava">
```

```

```

```
</span>
```

```
<span
class="username">Admin</
span>
```

```
<b
class="caret"></b>
```

```
</a>
```

```
<ul
class="dropdown-menu
extended logout">
```

```
<div
class="log-arrow-
up"></div>
```

```
<li>
```

```
<a
href="logout.php"><i
class="icon_key_alt"></i>
Log Out</a>
```

```
</li>
```

```
</ul>
```

```

        </li>
</ul>
</div>
</header>
<aside>
    <div id="sidebar"
class="nav-collapse ">
        <!-- sidebar menu
start-->
        <ul class="sidebar-
menu">
            <li class="">
                <a class=""
href="admin.php">
                    <i
class="icon_house_alt"></i>
>
<span>Dashboard</span>
                </a>
            </li>
            <li class="sub-
menu">
                <a
href="javascript:;" class="">
                    <i
class="icon_document_alt"
></i>
<span>Laporan</span>
                <span
class="menu-arrow
arrow_carrot-
right"></span>
            </a>

```

```

        <ul
class="sub">
            <li><a
class=""
href="penjualan_admin.php
">Laporan
Penjualan</a></li>
            <li><a
class=""
href="pembelian_admin.ph
p">Laporan
Pembelian</a></li>
        </ul>
    </li>
    <li class="sub-
menu">
        <a
href="manage.php"
class="">
            <i
class="icon_desktop"></i>
<span>Management
User</span>
        </a>
    </li>
</ul>
</div>
</aside>
<section id="main-
content">
    <section
class="wrapper">
        <div
class="row">
            <div class="col-lg-
12">

```

```

        <h3
class="page-header"><img
src = "img/paper.png"></i>
Laporan Pembelian</h3>
</div>
</div>
</section>
</div>
</div>
<div class="row">
    <div class="col-lg-
12">
        <section
class="panel">
            <header
class="panel-heading">
                Laporan
Pembelian
            </header>
            <table class="table table-
striped table-advance table-
hover">
                <form
enctype="multipart/form-
data" method="post"
action="aksi_barang.php">
                    <tbody>
                        <tr>
                            <th><i
class="icon_profile"></i>Id
Bayar</th>
                            <th><i
class="icon_calendar"></i>
Id Barang</th>

```



```

                <th><i
class="icon_mail_alt"></i>
Nama Konsumen</th>

                <th><i
class="icon_pin_alt"></i>
Jumlah Produk</th>

                <th><i
class="icon_mobile"></i>
Total Harga</th>

                <th><i
class="icon_cogs"></i>    Id
Order</th>

            </tr>

<?php

            include"koneksi.ph
p";

            $stampil="SELECT  *
FROM t_bayar";

            $qryTampil=mysql_query($t
ampil);

            $no=1;

            while
($dataTampil=mysql_fetch_
array($qryTampil)){

                ?>

            <tr>

            <td><?php            echo
$dataTampil['id_bayar'];?><
/td>

```

```

            <td><?php            echo
$dataTampil['id_barang'];?>
</td>

            <td><?php            echo
$dataTampil['pembeli'];?><
/td>

            <td><?php            echo
$dataTampil['stok_barang'];
?></td>

            <td> <?php
echo
$dataTampil['total_harga'];
?></td>

            <td> <?php
echo
$dataTampil['id_order'];?><
/td>

            <?php

            }

            ?>

        </section>

        <script
src="js/jquery.js"></script>

        <script
src="js/bootstrap.min.js"><
/script>

        <script
src="js/jquery.scrollTo.min.j
s"></script>

```

```

        <script
src="js/jquery.nicescroll.js"
type="text/javascript"></sc
ript>

        <script
src="js/scripts.js"></script>

    </body>

</html>

Penjualan_admin.php

<html lang="en">

    <head>

        <meta charset="utf-8">

        <meta name="viewport"
content="width=device-
width, initial-scale=1.0">

        <meta
name="description"
content="Moeslemah
Product Shop">

        <link rel="shortcut icon"
href="img/favicon.png">

        <title>Laporan    Penjualan
Distributor</title>

        <link
href="css/bootstrap.min.css
" rel="stylesheet">

        <link href="css/bootstrap-
theme.css"
rel="stylesheet">

        <link href="css/elegant-
icons-style.css"
rel="stylesheet" />

        <link href="css/font-
awesome.min.css"
rel="stylesheet" />

        <link href="css/style.css"
rel="stylesheet">

```

```
<link href="css/style-responsive.css"
rel="stylesheet" />
```

```
</head>
```

```
<body>
```

```
<section id="container"
class="">
```

```
<header class="header dark-
bg">
```

```
<div class="toggle-
nav">
```

```
<div class="icon-
reorder tooltips" data-
placement="bottom"><i
class="icon_menu"></i></di
v>
```

```
</div>
```

```
<a href="admin.php"
class="logo">Assalamu'alay
kum <span
class="lite">Admin</span><
/a>
```

```
<div class="top-nav
notification-row">
```

```
<ul class="nav pull-right top-
menu">
```

```
<li
id="task_notificatoin_bar"
class="dropdown">
```

```
<a data-
toggle="dropdown"
class="dropdown-toggle"
href="#">
```

```
</ul>
```

```
</li>
```

```
<li
id="mail_notificatoin_bar"
class="dropdown">
```

```
</ul>
```

```
</li>
```

```
<li class="dropdown">
```

```
<a data-
toggle="dropdown"
class="dropdown-toggle"
href="#">
```

```
<span
class="profile-ava">
```

```

```

```
</span>
```

```
<span
class="username">Admin</
span>
```

```
<b
class="caret"></b>
```

```
</a>
```

```
<ul
class="dropdown-menu
extended logout">
```

```
<div
class="log-arrow-
up"></div>
```

```
<li>
```

```
<a
href="logout.php"><i
class="icon_key_alt"></i>
Log Out</a>
```

```
</li>
```

```
</ul>
```

```
</li>
```

```
</ul>
```

```
</div>
```

```
</header>
```

```
<aside>
```

```
<div id="sidebar"
class="nav-collapse ">
```

```
<ul class="sidebar-menu">
```

```
<li class="">
```

```
<a class=""
href="admin.php">
```

```
<i
class="icon_house_alt"></i
>
```

```
<span>Dashboard</span>
```

```
</a>
```

```
</li>
```

```
<li class="sub-
menu">
```

```
<a
href="javascript:;" class="">
```

```
<i
class="icon_document_alt"
></i>
```

```
<span>Laporan</span>
```

```
<span
class="menu-arrow
arrow_carrot-
right"></span>
```

```
</a>
```

```
<ul
class="sub">
```

```
<li><a
class=""
href="penjualan_admin.php"
">Laporan
Penjualan</a></li>
```

```
<li><a
class=""
href="pembelian_admin.ph
```

```

p">Laporan
Pembelian</a></li>

</ul>

</li>

<li class="sub-
menu">

<a
href="manage.php"
class="">

<i
class="icon_desktop"></i>

<span>Management
User</span>

</a>

</li>

</ul>

</div>

</aside>

<section id="main-
content">

<section
class="wrapper">

<div

class="row">

<div class="col-lg-
12">

<h3
class="page-header"><img
src = "img/paper.png"></i>
Laporan Penjualan</h3>

</div>

</div>

```

```

</section>

</div>

</div>

<div class="row">

<div class="col-lg-
12">

<section
class="panel">

<header
class="panel-heading">

Data

Barang

</header>

<table class="table table-
striped table-advance table-
hover">

<form
enctype="multipart/form-
data" method="post"
action="aksi_barang.php">

<tbody>

<tr>

<th><i
class="icon_profile"></i>
Kode Produk</th>

<th><i
class="icon_calendar"></i>
Id Kategori</th>

<th><i
class="icon_mail_alt"></i>
Nama Produk</th>

<th><i
class="icon_pin_alt"></i>
Gambar</th>

```

```

<th><i
class="icon_mobile"></i>
Stock</th>

<th><i
class="icon_cogs"></i>
Harga</th>

</tr>

<?php

include"koneksi.ph
p";

$stmtpil="SELECT *
FROM t_barang";

$qryTampil=mysql_query($t
ampil);

$no=1;

while
($dataTampil=mysql_fetch_
array($qryTampil)){

?>

<tr>

<td><?php echo
$dataTampil['kode_barang']
;?></td>

<td><?php echo
$dataTampil['id_kategori'];?
></td>

<td><?php echo

```

```
$dataTampil['nama_barang']];?></td>
```

```
<td><center></center><
/td>
```

```
<td><?php      echo
$dataTampil['stock'];?></td>
>
```

```
<?php      <td>
echo
$dataTampil['harga'];?></td>
>
```

```
<?php
```

```
}
```

```
?>
```

```
</section>
```

```
<script
src="js/jquery.js"></script>
```

```
<script
src="js/bootstrap.min.js"><
/script>
```

```
<script
src="js/jquery.scrollTo.min.js"></script>
```

```
<script
src="js/jquery.nicescroll.js"
type="text/javascript"></script>
```

```
<script
src="js/scripts.js"></script>
```

```
</body>
```

```
</html>
```

Manage.php

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta name="viewport"
content="width=device-
width, initial-scale=1.0">
```

```
<meta
name="description"
content="Moeslemah
Product Shop">
```

```
<link rel="shortcut icon"
href="img/favicon.png">
```

```
<title>Managemen
Konsumen</title>
```

```
<link
href="css/bootstrap.min.css"
rel="stylesheet">
```

```
<link href="css/bootstrap-
theme.css"
rel="stylesheet">
```

```
<link href="css/elegant-
icons-style.css"
rel="stylesheet" />
```

```
<link href="css/font-
awesome.min.css"
rel="stylesheet" />
```

```
<link href="css/style.css"
rel="stylesheet">
```

```
<link href="css/style-
responsive.css"
rel="stylesheet" />
```

```
</head>
```

```
<body>
```

```
<section id="container"
class="">
```

```
<header class="header dark-
bg">
```

```
<div class="toggle-
nav">
```

```
<div class="icon-
reorder tooltips" data-
original-title="Toggle
Navigation" data-
placement="bottom"><i
class="icon_menu"></i></div>
```

```
</div>
```

```
<a href="admin.php"
class="logo">Assalamu'alay
kum <span
class="lite">Admin</span><
/a>
```

```
<div class="top-nav
notification-row">
```

```
<ul class="nav pull-right
top-menu">
```

```
<li
id="task_notificatoin_bar"
class="dropdown">
```

```
<a data-
toggle="dropdown"
class="dropdown-toggle"
href="#">
```

```
</ul>
```

```
</li>
```

```
<li
id="mail_notificatoin_bar"
class="dropdown">
```

```
</ul>
```

```
</li>
```

```
<li class="dropdown">
```

```
<a data-
toggle="dropdown"
class="dropdown-toggle"
href="#">
```

```

        <span
class="profile-ava">
            
        </span>
        <span
class="username">Admin</
span>
        <b
class="caret"></b>
    </a>
    <ul
class="dropdown-menu
extended logout">
        <div
class="log-arrow-
up"></div>
        <li>
            <a
href="logout.php"><i
class="icon_key_alt"></i>
Log Out</a>
        </li>
    </ul>
</li>
</ul>
</div>
</header>
<aside>
    <div id="sidebar"
class="nav-collapse ">
    <ul class="sidebar-menu">
        <li class="">
            <a class=""
href="admin.php">

```

```

        <i
class="icon_house_alt"></i>
    >
    <span>Dashboard</span>
    </a>
</li>
    <li class="sub-
menu">
        <a
href="javascript:;" class="">
            <i
class="icon_document_alt"
></i>
        <span>Laporan</span>
        <span
class="menu-arrow
arrow_carrot-
right"></span>
    </a>
    <ul
class="sub">
        <li><a
class=""
href="penjualan_admin.php
">Laporan
Penjualan</a></li>
        <li><a
class=""
href="pembelian_admin.ph
p">Laporan
Pembelian</a></li>
    </ul>
    </li>
    <li class="sub-menu">

```

```

        <a
href="manage.php"
class="">
            <i
class="icon_desktop"></i>
        <span>Management
User</span>
    </a>
</li>
</ul>
</div>
</aside>
<section id="main-
content">
    <section
class="wrapper">
        <div
class="row">
            <div class="col-lg-
12">
                <h3
class="page-header"><img
src = "img/user-
list.png"></i>Pengguna</h3
>
            </div>
        </div>
    </section>
</div>
<div class="row">

```

```
<div class="col-lg-12">
```

```
<section class="panel">
```

```
<header class="panel-heading">
```

Management Account

```
</header>
```

```
<table class="table table-striped table-advance table-hover">
```

```
<form enctype="multipart/form-data" method="post" action="aksi_barang.php">
```

```
<tbody>
```

```
<tr>
```

```
<th><i class="icon_profile"></i> Id Akun</th>
```

```
<th><i class="icon_calendar"></i> Nama Lengkap</th>
```

```
<th><i class="icon_mail_alt"></i> No.Handphone </th>
```

```
<th><i class="icon_pin_alt"></i> Username </th>
```

```
<th><i class="icon_mobile"></i> Password</th>
```

```
<th><i class="icon_cogs"></i> Aksi</th>
```

```
</tr>
```

```
<?php
```

```
include"koneksi.php";
```

```
$stampil="SELECT * FROM tb_login";
```

```
$qryTampil=mysql_query($stampil);
```

```
$no=1;
```

```
while ($dataTampil=mysql_fetch_array($qryTampil)){
```

```
?>
```

```
<tr>
```

```
<td><?php echo $dataTampil['id_akun'];?></td>
```

```
<td><?php echo $dataTampil['nama_lengkap'];?></td>
```

```
<td><?php echo $dataTampil['tlp'];?></td>
```

```
<td><?php echo $dataTampil['username'];?></td>
```

```
<td><?php
```

```
echo $dataTampil['password'];?></td>
```

```
<td>
```

```
<div class="btn-group">
```

```
<a class="btn btn-primary" href="edit_akun.php?id_akun=<?php echo $dataTampil['id_akun'];?>">
```

```
<i class="icon_plus_alt2"></i></a>
```

```
<a class="btn btn-danger" onClick="return confirm('Yakin ingin menghapus?');"
```

```
href="hapus_akun.php?id_akun=<?php echo $dataTampil['id_akun'];?>">
```

```
<i class="icon_close_alt2"></i></a>
```

```
</div>
```

```
</td>
```

```
<?php
```

```
}
```

```
?>
```

```
</section>
```

```
<script  
src="js/jquery.js"></script>
```

```
<script  
src="js/bootstrap.min.js"><  
/script>
```

```
<script  
src="js/jquery.scrollTo.min.j  
s"></script>
```

```
<script  
src="js/jquery.nicescroll.js"  
type="text/javascript"></sc  
ript>
```

```
<script  
src="js/scripts.js"></script>
```

```
</body>
```

```
</html>
```