检测报告

上海纳尔实业股份有限公司

上海市浦东新区新场镇新瀚路 26 号

此报告是报告号为 AJFS2106005015FF 的中文译本，如中英文有差异，概以英文为准。

样品名称: 阻燃车身贴

SGS 参考号: SHIN2106040217SC

型号/货号: /

以上测试样品数据和信息为客户提供并确认，SGS 不对这些数据和信息的真实性、完整性以及由此引发的结果和/或结论的有效性负责。检测结果适用于收到的样品。

****

测试要求:

测试根据 DIN 4102-1 (1998 年 5 月) 建筑材料和部件燃烧性能分级 – 第 1 部分：建筑材料分级、要求和测试方法判定样品可燃性(建筑材料 B1 级)。

测试结果: --- 参见数据附表 ---

结论: 测试样品**符合** DIN 4102-1(1998 年 5 月)中建筑材料 **B1** 级的要求。

测试持续时间:

样品收到日期 : 2021 年 6 月 21 日

测试执行时间 : 2021 年 6 月 21 日 至 2021 年 7 月 06 日

通标标准技术服务有限公司安吉分公司

授权代表签署

邹石龙

授权签字人

扫码查看在线报告

AJFS2106005015FF

SGS-CSTC Standards Technical Services Co., Ltd. Anji Branch Fire Technology Service

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

I. 测试方法

测试根据 DIN 4102-15:1990, DIN 4102-16:2015 和 DIN 4102-1:1998 第 6.2 条进行，分级根据 DIN 4102-1 (1998 年 5 月)第 6.1-B1 级材料。

II. 样品信息

样品描述	自粘贴纸
颜色	白色
面密度	180 g/m^2
样品尺寸	190mm×1000mm & 190mm×90mm

预处理

测试前，样品在温度 23 ± 2 °C 相对湿度 50 ± 5 %恒温恒湿的条件下，调节至少 14 天。

III. 测试结果

1) 根据DIN 4102-15 &16难燃性测试

测试面: 正面

难燃性结果 (第 1 部分)						
项目		单位	测试次数			
			A	B	C	D
1	根据 DIN 4102 part 15 样品固定方式	-	/			
2	最大火焰高度;	cm	40			
3	时间 1)	min:s	0:07			
	熔化/烧穿		/			
4	时间 1)	min:s	0:05			
	样品背面		/			
5	着火/阴燃 时间 1)	min:s	0:04			
6	变色, 时间 1)	min:s	0:03			
	燃烧熔滴		否			
7	开始时间 1)	min:s	/			
	程度		/			
8	样品间断的滴落		/			
9	样品连续滴落		/			

接下页...

SGS-CSTC Standards Technical Services Co., Ltd. Anji Branch Fire Technology Service

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn
中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

难燃性结果 (第 2 部分)						
项目		单位	测试次数			
			A	B	C	D
	燃烧样品碎片		否			
10	开始 1)	min:s	/			
11	碎片间断的掉落		/			
12	碎片连续的掉落		/			
13	碎片掉落后继续燃烧的时间	min:s	否			
	燃烧火焰被滴落物/碎片 覆盖		否			
14	时间 1)	min:s	/			
	提前结束测试		/			
15	样品燃烧结束时间 1)	min:s	/			
16	测试结束的时间 1)	min:s	/			
	测试结束后是否续燃		否			
17	时间	min:s	/			
18	样品数量		/			
19	样品前面		/			
20	样品背面		/			
21	火焰高度	cm	/			
	测试结束后是否阴燃		否			
22	时间	min:s	/			
23	样品数量		/			
24	样品前面		/			
25	样品背面		/			
26	样品上半部分		/			
27	样品下半部分		/			

接下页...

SGS-CSTC Standards Technical Services Co., Ltd. Anji Branch Fire Technology Service
检验检测专用章 Inspection & Testing Services

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn
中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

难燃性结果 (第 3 部分)												
项目		单位	测试次数.									
			A		B		C		D			
	剩余长度											
28	单个结果	cm	70	71								
			72	68								
29	平均值	cm	70.3									
	烟气温度		/									
30	最大值	℃	151.9									
31	时间 1)	min:s	05:53									

注释: 1) 时间从测试开始算起

*减少测试数量（DIN4102 第 16 部分，条款 5.2）

B1 级材料：

如果第一组测试样品的平均剩余长度为 45cm 或者更好，不需要做附加测试。

2) 根据 DIN 4102-1 第 6.2.5 章节可燃性测试

边缘点火

火焰施加时间: 15s

样品编号	1	2	3	4	5
火焰到达标记线之前是否熄灭（是/否）	是	是	是	是	是
20 秒内火焰前端是否到达标记线（是/否）	否	否	否	否	否
火焰尖端到达标记线的时间（s）	NA	NA	NA	NA	NA
续燃时间（s）	0	0	0	0	0
最大火焰高度（cm）	8	7	6	5	7
是否有滴落（是/否）	否	否	否	否	否
烟气情况（目视）	少量				

备注: NA---不适用

接下页…

SGS-CSTC Standards Technical Services Co., Ltd. Anji Branch Fire Technology Service
检验检测专用章 Inspection & Testing Services

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn
中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

IV. DIN 4102-1:1998 分级条件

1) 所有材料除铺地材料外，要符合B1级材料，必须符合下列要求a和b:

a) 按照DIN4102-15(cf.条款6.1.3.1)进行'竖炉'装置测试，通过必须符合：

– 每组样品平均剩余长度（样品没有燃烧或者碳化部分；cf.DIN4102-16条款9.1）至少15cm且没有单个样品剩余长度为0cm

–测试中炉没气流温度不能超过200℃

–.如果遇到样品续燃，阴燃，或者闷烧，每组样品剩余长度也要符合要求

b) 测试要通过DIN4102-1:1998 分条款6.2.3可燃性测试必须符合：

每个样品的火焰不能超过标线在施加火源后20s内。

2) 材料如果通过DIN4102-1:1998分条款6.2.5可燃性测试，可以判定为B2级。

每个样品的火焰不能超过标线在施加火源后20s内。

3) 易燃材料不符合B1和B2级，被判定为B3级材料

声明:

此符合性声明仅基于本次实验室活动的实际值，未将本次实验室活动的结果不确定度影响计入。

本报告不能代替产品可能需要的任何强制认证。

在特定的试验条件下，试验结果与试样的性能有关；试验结果不能作为评估制品在实际使用条件下潜在火灾危险性的唯一依据。

附录照片:



此照片仅限于随 SGS 正本报告使用

报告结束

SGS-CSTC Standards Technical Services Co., Ltd. Anji Branch Fire Technology Service

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn

中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)