
ACRv3 Setup Guide


Note: You need a GitHub account before using this guide. If you do not have one, create one at http://github.com/signup


Step 1: Setting up Cloudflare and Github




Go to: https://dash.cloudflare.com/sign-up


And sign up with GitHub, using your GitHub account. If you do not have one, create a GitHub account (see above)











After you log in, open this link: https://github.com/apps/cloudflare-workers-and-pages Click Install	
Click Install and Authorize	
Next, open this link: https://dash.cloudflare.com/?to=%2F%3Aaccount%2Fworkers-and-pages%2Fcreate%2Fdeploy-to-workers&repository=https%3A%2F%2Fgithub.com%2Fhermanboxcar5%2Facrv3	

Once you see this page, click Install and authorize	 




Step 2: Get your Jellycade Token



Method 1: Chrome Extension

Go to https://cookie-editor.com/ And install it for your browser	

Open RBR on Jellycade	
Click on the cookie editor extension. Give it permission to read cookies. Either option works.	
Look for a cookie named __Host-portal.session_token And open it.	
You should see your jellycade token where [YOUR TOKEN] Is written in this example. Copy it or store it somewhere; we will use this value later	

Step 3: Deploying the instance

Then, open this link again in a new tab https://dash.cloudflare.com/?to=%2F%3Aaccount%2Fworkers-and-pages%2Fcreate%2Fdeploy-to-workers&repository=https%3A%2F%2Fgithub.com%2Fhermanboxcar5%2Facrv3 You should now see a git account selector. Select your account. Then, click Deploy	
Wait ~30 seconds for the instance to deploy. Then, on the top bar, go to Settings	
In settings, on the top right click Add Variable	

For the key, write JELLYCADE_TOKEN Do not modify the spelling, capitalization, etc. For the value, enter your jellycade token that we got earlier. Check "Secret" Then click Add 1 Variable and Deploy	
After you add the token into Cloudflare, click on the Domains button on the top bar. Enable the first URL labeled Production	

Copy the production URL and open it in a new tab.
 	
Then, add /run to the end of the URL. Your final url should look like
 	
https://something.workers.dev/run
 	
Check if the ACR works. If the response looks like either of the ones on the right, it works; you are done! The ACR will automatically run every 31-32 minutes to get you coins.
 	
Note: DO NOT reload this page a lot or visit it over and over again. Each time it tries to claim the bonus, and this might trigger Cloudflare anti-DDoS protection
	acrv3 execution logs
	`[ACR] NOT UNLOCKED: Bonus is not unlocked yet.`
	`[ACR] Trigger: manual`
	`[ACR] Duration: 551ms`
	`[ACR] Response: {"code":13,"error":{},"message":"Bonus is not unlocked yet."}`
	
	acrv3 execution logs
	`[ACR] SUCCESS: ACR bonus successfully claimed.`
	`[ACR] Trigger: manual`
	`[ACR] Duration: 391ms`
	`[ACR] Response: {"payload":"{}"}`