


Leon Seferi

Test Cases – IPOS SA



OrderAPIImpl

Method	Test ID	Parameter Values	Comment	Expected Outcome
placeOrder(productid:int,quantity:int):boolean	1	productID = 100 quantity = 1	Enter valid int values for both parameters.	Boolean operation so if successful, will return 'true' and order is created.
placeOrder(productid:int,quantity:int):boolean	2	productID = 200 quantity = 1	Product may not exist in our inventory so invalid.	Failure so will return 'false'.

placeOrder(productid:int,quantity:int):boolean	3	productID = 100 quantity = 0	Boundary value – quantity of zero.	Failure so will return 'false'.
placeOrder(productid:int,quantity:int):boolean	4	productID = 100 quantity = -1	Negative quantity.	Failure so will return 'false'.
placeOrder(productid:int,quantity:int):boolean	5	productID = -1 quantity = 1	Invalid product ID.	Failure so will return 'false'.
placeOrder(productid:int,quantity:int):boolean	6	productID = 100 quantity = 1000000	Extremely large quantity – could be more than legally allowed to buy or more than our inventory.	Depends on our stock levels. Would be 'true' if order can be fulfilled or 'false' if else.

Method	Test ID	Parameter Values	Comment	Expected Outcome
trackOrderProgress(orderID:int):string	7	orderID = 1000	Valid int value for order ID, AND exists in system as a already placed order.	Success so will return 'true' representing a status like 'processing'
trackOrderProgress(orderID:int):string	8	orderID = 99999	Order does not exist and has not been	Failure so will return 'false' representing

			previously placed.	'Order not found'.
trackOrderProgress(orderID:int):string	9	orderID = -1	Invalid ID	Failure so will return 'false' representing 'Invalid Order ID'.
trackOrderProgress(orderID:int):string	10	OrderID = 0	Boundary value not valid input.	Failure so will return 'false'.

Method	Test ID	Parameter Values	Comment	Expected Outcome
queryBalance(merchantID:int):int 11	11	merchantID = 1000	Valid int value for merchant ID.	Success so will return valid balance as int val.
queryBalance(merchantID:int):int 11	12	merchantID = 9999	Merchant does not exist.	Failure so will return -1.
queryBalance(merchantID:int):int 11	13	merchantID = -1	Invalid ID	Failure so will return -1.
queryBalance(merchantID:int):int 11	14	merchantID = 0	Boundary value not valid input.	Failure so will return -1.

Method	Test ID	Parameter Values	Comment	Expected Outcome

viewPreviousOrders(merchantID:int): string	15	merchantID = 1000	Merchant has orders in system.	Success so will return a list of orders
viewPreviousOrders(merchantID:int): string	16	merchantID = 1000	Merchant exists but has no orders	Success but returns empty list.
viewPreviousOrders(merchantID:int): string	17	merchantID = 2000	Merchant does not exist	Failure but returns empty list or error.
viewPreviousOrders(merchantID:int): string	18	merchantID = -1	Invalid ID	Failure

Method	Test ID	Parameter Values	Comment	Expected Outcome
getCatalogue():string	19	none	Catalogue populated	Success so returns a product list.
getCatalogue():string	20	none	Catalogue empty	Success but returns a empty list.

LoginAPIImpl

Method	Test ID	Parameter Values	Comment	Expected Outcome
merchantLogin(username,password):boolean	21	username = "merchant1"	Valid credentials	Success so returns true

		password = "correctPassword"		
merchantLogin(username,password):boolean	22	username = "merchant1" password = "wrongPassword"	Wrong password	Failure so returns true
merchantLogin(username,password):boolean	23	username = "unknown" password = "pass"	Merchant does not exist	Failure so returns false
merchantLogin(username,password):boolean	24	Username = "" Password = "pass"	Empty Username	Failure
merchantLogin(username,password):boolean	25	Username = "merchant1" Password = ""	Empty password	Failure
merchantLogin(username,password):boolean	26	Username = "" Password = ""	Both empty	Failure

Method	Test ID	Parameter Values	Comment	Expected Outcome
merchantDisconnect(merchantID:int):boolean	27	merchantID = 1000	Valid merchant logged in	Success so returns true
merchantDisconnect(merchantID:int):boolean	28	merchantID = 1000	Merchant not logged in	Failure so returns false
merchantDisconnect(merchantID:int):boolean	29	merchantID = 9999	Merchant does not exist	Failure so returns false

merchantDisconnect(merchantID:int):boolean	30	merchantID = -1	Invalid ID	Failure so returns false
--	----	-----------------	------------	--------------------------

MemberAPIImpl

Method	Test ID	Parameter Values	Comment	Expected Outcome
sendCommercialApplication()	31	All valid parameters	Valid application	Success so returns true
sendCommercialApplication()	32	regNumber invalid	Invalid registration number	Failure so returns false
sendCommercialApplication()	33	email invalid	Invalid email format	Failure so returns false
sendCommercialApplication()	34	type empty	Missing type	Failure so returns false
sendCommercialApplication()	35	address empty	Missing address	Failure so returns false
sendCommercialApplication()	36	details empty	Missing details	Failure so returns false

Method	Test ID	Parameter Values	Comment	Expected Outcome
checkCommercialApplication(regNumber:int):boolean	37	regNumber = 1000	Application exists	Success so returns true
checkCommercialApplication(regNumber:int):boolean	38	regNumber = 9999	Application does not exist	Failure so returns false
checkCommercialApplication(regNumber:int):boolean	39	regNumber = -1	Invalid regNumber	Failure so returns false

IPUCommsAPI

Method	Test ID	Parameter Values	Comment	Expected Outcome
sendEmail(email,body,subject):boolean	40	All valid values	Valid email	Success so returns true
sendEmail(email,body,subject):boolean	41	Invalid email format	Invalid email	Failure so returns false
sendEmail(email,body,subject):boolean	42	Empty email	Missing recipient	Failure so returns false
sendEmail(email,body,subject):boolean	43	Empty subject	Missing subject	Failure so returns false
sendEmail(email,body,subject):boolean	44	Empty body	Missing body	Failure so returns false

sendEmail(email,body,subject):boolean	45	All empty	Completely invalid	Failure so returns false
---------------------------------------	----	-----------	--------------------	--------------------------