

ABANGCEBU AI — SPRINT 1 UI/UX ARCHITECTURE SPECIFICATION

Admin Dashboard Wireframe & Layout Specification

Trust & Safety Operations Console · MacBook Air 16:10 Chassis (1440px) · Anti-Scam KYC Gateway

Jira Reference: SCRUM-74

Author: Neah Moneva (UI/UX Designer)

Design Standards: Balsamiq/Figma Grayscale Blueprint Conventions, Apple HIG Ergonomics, Supabase RLS Boundary Isolation, WCAG 2.2 AA Contrast & Touch Rules

Framework: Next.js 16 + React 19 + Supabase RLS

Reviewed By: Hermar Centillas (Lead / Scrum Master)

Fidelity: MID-FIDELITY WIREFRAME

Status: APPROVED / ACTIVE

1. Executive Summary & Trust Architecture Philosophy

AbangCebu AI's Admin Dashboard operates as the mission-critical **Trust & Safety Command Center** for Metro Cebu's rental ecosystem. Unlike generic administrative portals, this console is engineered around four core defensive pillars: (1) **Anti-Scam KYC Verification Gateway**: Mandatory landlord government ID validation (PhilSys National ID, UMID, Driver's License) gated before public contact or verified badges are unlocked. (2) **Immediate Account Lockout**: High-risk scam listings can be halted with one-click emergency execution (`profiles.is_suspended = true`), instantly freezing landlord sessions and hiding active listings. (3) **PostGIS Corridor Validation**: Automated spatial geofencing validating declared boarding house GPS coordinates against Metro Cebu barangay polygons (Sambag I, Urgello, Banilad, Lahug). (4) **Immutable Audit Logging**: Every approval, rejection reason code, and account suspension is permanently committed to `audit_logs` with administrator UUID and timestamp.

2. Desktop Viewport Specification (1440px × 900px · MacBook Air Chassis)

Encased in an authentic MacBook Air chassis (16:10 display), desktop navigation is anchored by a 260px fixed dark sidebar (#0F172A) with Admin brand crest, profile dossier ([ System Admin]), system health indicator (99.98%), and navigation links. The 1180px main workspace hosts an executive KPI bar, KYC review triage table, side-by-side document inspection drawer, and reported listings moderation feed:




Figure 1: Desktop 1440px Mid-Fidelity Wireframe Blueprint — MacBook Air Aluminum Chassis, 260px Fixed Dark Sidebar, 4-Card Executive KPI Bar, KYC Verification Triage Table, Side-by-Side Document Inspection Drawer, and Scam Moderation Feed

Component	Dimensions / Placement	Wireframe Role & Authentic Design Architecture
MacBook Air Chassis	1480 × 950px Outer	Aluminum unibody frame, top FaceTime camera notch, camera lens, green LED, inner bezel, and bottom opening lip.
Fixed Dark Sidebar Nav ①	w: 260px, h: 900px (x: 0, y: 0)	Deep Navy (#0F172A), Admin brand crest, user profile pill (Hermar Centillas, System Admin), system health (99.98%), KYC Queue (14), Scam Moderation (5), and bottom Sign Out.
Admin Profile & Health ②	w: 228px, h: 66px (x: 16, y: 110)	Admin initials avatar (HC), full name, [ System Admin] badge, online indicator, and PostGIS 3.4 database connection status.
Executive KPI Metric Bar ③	w: 270px – 288px each (y: 76)	4 operational cards: Total Verified Listings (1,248), Pending KYC Queue (14), Reported Listings (5), and Scam Interception Rate (99.4% · ₱412k fraud prevented).
KYC Triage Table ④	w: 720px, h: 360px (x: 280, y: 172)	Table columns: Landlord Name, ID Type Submitted, Target Barangay (Sambag I, Urgello, Banilad, Lahug), SLA Status (3h left), and active [ Inspecting →] trigger.
Scam Moderation Feed ⑤	w: 720px, h: 338px (x: 280, y: 546)	High-risk scam cards (92% risk, fake advance fee near CIT-U) with student notes and emergency 1-click action: [ Suspend Listing & Freeze Landlord Account].
Inspection Drawer ⑥	w: 414px, h: 712px (x: 1012, y: 172)	Side-by-side inspection panel featuring PhilSys ID front specimen, zoom/rotate toolbar ( +,  -,  90°), landlord dossier, and proof of ownership cross-checks.
Automated Trust Audit ⑦	w: 386px, h: 170px	Automated registry checks: PSA PhilSys API match, PostGIS Sambag I geofence match, VECO electricity bill name match, and 96.4% biometric selfie liveness score.
Decision Triggers ⑧	w: 386px, h: 120px	Primary [ Approve & Issue Verified Badge] (Cebu Emerald #047857) vs [ Reject Document] (Sinulog Crimson #E11D48, triggers reason modal).

ABANGCEBU AI — MOBILE INTERACTION ARCHITECTURE

Mobile Viewport Wireframe Specification (393px × 852px · 100dvh)

Rapid KYC Triage Swiper & Anti-Scam Moderation · iPhone 16 Pro Titanium Chassis · iOS Safari 100dvh

3. Mobile Viewport Geometry & Touch Ergonomics

The mobile admin console standardizes on 100dvh (Dynamic Viewport Height) encased in an authentic iPhone 16 Pro Titanium chassis with Dynamic Island and persistent bottom iOS Safari navigation. It enforces 44×44px touch targets and the 16px input font rule. Below is the side-by-side comparative blueprint across 4 core operational states:




Figure 2: Mobile 100dvh Mid-Fidelity Wireframe Blueprint — iPhone 16 Pro Titanium Chassis, Phone 1 (Admin Overview & KPI Feed), Phone 2 (Rapid KYC Triage Swiper), Phone 3 (Document Deep Inspection), and Phone 4 (Rejection Reason Modal & Zero State)

Operational State	Visual Hierarchy & Components	User Interaction & Workflows	Ergonomic & Technical Governance
Phone 1: Admin Overview	Admin header, urgent scam banner (92% risk), 2×2 metric grid (Verified, KYC, Scam, Intercept), rapid triage launcher, audit snippet.	Instant high-level posture check; 1-tap emergency freeze for active scam reports; jump into rapid KYC review swiper.	44×44px buttons; persistent 4-tab bottom navigation (Overview, KYC 14, Scam 5, Audit); iOS Safari URL bar.
Phone 2: Rapid KYC Swiper	Header with SLA countdown (3h left), 1-card-at-a-time landlord card, PhilSys ID thumbnail (98.7% OCR), VECO ownership badge.	Card-by-card triage: swipe right to Approve, swipe left to Reject, tap Skip to defer; tap thumbnail to open deep inspection.	Full-width touch cards; high-contrast action buttons: Approve (#047857), Reject (#E11D48), Skip (#64748B).
Phone 3: Deep Inspection	Deep zoom viewer with pinch/zoom & rotate controls, simulated PhilSys ID specimen, automated trust checks (PSA, PostGIS, VECO, Liveness).	Inspect high-res microprint and security guilloche; confirm barcode/QR checksum; execute final badge issuance or rejection.	Floating zoom HUD; green audit badges; persistent decision action bar anchored within ergonomic lower thumb reach.
Phone 4: Rejection Modal	Rejection reason modal over 55% dimmed backdrop; 4 standardized radio codes (Blurred, Name Mismatch, Expired, Unofficial) + note input.	Select specific reason code to populate automated landlord notification email/SMS; enter custom guidance note.	WAI-ARIA modal dialog trap; strict 16px font on textarea to prevent iOS auto-zoom; Sinulog Crimson confirm CTA.

MOBILE TOUCH ERGONOMICS & TRUST ENFORCEMENT GUARDRAILS

- WCAG 2.2 AA 44×44px Touch Targets: Enforced via @utility touch-target on all triage buttons, emergency freeze triggers, and modal controls.
- Anti-Zoom 16px Rule: Rejection reason guidance inputs strictly locked to 16px (text-base) to eliminate disruptive iOS Safari auto-zoom.
- 1-Tap Emergency Account Freeze: Scam moderation alerts trigger instant Supabase RPC updating profiles.is_suspended = true with audit commit.
- Automated SLA Monitoring: Triage cards dynamically flag submissions exceeding 20h age with urgent amber warnings to maintain 24h review SLA.

ABANGCEBU AI — ENGINEERING IMPLEMENTATION CONTRACTS

Accessibility, Component Contracts & Sign-Off

WCAG 2.2 AA Tab Order Flow · Next.js 16 Server/Client Boundaries · Definition of Done

4. Sequential Keyboard Tab Order & WAI-ARIA Matrix

Tab #	Element	Accessible Name	ARIA Roles & States	Keyboard Action
1	Admin Brand Crest	"AbangCebu AI Admin Console Home"	role="link"	Enter routes to /admin
2	Admin Profile Card	"Hermar Centillas, System Admin"	role="region", aria-label="Admin Profile Dossier"	Visual anchor / Tab next
3	KYC Queue Nav Link	"KYC Verification Queue, 14 pending"	role="link", aria-current="page"	Enter activates KYC queue
4	Scam Moderation Nav	"Scam Moderation Feed, 5 urgent alerts"	role="link", aria-label="Scam Moderation Feed"	Enter routes to /admin/moderation
5	Audit Logs Nav	"Immutable Audit Logs"	role="link"	Enter routes to /admin/audit
6	Sign Out Button	"Sign Out Administrator"	role="button", aria-label="Sign Out Admin"	Enter opens logout dialog
7	Global Search Field	"Search landlords, IDs, or report tokens"	type="search", aria-label="Search Console"	Standard typing / ⌘K
8	Metric Card (KYC)	"Pending KYC Queue, 14 landlords"	role="region", aria-label="Pending KYC metric"	Screen reader announcement
9	KYC Queue Triage Row	"Rodrigo Tan, PhilSys National ID, Sambag I"	role="row", aria-selected="true"	Enter inspects document
10	Inspect & Review CTA	"Inspect document for Rodrigo Tan"	role="button", aria-label="Inspect Document"	Enter opens inspection drawer
11	Approve Badge CTA	"Approve and issue verified landlord badge"	role="button", aria-label="Approve Landlord"	Enter approves KYC verification
12	Reject Document CTA	"Reject document and open reason selector"	role="button", aria-label="Reject Document"	Enter opens rejection modal
13	Emergency Freeze CTA	"Suspend listing and freeze landlord account"	role="button", aria-label="Emergency Freeze"	Enter executes account freeze
14	Rejection Reason Radio	"Blurred or low-resolution image"	role="radio", aria-checked="true"	Arrow keys cycle reasons

5. Next.js 16 Component Hierarchy & Boundaries (Sprint 2 Contract)

Component	Runtime	File Location (Sprint 2)	Architectural Role & Contract
AdminLayout	SERVER	src/app/(admin)/layout.tsx	Enforces admin role check (profiles.role === 'admin'). Rejects unauthorized seekers/landlords to 403 Forbidden.
AdminSidebarNav	CLIENT	src/components/admin/admin-sidebar-nav.tsx	Fixed 260px sidebar navigation. Manages real-time queue counters, active routes, and keyboard navigation shortcuts.
AdminHeader	CLIENT	src/components/admin/admin-header.tsx	Sticky operations header with global search debounce, live sync heartbeat indicator, and quick alert notifications.
MetricCard	SERVER	src/components/admin/metric-card.tsx	Executive operational metric container displaying values, trends, warning thresholds, and semantic icon bubbles.
KycTriageTable	CLIENT	src/components/admin/kyc-triage-table.tsx	730px review table. Handles sorting, SLA countdown filters, row selection, and dispatches inspection drawer events.
InspectionDrawer	CLIENT	src/components/admin/inspection-drawer.tsx	Side-by-side deep inspection drawer. Renders high-res ID viewer with zoom/rotate, OCR overlays, and decision buttons.
ScamModerationFeed	CLIENT	src/components/admin/scam-moderation-feed.tsx	Real-time reported listings feed. Executes 1-click emergency account lockout (profiles.is_suspended = true).
RejectionModal	CLIENT	src/components/admin/rejection-modal.tsx	Standardized rejection reason capture modal with structured reason codes, guidance input (16px rule), and submit handler.
AdminBottomTabBar	CLIENT	src/components/admin/admin-bottom-tab-bar.tsx	Mobile persistent 4-tab bar (Overview, KYC, Scam, Audit) with unread notification pips and safe-area margins.

6. Definition of Done & Architectural Sign-Off

- Mid-Fidelity Wireframe Standard: Balsamiq/Figma grayscale blueprints, crossed [X] placeholders, and authentic MacBook Air / iPhone 16 Pro chassis.

Desktop Specification (1440x900px): 260px fixed dark sidebar, 4-metric executive suite, KYC triage table, side-by-side inspection drawer, and scam moderation feed.

Mobile 4-State Specification: 100dvh viewport, Phone 1 (Overview & KPI Feed), Phone 2 (Rapid Triage Swiper), Phone 3 (Deep Inspection), and Phone 4 (Rejection Modal & Zero State).

Defensive Trust Guardrails: Strict KYC gateway, 1-click account lockout (is_suspended = true), PostGIS corridor validation, and immutable audit logs.

Accessibility Compliance: WCAG 2.2 AA 44x44px touch targets, 16px mobile input anti-zoom rule, contrast >= 4.5:1, and sequential tab order flow.

Sprint 1 Boundary Maintained: Purely architectural wireframe blueprints and data contracts; ZERO premature React/JSX feature code in src/components/.

Rendered Engineering Assets: High-res vector SVGs, 200 DPI PNG blueprints, and 3-page WeasyPrint engineering specification PDF.

ARCHITECTURAL SIGN-OFF

Author: Neah Moneva (UI/UX Designer)

Reviewer: Hermar Centillas (Lead / Scrum Master)

Jira Ticket: SCRUM-74 | Status: Approved & Audited

Date: September 30, 2026