

PSD Importer

File path: Assets/UIAnimationToolkit/Editor/Importers/PSD/Psd_Importer.cs

Assets/UIAnimationToolkit/Editor/Importers/PSD/psd_exporter.py


Menu: Tools > UI Animation Toolkit > PSD Importer > Import PSD

Overview


A two-stage PSD-to-UGUI workflow. The Python exporter reads supported visible layers, writes PNG images and layout.json (hierarchy, positions and text properties). The C# importer reads that data and rebuilds a UGUI Prefab. Exported image dimensions are padded upward to multiples of four.

Installation


These setup steps describe Windows, matching the supplied guide. Use Python 3.10 or newer; no particular latest installer version is required. Download Python from <https://www.python.org/downloads/>. In a traditional installer, enable Add Python to PATH or Add Python to environment variables if offered. The screenshots below illustrate older installer layouts, not a required version.



Traditional installer: select installation or customization options.



Enable Add Python to PATH when using this installer layout.



The equivalent environment-variable option in Advanced Options.

Press Windows+R, type cmd and press Enter to open Command Prompt. Alternatively, open PowerShell. Install dependencies into the interpreter you will use:

```
python -m pip install psd-tools Pillow
```

The shorter command `pip install psd-tools Pillow` also works when pip points to that same interpreter. Confirm the command finishes without errors; the prompt returning alone does not prove installation succeeded. If automatic detection fails, choose PSD Importer > Set Python Path and select the appropriate python.exe.

Install the full toolkit folder with its .meta files. The exporter is resolved by its retained GUID, so the old fixed Assets/Editor/PsdTools path is no longer required. Do not delete or regenerate psd_exporter.py.meta.

How to use

1. Prepare the PSD layers using the rules below. For predictable output, place the PSD inside the Unity project's Assets folder.
2. Choose Import PSD and select the PSD file. The picker also accepts PSB, subject to exporter support.

3. The importer exports via a temporary project folder, imports sprites into Arts/Image beside the PSD, and creates a same-named Prefab. Inspect the Console if export fails.
4. Drag the generated Prefab into a scene. Unpack it only if you want independent scene objects. The generated result no longer needs the PSD to display, but keep your editable PSD source for future changes; deleting it is optional.

PSD preparation and naming

This tool automates slicing and positional reconstruction. It does not infer Buttons, lists, Sliders or other advanced UI behavior. Before export, flatten/bake layer styles and clipping effects as needed, and decide how blend modes should be represented, just as for manual slicing. Hide unwanted layers (hiding a parent is sufficient). Use Ctrl+G groups to plan the hierarchy; nested groups are supported.

Control / parameter	Description
Ordinary layer	Create an Image node and assign its exported Sprite.
Name containing #txt	Create a Legacy Text node from supported text content, size and color. This is not TextMeshPro.
Group / folder	Create an empty parent GameObject containing the child hierarchy.
Adjustment layer	Skipped, including supported brightness/contrast, levels and curves adjustment types.
Clipping layer	Layers detected as clipping layers by the exporter are skipped. Bake the intended appearance first.
Other # suffix	Recognized special suffixes are removed from image filenames; the original rawName is retained for node naming.

Notes

- Check oversized off-canvas images before export and crop unnecessary content in Photoshop. The tool is not a general optimization pass for artwork.
- Image dimensions are rounded upward to multiples of four, providing pixel alignment for workflows that need it; this is not a universal Unity requirement.
- Imported group bounds are derived from their children so the children fit within the group.
- When renaming a Photoshop layer, Tab can move to the next layer name.
- Reimporting may overwrite generated images and the generated Prefab. Keep authored edits separate or backed up. Advanced Photoshop effects and fonts may need manual adjustment.