	Univerzitet	"Džemal	Biiedić'	' Mostar
--	-------------	---------	----------	----------

Fakultet informacijskih tehnologija Mostar

Predmet: Računarske mreže

Case study "Lokalna računarska mreža"

Mostar, 03.2011

Profesor: prof. dr. Samim Konjicija, dipl. ing. el.


Asistent: Goran Škondrić

Student: Husremović Ernad, DL 2792

Sadržaj

1. Logički dijagram mreže	3
2. Planovi spratova	4
2.1. Prizemlje	
2.2. Plan I, II, III sprata4	
3. Specifikacija opreme	5
3.1. L1- Fizički sloj5	
3.2. L2 - Data link layer6	
3.3. L3 - Mrežni sloj (network layer)6	
3.4. Ukupno L1+L2+L36	
4. Shema IP adresa	7
4.1. Prizemlje:	
4.2. I. sprat:	
4.3. II. sprat:7	
4.4. III. sprat:7	
5. Literatura.	8
6. Radno okruženje	8
7. Artifakti na github.com	

1. Logički dijagram mreže



Napomena: Na prizemlju treba spojiti desktop računare i servere. Uplink veze switch_IDF <-> switch_MDF spratova zauzimaju tri porta sw_1. Zato je dodan sw_1b.


sw_1 i sw_1b imaju dovoljno portova za potrebe računara računara na prizemlju, kao i za servere.
Radi izolacije spratova kao pojedinačnih segmenata mreže, na switch-evima su napravljeni virtuelni LAN-ovi:

- prizemlje VLAN1
- I. sprat VLAN2
- II. sprat VLAN3
- III. sprat VLAN4

Svaki VLAN segment sa "sw_1" je ethernet kablom spojen na router. Router obezbjeđuje za sve spratove internet konekciju preko modema internet provajdera. Veza između switcheva na IDF-u i MDF-a je realizovana optičkim kablovima.

2. Planovi spratova

2.1. Prizemlje



Lokacija 16 predstavlja MDF. U MDF-u se nalaze sw_1, sw_1b (pogledati logički dijagram - ovdje je to prikazano kao jedan "veliki" switch).

2.2. Plan I, II, III sprata

Plan spratova je identičan prizemlju, s tim što se na lokaciji 16 nalazi IDF. U svakom IDF-u lociran je switch, manji UPS i 2 x 24 port patch panel.

3. Specifikacija opreme

3.1. L1- Fizički sloj

Mjerenje kablova jednog sprata je dalo ove vrijednosti¹:

```
5.7', 2), (' 9.4', 1), ('
                                  11.2', 2), ('
[('
                                                11.6', 2), ('
                                                               14.2', 2), ('
                                                                             14.4', 2), ('
                                                                                             16.1', 4),
    16.7', 1), ('
                   17.5', 2), ('
                                  20.4', 2), ('
                                                22.5', 2), (' 22.7', 3), ('
                                                                              23.7', 2), ('
                                                                                             26.0', 1),
    26.1', 2), (' 27.6', 4), ('
                                 29.6', 3), ('
                                                29.9', 3), (' 32.5', 2), ('
                                                                             33.4', 1), ('
                                                                                            38.3', 1)]
```

- Broj path-ova = 21
- min duzina kabla 5.7, max duzina kabla = 38.3
- Broj kablova = 44, ukupna duzina = 944.8

Znači, iz gornje kalkulacije potrebna dužina kabla za sve spratove je cca 960 x 4.

Uređaj	Lokacija	Količina	jmj	Cijena(*) (KM)	Vrijednost (*) (KM)
Cat 5e UTP	НСС	3840	m	0,5	1920
Utičnice RJ45x2	HCC	90	kom	8	720
podžbukne vodilice	HCC	1800	m	0,3	540
Patch kablovi 2m	HCC	160	kom	5	800
Patch kablovi 3m	HCC	20	kom	6	120
SC konektor	VCC/HCC	10	kom	20	200
Fiber optički kabl	VCC/HCC	19	m	6	114
RJ45 utičnice	MDF/IDF	216	kom	2	432
Patch kablovi 0,5m	MDF/IDF	202	kom	3	606
Patch panel 24	MDF/IDF	9	kom	150	1350
Rack ormar	IDF	3	kom	300	900
Rack ormar	MDF	1	kom	500	500
Modem	MDF	obezbjeđuje internet provadjer	kom	0	0
UPS	IDF	3	kom	500	1500
UPS	MDF	1	kom	2500	2500
Ukupno KM (bez PDV)				12202	

^(*) Cijene su bez uračunatog PDV

 $^{1\}quad Inkscape\ ekstenzija:\ "Measure\ cables"\ (https://github.com/hernad/FIT_RM/tree/master/inkscape/measure_cables)$

3.2. L2 - Data link layer

Uređaj	Lokacija	Količina	jmj	Cijena(*) (KM)	Vrijednost (*) (KM)
Linksys SRW2048-EU	MDF/IDF	4	kom	2200	8800
Linksys SRW2024-EU	MDF	1	kom	1600	1600
NIC	PC	svi računari imaju mrežne karte			0
Ukupno KM (bez PDV)				10400	

^(*) Cijene su bez uračunatog PDV

3.3. <u>L3 - Mrežni sloj (network layer)</u>

Uređaj	Lokacija	Količina	jmj	Cijena(*) (KM)	Vrijednost (*) (KM)
WRT54GL	MDF	1	kom	350	350
Ukupno KM (bez PDV)				350	

^(*) Cijene su bez uračunatog PDV

3.4. <u>Ukupno L1+L2+L3</u>

Layer	Iznos
L1	12202
L2	10400
L3	350
Ukupno bez PDV	22952
PDV	3901,84
Ukupno sa PDV (KM)	26853,84

4. Shema IP adresa

S obzirom na cca 200 računara, koristimo C shemu.

4.1. Prizemlje:

• Mrežna adresa 192.168.60.1

• Broadcast: 192.168.60.255

• Subnet mask: 255.255.255.0

• Switchev IPs (sw_1, sw_1b): 192.168.60.1, 192.168.60.2

• Router IP: 192.168.60.254

• Serveri: 192.168.60.3 - 192.168.60.10

• DHCP opseg za radne stanice 192.168.60.11-192.168.60.253

4.2. <u>I. sprat:</u>

Mrežna adresa 192.168.61.1

• Broadcast: 192.168.61.255

• Subnet mask: 255.255.255.0

Router IP: 192.168.61.254

• Switch IP: 192.168.61.1

• DHCP opseg za radne stanice 192.168.61.2-192.168.61.253

4.3. II. sprat:

• Mrežna adresa 192.168.62.1

Broadcast: 192.168.62.255

Subnet mask: 255,255,255.0

• Switch IP: 192.168.62.1

• Router IP: 192.168.62.254

• DHCP opseg za radne stanice 192.168.62.2-192.168.62.253

4.4. III. sprat:

• Mrežna adresa 192.168.63.1

• Broadcast: 192.168.63.255

• Subnet mask: 255.255.255.0

• Switch IP: 192.168.63.1

• Router IP: 192.168.63.254

• DHCP opseg za radne stanice 192.168.63.2-192.168.63.253

5. Literatura

Nije korištena nikakva posebna literatura.

Kod izdrade su prevashodno korišteni internet resursi, te nastavni materijali RM-a. Dosta sam pregledao Cisco-ove stranice, jer se u nastavnim materijalima i primjerima Case study-ja najviše pominju proizvodi ovog proizvođača.

Takođe sam pregledao meni dostupnu ponudu domaćih dobavljača mrežne opreme (Disti, Megatrend, Avtera BH, bring.out)

Internet resursi koji su najrelevantniji za ovaj rad su:

- http://wiki.inkscape.org/wiki/index.php/ExtensionsRepository
- Cisco SRW2048 48-port Gigabit Switch WebView
- http://en.wikipedia.org/wiki/Linksys WRT54G series#WRT54GL
- http://www.cisco.com/en/US/products/hw/routers/index.html
- http://en.wikipedia.org/wiki/Virtual LAN
- http://en.wikipedia.org/wiki/Spanning Tree Protocol

6. <u>Radno okruženje</u>

- Radna stanica OS: Ubuntu desktop 10.04
- Aplikacije:
 - o inkscape 0.47
 - Libreoffice 3.3.0
 - vi editor
- ruby 1.8.7 sa irb utility-jem
- python 2.6.5

7. <u>Artifakti na github.com</u>

Na lokaciji nalaze se svi artifakti ovog rada:

• https://github.com/hernad/FIT RM/tree/master/

Ako nemate inkscape, možete pogledati pdf output:

• https://github.com/hernad/FIT RM/raw/master/rm floor.pdf

Međutim, pravi pregled tek imamo kada dokument otvoriom u inkscape -u:

https://github.com/hernad/FIT_RM/raw/master/rm_floor.svg

Indeks

DHCP - Dynamic host configuration protocol	7
HCC - Horizontal Cross Connection	
IDF - Intermedia Distribution Facility	
MDF - Media distribution Facility	
UPS - Uninterruptible power supply	
VCC - Vertical Cross connection	