

- [1]
M. Garcia-Gasulla and M. J. Mantsinen, "Challenges and opportunities in exascale fusion simulations," *Nature Reviews Physics*, vol. 7, no. 7, pp. 355–364, Jul. 2025, doi: [10.1038/s42254-025-00830-8](https://doi.org/10.1038/s42254-025-00830-8).
- [2]
M. Vázquez et al., "Alya: Multiphysics engineering simulation toward exascale," *Journal of Computational Science*, vol. 14, pp. 15–27, 2016, doi: <https://doi.org/10.1016/j.jocs.2015.12.007>.
- [3]
M. Brambilla, "Numerical simulation of ion cyclotron waves in tokamak plasmas," *Plasma Physics and Controlled Fusion*, vol. 41, no. 1, p. 1, Jan. 1999, doi: [10.1088/0741-3335/41/1/002](https://doi.org/10.1088/0741-3335/41/1/002).
- [4]
V. Lancellotti, D. Milanesio, R. Maggiora, G. Vecchi, and V. Korytsya, "TOPICA: an accurate and efficient numerical tool for analysis and design of ICRF antennas," *Nuclear Fusion*, vol. 46, no. 7, p. S476, Jun. 2006, doi: [10.1088/0029-5515/46/7/S10](https://doi.org/10.1088/0029-5515/46/7/S10).
- [5]
J. Wright and S. Shiraiwa, "Antenna to Core: A New Approach to RF Modelling," *EPJ Web of Conferences*, vol. 157, p. 02011, 2017, doi: [10.1051/epjconf/201715702011](https://doi.org/10.1051/epjconf/201715702011).
- [6]
M. Jucker, J. P. Graves, W. A. Cooper, N. Mellet, T. Johnson, and S. Brunner, "Integrated modeling for ion cyclotron resonant heating in toroidal systems," *Computer Physics Communications*, vol. 182, no. 4, pp. 912–925, Apr. 2011, doi: [10.1016/j.cpc.2010.12.028](https://doi.org/10.1016/j.cpc.2010.12.028).
- [7]
L.-G. Eriksson, T. Hellsten, and U. Willen, "Comparison of time dependent simulations with experiments in ion cyclotron heated plasmas," *Nuclear Fusion*, vol. 33, no. 7, p. 1037, Jul. 1993, doi: [10.1088/0029-5515/33/7/I07](https://doi.org/10.1088/0029-5515/33/7/I07).
- [8]
E. F. Jaeger, L. A. Berry, E. D'Azevedo, D. B. Batchelor, and M. D. Carter, "All-orders spectral calculation of radio-frequency heating in two-dimensional toroidal plasmas," *Physics of Plasmas*, vol. 8, no. 5, pp. 1573–1583, May 2001, doi: [10.1063/1.1359516](https://doi.org/10.1063/1.1359516).

[9]
R. Otin, "ERMES 20.0: Open-source finite element tool for computational electromagnetics in the frequency domain," *Computer Physics Communications*, vol. 310, p. 109521, May 2025, doi: [10.1016/j.cpc.2025.109521](https://doi.org/10.1016/j.cpc.2025.109521).

[10]
R. J. Dumont, "Variational approach to radiofrequency waves in magnetic fusion devices," *Nuclear Fusion*, vol. 49, no. 7, p. 075033, Jul. 2009, doi: [10.1088/0029-5515/49/7/075033](https://doi.org/10.1088/0029-5515/49/7/075033).

[11]
P. Vallejos, "Modeling RF waves in hot plasmas using the finite element method and wavelet decomposition: Theory and applications for ion cyclotron resonance heating in toroidal plasmas," Doctoral thesis, KTH, Stockholm, 2019. [Online]. Available: <https://kth.diva-portal.org/smash/get/diva2:1377064/FULLTEXT01.pdf>

[12]
V. Badalassi et al., "FERMI: Fusion Energy Reactor Models Integrator," *Fusion Science and Technology*, vol. 79, no. 3, pp. 345–379, 2023, doi: [10.1080/15361055.2022.2151818](https://doi.org/10.1080/15361055.2022.2151818).

[13]
T. H. Stix, *The theory of plasma waves*. New York: McGraw-Hill, 1962. Accessed: Aug. 07, 2024. [Online]. Available: <http://books.google.com/books?id=qBYvAAAAIAAJ>

[14]
M. J. Mantsinen et al., "Experiments in high-performance JET plasmas in preparation of second harmonic ICRF heating of tritium in ITER," *Nuclear Fusion*, vol. 63, no. 11, p. 112015, Oct. 2023, doi: [10.1088/1741-4326/aceb08](https://doi.org/10.1088/1741-4326/aceb08).