

- 290.** A 9-digit number in which zero does not appear and no digits are repeated has the following properties: The number comprising the left most two digits is divisible by 2, that comprising the left most three digits is divisible by 3, and so on.
The number is
(a) 183654729 (b) 381654729
(c) 983654721 (d) 981654723
- 291.** If 11,109,999 is divided by 1111, then what is the remainder? (M.A.T., 2007)
(a) 1098 (b) 1010
(c) 1110 (d) 1188
- 292.** A number divided by 68 gives the quotient 260 and remainder zero. If the same number is divided by 65, the remainder is
(a) 0 (b) 1
(c) 2 (d) 3
- 293.** Which of the following prime numbers while dividing 2176 leaves 9 as remainder?
(a) 17 (b) 29
(c) 167 (d) 197
- 294.** Match List I with List II and select the correct answer:
- | List I | List II |
|---|--------------------------|
| (a, b as given in Euclidean algorithm
$a = bq + r$) | (Values of q and r) |
| A. $a = -112, b = -7$ | 1. $q = -13, r = 1$ |
| B. $a = 118, b = -9$ | 2. $q = 14, r = 3$ |
| C. $a = -109, b = 6$ | 3. $q = -19, r = 5$ |
| D. $a = 115, b = 8$ | 4. $q = 16, r = 0$ |
| A B C D | A B C D |
| (a) 3 1 4 2 | (b) 3 2 4 1 |
| (c) 4 1 3 2 | (d) 4 2 3 1 |
- 295.** The number 534677 is divided by 777. The difference of divisor and remainder is
(a) 577 (b) 676
(c) 687 (d) 789
- 296.** In a division sum, the quotient, dividend and remainder are 15, 940 and 25 respectively. The divisor is
(a) 31 (b) 50
(c) 60 (d) 61
- 297.** In a division sum, the divisor is 12 times the quotient and 5 times the remainder. If the remainder is 48, then the dividend is
(a) 2404 (b) 3648
(c) 4808 (d) 4848
- 298.** The divisor is 25 times the quotient and 5 times the remainder. If the quotient is 16, then the dividend is
(a) 400 (b) 480
(c) 6400 (d) 6480
- 299.** A number when divided by the sum of 555 and 445 gives two times their difference as quotient and 30 as the remainder. The number is
(a) 1220 (b) 1250
(c) 22030 (d) 220030
- 300.** In doing a question of division with zero remainder, a candidate took 12 as divisor instead of 21. The quotient obtained by him was 35. The correct quotient is
(a) 0 (b) 12
(c) 13 (d) 20
- 301.** In a division problem, the divisor is 7 times of quotient and 5 times of remainder. If the dividend is 6 times of remainder, then the quotient is equal to
(a) 0 (b) 1
(c) 7 (d) None of these
(Hotel Management, 2007)
- 302.** On dividing a number by 19, the difference between quotient and remainder is 9. The number is
(a) 352 (b) 361
(c) 370 (d) 371
- 303.** A number when divided by 136 leaves remainder 36. If the same number is divided by 17, the remainder will be (S.S.C., 2010)
(a) 2 (b) 3
(c) 7 (d) 9
- 304.** A number when divided by 195 leaves a remainder 47. If the same number is divided by 15, the remainder will be (Hotel Management, 2010)
(a) 1 (b) 2
(c) 3 (d) 4
- 305.** A certain number when divided by 899 gives a remainder 63. What is the remainder when the same number is divided by 29? (R.R.B., 2008)
(a) 5 (b) 25
(c) 27 (d) None of these
- 306.** A number when divided by 5 leaves the remainder 3. What is the remainder when the square of the same number is divided by 5?
(a) 0 (b) 3
(c) 4 (d) 9
- 307.** The difference between two numbers is 1365. When the larger number is divided by the smaller one, the quotient is 6 and the remainder is 15. What is the smaller number?
(a) 240 (b) 270
(c) 295 (d) 360
- 308.** When n is divided by 4, the remainder is 3. What is the remainder when $2n$ is divided by 4?
(a) 1 (b) 2
(c) 3 (d) 6
- 309.** When a number is divided by 13, the remainder is 11. When the same number is divided by 17, the remainder is 9. What is the number?