

356. How many numbers will be there between 300 and 500, where 4 comes only one time?

- (a) 89 (b) 99
(c) 110 (d) 120

[UPSSSC Lower Subordinate (Pre.) Exam, 2016]

357. Which is not a prime number?

[Indian Railways Gr. 'D' Exam, 2014]

- (a) 13 (b) 19
(c) 21 (d) 17

358. If $x = a(b - c)$, $y = b(c - a)$, $z = c(a - b)$, then the value of $\left(\frac{x}{a}\right)^3 + \left(\frac{y}{b}\right)^3 + \left(\frac{z}{c}\right)^3$ is

[SSC—CHSL (10 + 2) Exam, 2015]

- (a) $\frac{2xyz}{abc}$ (b) $\frac{xyz}{abc}$
(c) 0 (d) $\frac{3xyz}{abc}$

359. Among the following statements, the statement which is not correct is:

[SSC—CHSL (10 + 2) Exam, 2015]

- (a) Every natural number is an integer.
(b) Every natural number is a real number.
(c) Every real number is a rational number.
(d) Every integer is a rational number.

360. If $a + b + c = 6$ and $ab + bc + ca = 10$ then the value of $a^3 + b^3 + c^3 - 3abc$ is

[SSC—CHSL (10 + 2) Exam, 2015]

- (a) 36 (b) 48
(c) 42 (d) 40

361. If $(1001 \times 111) = 110000 + (11 \times \underline{\hspace{1cm}})$, then the number in the blank space is

- (a) 121 (b) 211
(c) 101 (d) 1111

[CTET, 2016]

Direction (Question 362): The following question consists of a question and two statements I and II given below it. You have to decide whether the data provided in the statement(s) is/are sufficient to answer the question. Given answer

- (A) The data in statement I alone is sufficient to answer the question while II alone is not sufficient to answer the questions.
(B) Data in statement II alone is sufficient to answer the question while data in statement I alone is not sufficient to answer the question.
(C) The data in statement I alone or statement II alone is sufficient to answer the question.
(D) The data in both Statement I and II is insufficient to answer the question.
(E) The data in both Statement I and II is sufficient to answer the question.

362. If (the place value of 5 in 15201) + (the place value of 6 in 2659) = $7 \times \underline{\hspace{1cm}}$, then the number of the blank space is:

- (a) 800 (b) 80
(c) 90 (d) 900

[CTET, 2016]

363. The sum of digits of a two – digit number is 12 and the difference between the two – digits of the two – digit number is 6. What is the two – digit number?

[IBPS—RRB Office Assistant (Online) Exam, 2015]

- (a) 39 (b) 84
(c) 93
(d) Other than the given options
(e) 75

364. The difference between the greatest and the least four digit numbers that begins with 3 and ends with 5 is

[SSC—CHSL (10 + 2) Exam, 2015]

- (a) 900 (b) 909
(c) 999 (d) 990

365. The sum of the perfect squares between 120 and 300 is

[SSC—CHSL (10 + 2) Exam, 2015]

- (a) 1204 (b) 1024
(c) 1296 (d) 1400

366. If $p^3 - q^3 = (p - q)(p - q)^2 - xpq$, then find the value of x

[SSC—CHSL (10 + 2) Exam, 2015]

- (a) 1 (b) -3
(c) 3 (d) -1

367. What minimum value should be assigned to *, so that $2361*48$ is exactly divisible by 9?

[ESIC—UDC Exam, 2016]

- (a) 2 (b) 3
(c) 9 (d) 4

368. If p, q, r are all real numbers then $(p - q)^3 + (q - r)^3 + (r - p)^3$ is equal to

[SSC—CAPF/CPO Exam, 2016]

- (a) $(p - q)(q - r)(r - p)$ (b) $3(p - q)(q - r)(r - p)$
(c) 1 (d) 0

369. If $(a^2 - b^2) \div (a + b) = 25$, then $(a + b) = ?$

- (a) 30 (b) 25
(c) 125 (d) 150

[RRB—NTPC Exam, 2016]

370. How many prime numbers are there between 100 to 200?

[CMAT, 2017]

- (a) 21 (b) 20
(c) 16 (d) 11

371. The least number of five digit is exactly divisible by 88 is

- (a) 10032 (b) 10132
(c) 10088 (d) 10023

[SSC Multi-Tasking Staff Exam -2017]