

- 98.** A sum of ₹ 6.25 is made up of 80 coins which are either 10P or 5P. How many are there of each kind?
(A.T.M.A., 2006)
- (a) 45, 35 (b) 40, 40
(c) 35, 45 (d) 25, 55
- 99.** The number 0.121212 in the form $\frac{p}{q}$ is equal to
(S.S.C., 2010)
- (a) $\frac{2}{11}$ (b) $\frac{4}{11}$
(c) $\frac{2}{33}$ (d) $\frac{4}{33}$
- 100.** The rational number for the recurring decimal 0.125125 is
- (a) $\frac{63}{487}$ (b) $\frac{119}{993}$
(c) $\frac{125}{999}$ (d) None of these
- 101.** When $0.\overline{47}$ is converted into a fraction, the result is
(Section Officers', 2003)
- (a) $\frac{46}{90}$ (b) $\frac{46}{99}$
(c) $\frac{47}{90}$ (d) $\frac{47}{99}$
- 102.** $0.\overline{36}$ expressed in the form $\frac{p}{q}$ equals
- (a) $\frac{4}{11}$ (b) $\frac{4}{13}$
(c) $\frac{35}{90}$ (d) $\frac{35}{99}$
- 103.** The least among the following is
- (a) 0.2 (b) $1 \div 0.2$
(c) $0.\overline{2}$ (d) $(0.2)^2$
- 104.** $1.\overline{27}$ in the form $\frac{p}{q}$ is equal to
(S.S.C., 2010)
- (a) $\frac{127}{100}$ (b) $\frac{14}{11}$
(c) $\frac{73}{100}$ (d) $\frac{11}{14}$
- 105.** $0.\overline{423}$ is equivalent to the fraction
(C.P.O., 2005)
- (a) $\frac{94}{99}$ (b) $\frac{49}{99}$
(c) $\frac{491}{990}$ (d) $\frac{419}{990}$
- 106.** Express $0.29\overline{56}$ in the form $\frac{p}{q}$ (vulgar fraction)
(R.R.B., 2005)
- (a) $\frac{2956}{1000}$ (b) $\frac{2956}{10000}$
(c) $\frac{2927}{9900}$ (d) None of these
- 107.** Let $F = 0.841\overline{81}$. When F is written as a fraction in lowest terms, the denominator exceeds the numerator by
- (a) 13 (b) 14
(c) 29 (d) 87
- 108.** The value of $4.1\overline{2}$ is
- (a) $4\frac{11}{90}$ (b) $4\frac{11}{99}$
(c) $\frac{371}{900}$ (d) None of these
- 109.** $2.8\overline{768}$ is equal to
(C.P.O., 2006)
- (a) $2\frac{878}{999}$ (b) $2\frac{9}{10}$
(c) $2\frac{292}{333}$ (d) $2\frac{4394}{4995}$
- 110.** The value of $(0.\overline{2} + 0.\overline{3} + 0.\overline{32})$ is
(S.S.C., 2005)
- (a) $0.\overline{77}$ (b) $0.8\overline{2}$
(c) $0.8\overline{6}$ (d) $0.8\overline{7}$
- 111.** $0.1428\overline{57} \div 0.2857\overline{14}$ is equal to
(S.S.C., 2007)
- (a) $\frac{1}{2}$ (b) $\frac{1}{3}$
(c) 2 (d) 10
- 112.** $3.8\overline{7} - 2.5\overline{9} = ?$
- (a) 1.20 (b) $1.\overline{2}$
(c) $1.2\overline{7}$ (d) $1.2\overline{8}$
- 113.** The simplification of $3.\overline{36} - 2.\overline{05} + 1.\overline{33}$ equals
- (a) 2.60 (b) 2.64
(c) $2.\overline{61}$ (d) $2.\overline{64}$
- 114.** $(0.\overline{09} \times 7.\overline{3})$ is equal to:
(S.S.C., 2003)
- (a) $\overline{.6}$ (b) $\overline{.657}$
(c) $\overline{.67}$ (d) $\overline{.657}$
- 115.** $(0.34\overline{67} + 0.13\overline{33})$ is equal to (Hotel Management, 2002)
- (a) $0.4\overline{8}$ (b) 0.48
(c) $0.480\overline{1}$ (d) 0.48
- 116.** $(8.3\overline{1} + 0.\overline{6} + 0.00\overline{2})$ is equal to
(S.S.C., 2005)
- (a) $8.9\overline{12}$ (b) $8.9\overline{12}$
(c) $8.9\overline{79}$ (d) $8.9\overline{79}$
- 117.** The sum of $\overline{2.75}$ and $\overline{3.78}$ is
- (a) $\overline{1.03}$ (b) $\overline{1.53}$
(c) $\overline{4.53}$ (d) $\overline{5.53}$