

15. The mean of the first ten even natural numbers is
(Hotel Management, 2010)
(a) 9 (b) 10
(c) 11 (d) 12
16. The arithmetic mean of first 11 natural numbers is
(P.C.S., 2009)
(a) 5 (b) 5.5
(c) 6.0 (d) 6.5
17. Find the average of all the numbers between 6 and 34 which are divisible by 5.
(a) 18 (b) 20
(c) 24 (d) 30
18. The average of the first five multiples of 3 is
(a) 3 (b) 9
(c) 12 (d) 15
19. The average of the first nine prime numbers is
(a) 9 (b) 11
(c) $11\frac{1}{9}$ (d) $11\frac{2}{9}$
20. A student was asked to find the arithmetic mean of the numbers 3, 11, 7, 9, 15, 13, 8, 19, 17, 21, 14 and x . He found the mean to be 12. What should be the number in place of x ?
(a) 3 (b) 7
(c) 17 (d) 31
21. The average of 2, 7, 6 and x is 5 and the average of 18, 1, 6, x and y is 10. What is the value of y ?
(a) 5 (b) 10
(c) 20 (d) 30
22. The total marks obtained by a student in Physics, Chemistry and Mathematics together is 120 more than the marks obtained by him in Chemistry. What is the average marks obtained by him in Physics and Mathematics together?
(Bank P.O., 2010)
(a) 40 (b) 60
(c) 120 (d) Cannot be determined
(e) None of these
23. The average of the first 100 positive integers is
(S.S.C., 2010)
(a) 49.5 (b) 50.5
(c) 51 (d) 100
24. The average of odd numbers up to 100 is (S.S.C., 2010)
(a) 49 (b) 49.5
(c) 50 (d) 50.5
25. In a family, the average age of a father and a mother is 35 years. The average age of the father, mother and their only son is 27 years. What is the age of the son?
(S.S.C., 2010)
(a) 10 years (b) 10.5 years
(c) 11 years (d) 12 years
26. The average of X_1 , X_2 and X_3 is 14. Twice the sum of X_2 and X_3 is 30. What is the value of X_1 ?
(a) 12 (b) 16
(c) 20 (d) 27
27. The average of x_1 , x_2 , x_3 and x_4 is 16. Half the sum of x_2 , x_3 , x_4 is 23. What is the value of x_1 ?
(R.R.B., 2006)
(a) 17 (b) 18
(c) 19 (d) 20
28. If the mean of 5 observations x , $x + 2$, $x + 4$, $x + 6$ and $x + 8$ is 11, then the mean of the last three observations is
(a) 11 (b) 13
(c) 15 (d) 17
29. If the mean of a , b , c is M and $ab + bc + ca = 0$, then the mean of a^2 , b^2 , c^2 is
(a) M^2 (b) $3M^2$
(c) $6M^2$ (d) $9M^2$
30. The average of the two-digit numbers, which remain the same when the digits interchange their positions, is
(a) 33 (b) 44
(c) 55 (d) 66
31. Company C sells a line of 25 products with an average retail price of ₹ 1200. If none of these products sells for less than ₹ 420 and exactly 10 of the products sell for less than ₹ 1000, then what is the greatest possible selling price of the most expensive product?
(M.A.T., 2006)
(a) ₹ 2600 (b) ₹ 3900
(c) ₹ 7800 (d) ₹ 11800
32. The average sale of a car dealership was 15 cars per week. After a promotional scheme the average sale increased to 21 cars per week. The percentage increase in the sale of cars was
(M.A.T., 2010)
(a) 39.33% (b) 40%
(c) $42\frac{6}{7}\%$ (d) 140%
33. The mean of 1^2 , 2^2 , 3^2 , 4^2 , 5^2 , 6^2 , 7^2 is
(a) 10 (b) 20
(c) 30 (d) 40
34. If a , b , c , d , e are five consecutive odd numbers, their average is
(a) 5 ($a + 4$) (b) $\frac{abcde}{5}$
(c) 5 ($a + b + c + d + e$) (d) None of these
35. The average of a non-zero number and its square is 5 times the number. The number is
(a) 9 (b) 17
(c) 29 (d) 295