

Enumerator and Respondent Coding

AGRISENSO Plus Baseline Study — reference card for the webapp survey (Instruments A and B)

- Why codes at all.** The identifier columns are the only link between an interview and the approved sample. Free text breaks that link: Hero Tolosa, H. Tolosa and HT are one person to you and three people to the dataset, and a case that cannot be matched back to the frame cannot be weighted, verified or re-interviewed.

Where this applies. One screen only — *Questionnaire Administration and Quality-Control Information*, the first screen of both instruments. Nothing on it is read aloud to the respondent. Fill it before you greet them, while you still have signal.

Three codes. Yours (EN-RR-NN), your supervisor's (SV-RR-N), and the respondent's, which is the Sampling Frame ID (I-RR-PPP-NNNN). The Control Number is written by the app — never type it.

What goes in each field on that screen

FIELD ON SCREEN	WHAT TO ENTER	EXAMPLE AND RULE
Questionnaire Version	nothing	1.0 — filled by the app, read-only
Date of Version	nothing	2026-09-15 — filled by the app, read-only
Questionnaire Control Number	nothing	A-20261001-K3F2-0001 Generated per interview: instrument, date, device, sequence. It is the key that stops a retry writing the same interview twice. Do not overwrite it, and do not quote it to the respondent.
Borrower / Comparison-Group Sampling Frame ID	the respondent code, copied exactly	A-02-ISA-0147 Transcribe from the approved list. Do not compose it from memory.
Enumerator Name / ID	your code and name	EN-02-07 – Dela Cruz, Juan M. Pick your own entry from the list. Type it only if the list is empty.
Supervisor Name / ID	their code and name	SV-02-1 – Santos, Maria L.
Date of Interview	today's date	2026-10-01
Interview Start / End Time	24-hour clock	08:40 / 10:05 — end time at the actual end, not when you start
Language Primarily Used	pick one	The language the interview ran in, not the respondent's mother tongue.
Interview Mode	pick one	Face-to-face unless a supervisor approved otherwise in writing.

Enumerator code — EN-RR-NN

EN-02-07 – Dela Cruz, Juan M.

- EN** Fixed. Always EN for an enumerator.

RR Two-digit region code of your **home cluster** — the region you were hired into, from the table below. It stays the same even on a week helping another cluster, so that the audit trail does not break on reassignment.

NN Your number inside that region, 01 upward, from the master roster. Assigned once, never reused — if you leave the study, your number is retired rather than given to your replacement.

– **Name** Space, em dash, space, then **Surname, First M.** — surname first, comma, given name, middle initial with a full stop.

The separator matters. Code and name are stored in one column and split apart during analysis on that — . Choose your entry from the pick-list and it is always right. If you must type it, use the em dash the list uses — a hyphen, a slash or a double hyphen will not split.

Supervisor code — SV-RR-N

SV-02-1 — Santos, Maria L.

Same structure, one digit instead of two, because a region has a handful of supervisors rather than dozens of enumerators. Enter the officer who **signs off your work**, not whoever happens to be nearest. If your supervisor changes mid-fieldwork, enter the one responsible for that day's work and tell both of them.

Respondent code — the Sampling Frame ID

A-02-ISA-0147

I	A for a borrower, B for a comparison-group respondent. A and B never share a code, even for the same household in the same barangay.
RR	Region code, from the table below.
PPP	Three-letter province abbreviation, from the key your cluster is issued with.
NNNN	The row number on the approved sampling frame , four digits, zero-padded. This is what makes the code verifiable: it is a transcription, not an invention, and it reconciles one-to-one with the list.

Replacements

A replacement drawn from the reserve list keeps **its own** row number. Where your cluster's protocol tracks which case it replaced, append -R1 for the first replacement of that case, -R2 for the second: A-02-ISA-0147-R1. Never reuse the code of the case that dropped out, and never renumber the frame.

If the ID is not on the list, or is unreadable. Leave the field blank and flag the case for your supervisor the same day. Do not invent a number, do not guess the province abbreviation, and do not copy the ID from a neighbouring row. A blank flagged case is recoverable; a plausible wrong ID attaches this interview to someone else's record and is not.

Why there is no separate respondent number to compose

The app already holds two identifiers: this frame ID, which links the case to the sample, and the Control Number, which it writes itself and which is unique per interview. A third hand-composed number would add nothing and would be the field most often typed wrong. So the frame ID *is* the respondent code — which is also why copying it exactly matters more than any other keystroke on that screen.

Region codes (RR)

Philippine Standard Geographic Code region codes, so the data joins to PSA statistics without a translation table. These are the same regions as the Region dropdown in Section A.

REGION	RR
Region I – Ilocos	01
Region II – Cagayan Valley	02
Region III – Central Luzon	03
Region IV-A – CALABARZON	04
Region V – Bicol	05
Region VI – Western Visayas	06
Region VII – Central Visayas	07
Region VIII – Eastern Visayas	08
Region IX – Zamboanga Peninsula	09
Region X – Northern Mindanao	10
Region XI – Davao	11
Region XII – SOCCSKSARGEN	12
National Capital Region	13
Cordillera Admin. Region	14
BARMM	15
Region XIII – Caraga	16
MIMAROPA	17
Negros Island Region	18

Province abbreviations (PPP)

Filled in by the study team for the sampled clusters only, and issued with your assignment sheet. Three letters, uppercase. Write your cluster's entries here on the first day of fieldwork so you are never abbreviating from memory:

PPP	PROVINCE	RR	LENDING CENTRE / CLUSTER COVERED
ISA	Isabela	02	— example row, replace with your own —

Where a province already has an ID on the frame. If the approved list arrives with its own IDs printed on it — a LANDBANK account reference, for instance — **those win**. Copy them verbatim and ignore the structure above. The structure is for building a frame that has no IDs yet, not for rewriting one that has them.

Worked example

Seventh enumerator hired for Region II, working the Isabela cluster under supervisor Santos, interviewing the borrower on row 147 of the approved Instrument A frame, on 1 October 2026 from 08:40 to 10:05 in Filipino, face to face:

FIELD	ENTERED
Questionnaire Control Number	A-20261001-K3F2-0001 <i>(untouched)</i>
Borrower / Sampling Frame ID	A-02-ISA-0147
Enumerator Name / ID	EN-02-07 – Dela Cruz, Juan M.
Supervisor Name / ID	SV-02-1 – Santos, Maria L.
Date of Interview	2026-10-01
Interview Start / End Time	08:40 / 10:05
Language Primarily Used	Filipino
Interview Mode	Face-to-face

The same enumerator interviewing that respondent's non-borrower counterpart, row 31 of the Instrument B frame, enters B-02-ISA-0031 — new instrument letter, new row number, same enumerator and supervisor codes.

Five ways this goes wrong

DO NOT	BECAUSE
Type your name without your code	The roster column is split on the em dash; a bare name lands in the code position and the case is attributed to nobody.
Type over the Control Number	It is the key that makes a retry on bad signal write one row instead of two.
Shorten or re-spell the frame ID	A-2-ISA-147 does not match A-02-ISA-0147. Zero-padding is not decoration.
Use a colleague's code because you are covering their case	The code records who was in the room. Enter your own, always.
Guess an ID to get past the screen	Blank is accepted here and is recoverable. A wrong ID silently binds this interview to another respondent's record.

AGRISENSO Plus Baseline Study — ACPC / DRVN / LANDBANK. Codes and the pick-lists that enforce them are maintained in `docs/config.js`; field hints shown on screen come from `tools/enhance_schema.py`, so this card and the app cannot drift apart without one of those files changing.