



SPECIALTY TIRE

HI-RUN

Main Features

✓ **Durable Construction:** Reinforced sidewalls for enhanced load-bearing capacity and longevity.

✓ **Improved Traction:** Zigzag grooves provide reliable grip in diverse weather and road conditions.

✓ **Fuel Efficiency:** Low rolling resistance reduces fuel consumption for economical performance.

✓ **Noise Reduction:** Optimized tread design ensures a quieter and smoother ride.



JK42

Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Load Index	Max Load (Lbs)	PSI
WD1224	ST175/80R13 6PR	23.9	7.2	8.8	91/87M	1360/1200	50
WD1225	ST185/80R13 6PR	24.6	7.3	8.8	94/89M	1480/1280	50
WD1226	ST205/75R14 6PR	26	8.1	8.8	100/96M	1760/1570	50
WD1227	ST215/75R14 6PR	26.6	8.8	8.8	102/98M	1870/1650	50
WD1228	ST205/75R15 6PR	27	8.1	9.4	101/97M	1820/1610	50
WD1229	ST205/75R15 8PR	27	8.1	9.4	107/102M	2150/1870	65
WD1230	ST225/75R15 8PR	28.2	9.0	9.1	113/108M	2540/2200	65
WD1231	ST225/75R15 10PR	28.2	9.0	9.1	117/112M	2830/2470	80
WD1232	ST235/80R16 10PR	30.7	9.4	11.0	124/120M	3520/3080	80
WD1233	ST235/85R16 10PR	31.7	9.5	11.0	125/121M	3640/3200	80
WD1236	ST225/90R16 10PR	31.6	8.5	11.1	124/120M	3520/3080	80
WD1235	ST225/90R16 14PR	31.6	8.5	11.1	128/124M	3900/3500	110

HI-RUN

Main Features

- ☑ Trailer-Specific Design: Engineered for consistent performance and durability in trailer applications.
- ☑ Enhanced Wet Traction: Fine siping channels improve water dispersion, reducing the risk of hydroplaning.
- ☑ Load Stability: Robust structure provides excellent load distribution and balance.
- ☑ Long-Lasting Performance: Advanced tread compound ensures extended mileage under heavy-duty use.



H180

Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Load Index	Max Load (Lbs)	PSI
LZ1003	ST175/80D13 6PR	23.9	6.5	10.2	91/87M	1360/1200	50
LZ1004	ST205/75D14 6PR	26.3	7.8	10.2	100/96M	1760/1570	50
LZ1005	ST215/75D14 6PR	26.9	8.2	10.2	102/98M	1870/1650	50
LZ1006	ST205/75D15 6PR	26.9	8.2	10.2	101/97M	1820/1610	50
LZ1007	ST225/75D15 8PR	28.5	8.4	10.2	113/108M	2540/2200	65

HI-RUN

Main Features

☑ All-Season Performance: Optimized tread pattern provides reliable traction in wet, dry, and light snowy conditions.

☑ Durable Steel Construction: Reinforced steel belts enhance stability and resistance to punctures.

☑ Improved Water Dispersion: Zigzag grooves effectively channel water, reducing the risk of hydroplaning.

☑ Long Tread Life: Balanced wear design ensures consistent performance and extended mileage.



ST-100

Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Load Index	Max Load (Lbs)	PSI
HZT1001	ST175/80R13 6PR	24.02	6.97	9	91/87M	1360/1200	50
HZT1003	ST205/75R14 6PR	26.14	7.99	10	100/96M	1760/1570	50
HZT1010	ST205/75R15 6PR	27.13	7.99	10	101/97M	1820/1610	50
HZT1005	ST205/75R15 8PR	27.13	7.99	10	107/102M	2150/1870	65
HZT1011	ST225/75R15 8PR	28.31	8.78	10	113/108M	2540/2200	65
HZT1006	ST225/75R15 10PR	28.31	8.78	10	117/112M	2830/2470	80
HZT1007	ST235/80R16 10PR	30.79	9.25	10	124/120M	3520/3080	80
HZT1008	ST235/85R16 10PR	31.73	9.25	10	125/121M	3640/3200	80
HZT1012	ST215/75R14 6PR	26.69	8.50	10	102/98M	1870/1650	50

HI-RUN