



MEDIUM TRUCK RADIAL

SYNERGY

Main Features:

- **Hexagonal Tread Blocks:** Offers a unique pattern for improved traction.
- **Durable Construction:** Made from high-quality rubber for extended life.
- **Wide Footprint:** Provides better weight distribution and stability.
- **Stone Ejectors:** Built-in design to prevent stone retention.
- **Fuel-Efficient Design:** Optimized for lower rolling resistance.

Benefits:

- **Enhanced Traction:** Better grip on various surfaces.
- **Longer Lifespan:** Durable materials reduce wear.
- **Improved Stability:** Wider footprint for steady handling.
- **Reduced Maintenance:** Stone ejectors minimize tire damage.
- **Cost Savings:** Fuel-efficient design lowers operating costs.

DP206

(Lug)



Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Loading Index	Max Load (Lbs)	PSI	Speed Rating
SY1106	225/70R19.5 14PR	31.9	8.9	19	128/126	3970/3750	110/110	M
SY1107	245/70R19.5 14PR	33.0	9.8	19	133/131	4540/4300	110/110	M
SY1117	245/70R19.5 16PR	33.0	9.8	19	136/134	4540/4300	120/120	L

Main Features:

- Continuous Ribs: Provides a smooth, stable ride.
- Siped Tread Blocks: Enhances grip and traction.
- Wide Grooves: Improves water evacuation.
- Durable Compound: Ensures long-lasting performance.
- Optimized Footprint: Promotes even wear.

Benefits:

- Smooth Ride: Continuous ribs enhance stability.
- Better Traction: Siped blocks offer superior grip.
- Improved Safety: Wide grooves reduce hydroplaning.
- Long-Lasting: Durable materials extend tire life.
- Even Wear: Optimized footprint for consistent performance.

SP900

(All Position)



Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Loading Index	Max Load (Lbs)	PSI	Speed Rating
SY2103	215/75R17.5 16PR	30.2	8.3	16	135/133	4805/4540	123/123	L
SY2105	225/70R19.5 14PR	31.9	8.9	16	128/126	3970/3750	110/110	M
SY2147	245/70R19.5 16PR	33.0	9.8	16	136/134	4940/4670	120/120	M
SY1080	235/75R17.5 18PR	31.4	9.2	16	143/141	6005/5675	125/125	L
SY2148	245/70R17.5 18PR	30.9	9.8	18	143/141	6005/5675	127/127	L

Main Features:

- Innovative Tread Design: Deep grooves for better traction.
- High-Quality Compound: Durable rubber for extended use.
- Reinforced Sidewalls: Provides additional protection.
- Excellent Grip: Suitable for multiple terrains.
- Balanced Footprint: Promotes even tread wear.

Benefits:

- Enhanced Safety: Reduces slip risks.
- Long-Lasting: Requires fewer replacements over time.
- Stability: Handles well under heavy loads.
- Versatile: Performs well on different surfaces.
- Cost-Effective: Durable design saves money in the long run.

AP400

(Premium All Position)



Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Loading Index	Max Load (Lbs)	PSI	Speed Rating
SY1118	10R22.5 14PR	40.1	10.0	18	141/139	5675/5355	115	M
SY1060	11R22.5 14PR	41.5	11.0	18	144/142	6175/5840	105/105	M
SY1067	11R22.5 16PR	41.5	11.0	18	146/143	6610/6005	120/120	M
SY1061	11R24.5 14PR	43.5	11.0	18	146/143	6610/6005	105/105	M
SY1071	11R24.5 16PR	43.5	11.0	18	149/146	7160/6610	120/120	M
SY1062	295/75R22.5 14PR	39.9	11.7	18	144/141	6175/5675	110/110	M
SY1116	295/75R22.5 16PR	39.9	11.7	18	146/143	6610/6005	120/120	M
SY1063	285/75R24.5 14PR	41.3	11.1	18	144/141	6175/5675	110/110	M
SY1120	275/70R22.5 16 PR	37.7	10.9	18	144/141	6175/5675	120	M
SY1064	255/70R22.5 16PR	36.6	10.0	18	140/137	5510/5070	120/120	M

Main Features:

- **Aggressive Tread:** Deep grooves for maximum traction.
- **Durable Material:** High-quality rubber for heavy-duty use.
- **Reinforced Sidewalls:** Extra strength against abrasions.
- **Superior Grip:** Designed for off-road and on-road use.
- **Optimized Wear:** Ensures even tread wear and handling.

Benefits:

- **Better Traction:** Reduces slipping, improving safety.
- **Longevity:** Less frequent replacements needed.
- **Improved Handling:** Stable performance under heavy loads.
- **Versatile:** Effective on various terrains.
- **Cost Savings:** Durable, saving money over time.

DP209

(Close Shoulder Drive)



Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Loading Index	Max Load (Lbs)	PSI	Speed Rating
SY2112	11R22.5 14PR	41.5	11.7	28	144/142	6175/5840	105/105	M
SY2113	11R22.5 16PR	41.5	11.0	28	146/143	6610/6005	120/120	M
SY2114	11R24.5 14PR	43.5	11.0	28	146/143	6610/6005	105/105	M
SY2115	11R24.5 16PR	43.5	11.0	28	149/146	7160/6610	120/120	M
SY2116	295/75R22.5 14PR	39.9	11.7	28	144/141	6175/5675	110/110	M
SY1114	295/75R22.5 16PR	39.9	11.7	28	146/143	6610/6005	120/120	M
SY2118	285/75R24.5 14PR	41.3	11.1	29	144/141	6175/5675	110/110	M

Main Features:

- Robust Tread Pattern: Designed for optimal traction.
- Premium Rubber: High endurance for extended use.
- Sturdy Sidewalls: Resistant to punctures and abrasions.
- Excellent Grip: Reliable in diverse conditions.
- Uniform Footprint: Promotes even tread wear.

Benefits:

- Superior Traction: Enhances safety by reducing slips.
- Extended Durability: Fewer replacements needed over time.
- Consistent Performance: Stable handling in all load conditions.
- Versatile Application: Performs well on different surfaces.
- Cost Savings: Durable construction lowers long-term costs.

MCW07

(All-Position/Mixed Service)



Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Loading Index	Max Load (Lbs)	PSI	Speed Rating
SY1111	385/65R22.5 20PR	42.2	15.3	24	160	9920	130	K
SY1112	425/65R22.5 20PR	44.3	16.6	24	165	11400	120	K

Main Features:

- Enhanced Tread Design: Optimized for smooth performance.
- High-Quality Rubber: Resilient material for longer wear.
- Reinforced Construction: Strengthened for heavy-duty applications.
- Superior Grip: Excellent traction in various conditions.
- Balanced Design: Ensures even wear and improved handling.

Benefits:

- Smooth Performance: Provides a comfortable ride.
- Durable: Extends tire life, reducing replacement frequency.
- Reliable Stability: Maintains performance under heavy loads.
- All-Weather Use: Suitable for multiple environments.
- Economical: Long-lasting, offering better value.



MCW02

(All-Position/Mixed Service)

Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Loading Index	Max Load (Lbs)	PSI	Speed Rating
SY1110	315/80R22.5 20PR	42.4	12.3	24	161/157	10000/9090	130/130	K

Main Features:

- **Aggressive Tread:** Deep grooves and large blocks for strong traction.
- **Durable Rubber:** High-quality material for heavy load resistance.
- **Reinforced Sidewalls:** Extra strength against cuts and abrasions.
- **Enhanced Grip:** Suitable for off-road and on-road use.
- **Optimized Footprint:** Ensures even wear and better handling.

Benefits:

- **Better Traction:** Reduces slipping, improving safety.
- **Longer Lifespan:** Less frequent replacements needed.
- **Improved Stability:** Handles well under heavy loads.
- **Versatile Use:** Works well on various terrains.
- **Cost-Effective:** Durable, saving money over time.

MC05

(Chip & Cut)



Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Loading Index	Max Load (Lbs)	PSI	Speed Rating
SY1084	255/70R22.5 16PR	36.6	10.0	20	140/137	5510/5070	120/120	M
SY1085	11R22.5 16PR	41.5	11.0	20	146/143	6610/6005	120/120	M
SY1086	11R24.5 16PR	43.5	11.0	20	149/146	7160/6610	120/120	M
SY1109	275/70R22.5 18PR	37.7	10.9	20	148/145	6940/6390	130/130	L

Main Features:

- Aggressive Tread: Deep grooves and large blocks for strong traction.
- Durable Rubber: High-quality material for heavy load resistance.
- Reinforced Sidewalls: Extra strength against cuts and abrasions.
- Enhanced Grip: Suitable for off-road and on-road use.
- Optimized Footprint: Ensures even wear and better handling.

Benefits:

- Better Traction: Reduces slipping, improving safety.
- Longer Lifespan: Less frequent replacements needed.
- Improved Stability: Handles well under heavy loads.
- Versatile Use: Works well on various terrains.
- Cost-Effective: Durable, saving money over time.

DP205

(Open Shoulder Drive)



Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Loading Index	Max Load (Lbs)	PSI	Speed Rating
SY2151	11R22.5 16PR	41.5	11.0	27	146/143	6610/6005	120/120	M
SY2152	11R24.5 16PR	43.5	11.0	27	149/146	7160/6610	120/120	M
SY1104	295/75R22.5 14PR	39.9	11.7	27	144/141	6175/5675	110/110	M
SY1113	295/75R22.5 16PR	39.9	11.7	27	146/143	6610/6005	120/120	M
SY1105	285/75R24.5 14PR	41.3	11.1	27	144/141	6175/5675	110/110	M

Main Features:

- Advanced Tread Design: Provides superior traction.
- Premium Rubber: High-quality material for durability.
- Sturdy Construction: Built to withstand tough conditions.
- Enhanced Grip: Reliable in various conditions.
- Optimized Footprint: Ensures even wear and better handling.

Benefits:

- Improved Traction: Reduces slipping, enhancing safety.
- Extended Lifespan: Fewer replacements needed.
- Consistent Handling: Stable under heavy loads.
- Versatile Application: Works well on different terrains.
- Cost Savings: Durable, reducing long-term costs.

TP301

(Trailer)



Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Loading Index	Max Load (Lbs)	PSI	Speed Rating
SY2149	11R22.5 14PR	41.5	11.0	12	144/142	6175/5840	105/105	M
SY2150	11R24.5 14PR	43.5	11.0	12	146/143	6610/6005	105/105	M
SY1103	285/75R24.5 14PR	41.3	11.1	12	144/141	6175/5675	110/110	M

Main Features:

- Advanced Tread Design: Provides superior traction.
- Quality Rubber: Made from premium materials for longevity.
- Reinforced Structure: Built to withstand tough conditions.
- Enhanced Traction: Provides excellent grip.
- Optimized Wear: Ensures even tread wear.

Benefits:

- Improved Safety: Reduces risk of slipping.
- Longevity: Durable, requiring less frequent replacements.
- Reliable Handling: Maintains performance with heavy loads.
- Multi-Terrain Use: Suitable for various road conditions.
- Economical Choice: Long-lasting and cost-effective.

TP300

(Trailer)



Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Loading Index	Max Load (Lbs)	PSI	Speed Rating
SY1012	295/75R22.5 14PR	39.9	11.7	13	144/141	6175/5675	110/110	M
SY1115	295/75R22.5 16PR	39.9	11.7	13	146/143	6610/6005	120/120	M

Main Features:

- **Hexagonal block tread:** Large interlocking lugs deliver maximum traction on mixed surface.
- **Deep tread depth:** Extended groove depth for longer mileage and self-cleaning performance.
- **Wide shoulder design:** Reinforced shoulder blocks resist cuts and chips on rough terrain.
- **Stone ejector ribs:** Prevents stone retention and casing damage on gravel roads.

Benefits:

- **Superior traction:** Confident grip on construction sites, quarries, and highways.
- **Damage resistance:** Withstands harsh on/off-road conditions without failure.
- **Stable Handling:** Balanced footprint keeps the vehicle steady under full load.
- **Mixed-service versatility:** One tire for drive-axle use across multiple job types.

MCW15

(Chip & Cut)



Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Loading Index	Max Load (Lbs)	PSI	Speed Rating
SY1124	11R22.5 16PR	41.1	10.9	24	146/143	6610/6005	120	M
SY1126	11R24.5 16PR	43.1	10.9	24	149/146	7160/6610	120	M

Main Features:

- **Hexagonal/Interlocking Tread Blocks:** Three-row staggered block design across the tread face for strong drive-axle traction.
- **Multi-Wave Sipe Technology:** Each block has zigzag sipes cut across its face, adding extra biting edges for grip.
- **Deep Circumferential Grooves:** Wide open channels run between the block rows to clear water and debris from the footprint.
- **Wave-Cut Shoulder Grooves:** Zigzag lateral grooves at the shoulders improve traction and help eject embedded stones.
- **Regroovable Tread:** Extra-deep tread depth (per the “Regroovable” marking on the sidewall) lets the tire be regrooved once it wears down.

DP309
(Wide CSD)



Item	Size	OD (Inch)	SW (Inch)	T/D X/32	Loading Index	Max Load (Lbs)	PSI	Speed Rating
SY1127	295/75R22.5 14PR	39.8	11.5	29	144/141	6175/5675	110/110	L
SY1128	295/75R22.5 16PR	39.8	11.5	29	146/143	6610/6005	120/120	L

OUR CORE VALUES



PROFESSIONAL

Sutong has over 40 years of experience in the tire industry, serving as a global resource integrator and supply chain expert, with a dedicated team providing 24-hour service worldwide.



PRECISE

Sutong ensures 90-day delivery for overseas shipments, 5-day delivery from distribution centers, and 24-hour outbound for online orders, maintaining a 98% fill rate for precise and efficient service.



PERSONAL

Sutong customizes programs for each customer, treating them like family. We personalize all our services, deeply caring about our customers' success, because their success is our success.



33402 Highway 290, Hockley TX 77447
Tel: (713) 690-5500 Fax: (713) 690-5501