

Guide to Typst

03.08.2025 - v1.2.0

for typist v0.13.1

for hei-synd-thesis v0.2.2

Silvan Zahno

silvan.zahno@hevs.ch

HEI-Vs

Contents

1	Introduction	4
2	Installation	5
2.1	With cargo	5
2.2	MacOS	5
2.3	Linux	5
2.4	Windows	5
3	Formatting	6
3.1	Markup	6
3.2	Page Formatting	6
3.3	Space	6
3.4	Text Formatting	6
4	Elements	10
4.1	Headings	10
4.2	Lists	10
4.3	Custom Lists	11
4.4	Minitoc	12
4.5	Images	12
4.5.1	Alignment	12
4.5.2	Caption	13
4.5.3	Cluster	13
4.6	Tables	15
4.6.1	Karnaugh Tables	18
4.7	Icon Boxes	19
4.8	Color Boxes	21
4.8.1	Todo Box	21
4.8.2	Option Style	22
4.9	Title Box	22
4.10	Exam Header	23
4.11	Exam Reminder	25
4.12	Exercise Message	27
4.13	Word/Character Count	28

5 References 29

5.1 Links 29

5.2 Crossreferences 29

5.3 External References 29

5.4 Glossary 30

Figures

Figure 1 One image one caption 13

Figure 2 Caption left image 14

Figure 3 Caption right image 14

Figure 4 Caption topleft image 15

Figure 5 Caption topright image 15

Figure 6 Caption bottomleft image 15

Figure 7 Caption bottomright image 15

Equation 8 Some proof 32

Tables

Table 1 Multiple images **one** caption 13

Table 2 Multiple images **one** caption 14

Table 3 Table caption 15

Table 4 18

Table 5 18

Table 6 19

Table 7 19

Table 8 Links 29

Listings

Listing 1 Label inserts 29

Listing 2 Rust Code 31

Equations

Equation (1) 32

Equation (2) 32

Equation (3) 32

Equation (4) 32

Equation (5) 33

Equation (6) 33

Equation (7) 33

Equation (8) 33

Equation (9) 34

Equation (10) 34

Equation (11) 34

Equation (12) 34

Equation (13) 34

Equation (14) 34

Equation (15) 34

Equation (16) 34

Equation (17) 34

Equation (18) 34

Equation (19) 34

Equation (20) 34

Equation (21) 34

Equation (22) 34

Equation (23) 34

1 | Introduction

The goal of this document is to have the most common used elements for the markup language **typst** readily available. A detailed documentation can be found on their website: <https://typst.app/docs> It is to note that these are **my** most common used elements. For some elements custom templates are needed:

- [codelst](#)
- [codelst](#)
- [glossarium](#)
- [wordometer](#)
- [ice-datetime](#)
- [cheq](#)
- [muchpdf](#)
- all files and folders in the **/00-templates/** folder such as
 - **karnaugh.typ**
 - **page-*.typ**
 - **sections.typ**
 - **template-***

2 | Installation

2.1 With cargo

If you use already the **rust** programming language then you can use rust to install the latest toolchain.

```
1 # install rust and cargo
2 curl https://sh.rustup.rs -sSf | sh
3
4 # install typst
5 cargo install --git https://github.com/typst/typst
```

2.2 MacOS

On MacOS you can use **homebrew**

```
1 # install homebrew
2 /bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/
3 install.sh)"
4 # install typst
5 brew install typst
```

2.3 Linux

In Linux you can use the commonly available package manager

```
1 brew install typst
2 pacman -S typst
3 xbps-install typst
4 sudo apt-get install typst
```

2.4 Windows

On Windows you can use **chocolatey**. See: <https://chocolatey.org/install>

```
1 # install chocolatey
2 # ensure to use a administrative powershell
3 Set-ExecutionPolicy Bypass -Scope Process -Force;
4 [System.Net.ServicePointManager]::SecurityProtocol =
5 [System.Net.ServicePointManager]::SecurityProtocol -bor 3072; iex ((New-Object
6 System.Net.WebClient).DownloadString('https://community.chocolatey.org/install.ps
7 1'))
8
9 # install typst
10 choco install typst
```

3 | Formatting

3.1 Markup

Name	Example	Raw
Singleline Comment		//
Multiline Comment		/* */
Paragraph break		blankline
Line break		\
bold	bold	*bold*
italic	<i>italic</i>	_italic_
monospaced	monospaced	`monospaced`
math	$x = 1$	\$x=1\$
lowercase	lower	#lower("LoWeR")
uppercase	UPPER	#upper("UpPeR")
smallcaps	SmallCaps	#smallcaps("SmallCaps")
smartquote	« test »	#smartquote()test#smartquote()
overline	<u>overline</u>	#overline("overline")
underline	<u>underline</u>	#underline("underline")
strike	strike	#strike("strike")
sub	Text _{sub}	Text#sub("sub")
super	Text ^{super}	Text#super("super")
Label		<label>
Reference		@label

3.2 Page Formatting

```
1 #pagebreak() // pagebreak
2 #parbreak() // parbreak
3 \ // linebreak
```

3.3 Space

A

B

```
1 A #h(5cm) B,
```

C

D

```
1 C #v(0.2cm) D
```

3.4 Text Formatting

For the custom textsizes and colors you need to import:

```
1 #import "/01-tail/constants.typ": *
```

Name	Example	Raw
Sizes	8pt text tiny text	1 text(8pt, "8pt text") 2 text(tiny "tiny text")
	9pt text smaller text	1 text(9pt, "9pt text") 2 text(smaller "smaller text")
	10pt text small text	1 text(10pt, "10pt text") 2 text(small "small text")
	11pt text normal text	1 text(11pt, "11pt text") 2 text(normal "normal text")
	14pt text large text	1 text(14pt, "14pt text") 2 text(large "large text")
	16pt text larger text	1 text(16pt, "16pt text") 2 text(larger "larger text")
	24pt text huge text	1 text(24pt, "24pt text") 2 text(huge "huge text")
Types	36pt text huger text	1 text(36pt, "36pt text") 2 text(huger "huger text")
	Fira Sans	1 text(font:"Fira Sans", "Fira Sans")
	Fira Mono	1 text(font:"Fira Mono", "Fira Mono")
	Source Sans Pro	1 text(font:"Source Sans Pro", "Source Sans Pro")
	Arial	

Name	Example	Raw
		1 <code>text(font:"Arial", "Arial")</code>
	Times New Roman	1 <code>text(font:"Times New Roman", "Times New Roman")</code>
Alignment	start	<code>align(start){start}</code>
	end	<code>align(end){end}</code>
	left	<code>align(left){left}</code>
	center	<code>align(center){center}</code>
	right	<code>align(right){right}</code>
	top	<code>align(top){top}</code>
	horizon	<code>align(horizon){horizon}</code>
	bottom	<code>align(bottom){bottom}</code>
	center + horizon	<code>align(center + horizon){center + horizon}</code>
Colors	black	<code>#text(fill:black)[black]</code>
	red	<code>#text(fill:red)[red]</code>
	green	<code>#text(fill:green)[green]</code>
	blue	<code>#text(fill:blue)[blue]</code>
	purple	<code>#text(fill:purple)[purple]</code>
	gray-80	<code>#text(fill:gray-80)[gray-80]</code>
	gray-70	<code>#text(fill:gray-70)[gray-70]</code>
	gray-60	<code>#text(fill:gray-60)[gray-60]</code>
	gray-50	<code>#text(fill:gray-50)[gray-50]</code>
	gray-40	<code>#text(fill:gray-40)[gray-40]</code>
	gray-30	<code>#text(fill:gray-30)[gray-30]</code>
	gray-20	<code>#text(fill:gray-20)[gray-20]</code>
	gray-10	<code>#text(fill:gray-10)[gray-10]</code>
	hei-orange	<code>#text(fill:hei-orange)[hei-orange]</code>
	hei-blue	<code>#text(fill:hei-blue)[hei-blue]</code>
	hei-pink	<code>#text(fill:hei-pink)[hei-pink]</code>
	hei-yellow	<code>#text(fill:hei-yellow)[hei-yellow]</code>
	hei-green	<code>#text(fill:hei-green)[hei-green]</code>
	spl-green	<code>#text(fill:spl-green)[spl-green]</code>
	spl-blue	<code>#text(fill:spl-blue)[spl-blue]</code>
	spl-pink	<code>#text(fill:spl-pink)[spl-green]</code>

Name	Example	Raw
	color-info	<code>#text(fill:color-info)[color-info]</code>
	color-idea	<code>#text(fill:color-idea)[color-idea]</code>
	color-warning	<code>#text(fill:color-warning)[color-warning]</code>
	color-important	<code>#text(fill:color-important)[color-important]</code>
	color-fire	<code>#text(fill:color-fire)[color-fire]</code>
	color-rocket	<code>#text(fill:color-rocket)[color-rocket]</code>
	color-todo	<code>#text(fill:color-todo)[color-todo]</code>
	code-bg	<code>#text(fill:code-bg)[code-bg]</code>
	code-border	<code>#text(fill:code-border)[code-border]</code>

4 | Elements

Contents

4.1	Headings	10
4.2	Lists	10
4.3	Custom Lists	11
4.4	Minitoc	12
4.5	Images	12
4.5.1	Alignment	12
4.5.2	Caption	13
4.5.3	Cluster	13
4.6	Tables	15
4.6.1	Karnaugh Tables	18
4.7	Icon Boxes	19
4.8	Color Boxes	21
4.8.1	Todo Box	21
4.8.2	Option Style	22
4.9	Title Box	22
4.10	Exam Header	23
4.11	Exam Reminder	25
4.12	Exercise Message	27
4.13	Word/Character Count	28

4.1 Headings

```
1 = Heading 1
2 == Heading 1.1
3 === Heading 1.1.1
4 ==== Heading 1.1.1.1
5 ...
```

4.2 Lists

- First
- Second
- Third

```
1 - First
2 - Second
3 - Third
```

- First
 - Second
 - Third

```
1 - First
2 - Second
3 - Third
```

- First
- Second
- Third

```
1 - First
2 - Second
3 - Third
```

- First
- Second
- Third

```
1 list(
2   [First],
3   [Second],
4   [Third],
5 )
```

1. First
 1. Second
2. Third

```
1 + First
2 + Second
3 + Third
4 Text
5 4. Fourth
6 + Fifth
```

Text

4. Fourth
5. Fifth

1. First
 - a) Second
2. Third

```
1 + First
2 #set enum(numbering: "a")
3 + Second
4 + Third
5 Text
6 4. Fourth
7 + Fifth
```

Text

4. Fourth
5. Fifth

4.3 Custom Lists

```
1 #import "/00-templates/items.typ": *
```

- ☒ item-list
- ☒ item-checkbadge
- ☐ item-circle
- ☐ item-square
- ☒ item-checkcircle
- ☒ item-checksquare
- ☒ item-check
- ☐ item-file
- ☐ item-folder
- ☒ item-xcircle
- ☒ item-xsquare
- ☒ item-x

```
1 #item-list()[item-list]
2 #item-checkbadge()[item-checkbadge]
3 #item-circle()[item-circle]
4 #item-square()[item-square]
5 #item-checkcircle()[item-checkcircle]
6 #item-checksquare()[item-checksquare]
7 #item-check()[item-check]
8 #item-file()[item-file]
9 #item-folder()[item-folder]
10 #item-xcircle()[item-xcircle]
11 #item-xsquare()[item-xsquare]
12 #item-x()[item-x]
```

4.4 Minitoc

The `minitoc` is specific for this template and allows to show a TOC between two labels. The `minitoc` is also used within the `#add-chapter` function if `after` and `before` labels are defined.

Contents

4.1	Headings	10
4.2	Lists	10
4.3	Custom Lists	11
4.4	Minitoc	12
4.5	Images	12
4.5.1	Alignment	12
4.5.2	Caption	13
4.5.3	Cluster	13
4.6	Tables	15
4.6.1	Karnaugh Tables	18
4.7	Icon Boxes	19
4.8	Color Boxes	21
4.8.1	Todo Box	21
4.8.2	Option Style	22
4.9	Title Box	22
4.10	Exam Header	23
4.11	Exam Reminder	25
4.12	Exercise Message	27
4.13	Word/Character Count	28

```
1 #minitoc(after: <sec:elem>, before: <sec:ref>)
```

```
1 #add-chapter(  
2   "/02-main/03-elements.typ",  
3   after: <sec:elem>,  
4   before: <sec:ref>,  
5 )  
6 // or  
7 #add-chapter(  
8   after: <sec:elem>,  
9   before: <sec:ref>,  
10 ) [  
11   Content of the Chapter  
12 ]
```

4.5 Images


4.5.1 Alignment

left




```
1 #image("/04-resources/icon.svg",
2   width: 2cm)
```

center



```
1 #align(center,
2   image("/04-resources/icon.svg",
3     width: 2cm)
4 )
```

right



```
1 #align(right,
2   image("/04-resources/icon.svg",
3     width: 2cm)
4 )
```

4.5.2 Caption




Figure 1 - One image one caption

```
1 #figure(
2   image("/04-resources/icon.svg",
3     width: 2cm),
4   caption: [One image one caption]
5 ) <fig:icon>
```

4.5.3 Cluster

Two images one caption



Table 1 - Multiple images **one** caption

```
1 #figure(
2   table(
3     columns: 2,
4     stroke: none,
5     align: center + horizon,
6     image(icon, width: 2cm), image(icon, width: 2cm)
7   ),
8   caption: [Multiple images *one* caption]
```

9)

Four images one caption




Table 2 - Multiple images **one** caption

```

1 #figure(
2   table(
3     columns: 2,
4     stroke: none,
5     align: center + horizon,
6     image(icon, width: 2cm), image(icon, width: 2cm),
7     image(icon, width: 2cm), image(icon, width: 2cm),
8   ),
9   caption: [Multiple images *one* caption]
10 )

```

Two images two caption



Figure 2 - Caption left image Figure 3 - Caption right image

```

1 #align(center,
2   table(
3     columns: 2,
4     stroke: none,
5     align: center + horizon,
6     figure(image(icon, width: 2cm), caption: [Caption left image]),
7     figure(image(icon, width: 2cm), caption: [Caption right image]),
8   ))

```

Four images four caption



Figure 4 - Caption topleft image



Figure 5 - Caption topright image



Figure 6 - Caption bottomleft image



Figure 7 - Caption bottomright image

```
1 #align(center,
2   table(
3     columns: 2,
4     stroke: none,
5     align: center + horizon,
6     figure(image(icon, width: 2cm), caption: [Caption topleft image]),
7     figure(image(icon, width: 2cm), caption: [Caption topright image]),
8     figure(image(icon, width: 2cm), caption: [Caption bottomleft image]),
9     figure(image(icon, width: 2cm), caption: [Caption bottomright image]),
10  )
11 )
```

4.6 Tables

For new table use the integrated **#table** command for legacy the **tablex** plugin is also imported.

```
1 #import "@preview/tablex:0.0.9" : *
2 // or
3 #import "/00-templates/helpers.typ" : *
```

Tables with and without caption

	Col1	Col2
Row1	cell-0-0	cell-1-0
Row2	cell-0-1	cell-1-1

	Col1	Col2
Row1	cell-0-0	cell-1-0
Row2	cell-0-1	cell-1-1

Table 3 - Table caption

```
1 table(
2   columns: 3,
3   align: center + horizon,
4   table.header([], [*Col1*] ,
5     [*Col2*]),),
6   [*Row1*], "cell-0-0", "cell-1-0",
7   [*Row2*], "cell-0-1", "cell-1-1",
8 )
9
10 figure(
11   table(
12     columns: 3,
13     align: center + horizon,
14     table.header([], [*Col1*] ,
15       [*Col2*]),),
16     [*Row1*], "cell-0-0", "cell-1-0",
17     [*Row2*], "cell-0-1", "cell-1-1",
18   ),
19   kind: table,
```

```
10   caption: [Table Caption]
11 )
```

Tables with cell spans

	Col1	Col2
Row1	cell-0	cell-1-0
Row2		cell-1-1

```
1 table(
2   columns: 3,
3   align: center + horizon,
4   table.header([], [*Col1*] ,
5   [*Col2*]),),
6   [*Row1*], table.cell(rowspan: 2)
7   [cell-0], "cell-1-0",
8   [*Row2*],
9   "cell-1-1",
10  )
```

	Col1	Col2
Row1	cell-0	
Row2	cell-0-1	cell-1-1

```
1 table(
2   columns: 3,
3   align: center + horizon,
4   table.header([], [*Col1*] ,
5   [*Col2*]),),
6   [*Row1*], table.cell(colspan: 2)
7   [cell-0],
8   [*Row2*], "cell-0-1", "cell-1-1",
9   )
```

Table Design

	Col1	Col2
Row1	cell-0-0	cell-1-0
Row2	cell-0-1	cell-1-1

```
1 table(
2   columns: 3,
3   align: center + horizon,
4   table.header([], [*Col1*] ,
5   [*Col2*]),),
6   [*Row1*], "cell-0-0", "cell-1-0",
7   [*Row2*], "cell-0-1", "cell-1-1",
8   )
```

	Col1	Col2
Row1	cell-0-0	cell-1-0
Row2	cell-0-1	cell-1-1

```
1 table(
2   columns: 3,
3   align: center + horizon,
4   table.header([], [*Col1*] ,
5   [*Col2*]),),
6   [*Row1*], "cell-0-0", "cell-1-0",
7   [*Row2*], "cell-0-1", "cell-1-1",
8   )
```

	Col1	Col2
Row1	cell-0-0	cell-1-0
Row2	cell-0-1	cell-1-1

```
1 table(
2   columns: 3,
3   align: center + horizon,
4   table.vline(x:0, stroke: none),
5   table.vline(x:1, stroke: blue),
6   table.vline(x:2),
7   )
```

	Col1	Col2
Row1	cell-0-0	cell-1-0
Row2	cell-0-1	cell-1-1

```
1 table(
2   columns: 3,
3   align: center + horizon,
4   stroke: (x:none),
5   table.header([], [*Col1*] ,
6   [*Col2*]),),
7   )
```

```
6   table.header([], [*Col1*] ,
7   [*Col2*], table.hline(stroke: red)),
8   [*Row1*], "cell-0-0", "cell-1-0",
9   table.hline(),
10  [*Row2*], "cell-0-1", "cell-1-1",
11  )
```

	Col1	Col2
Row1	cell-0-0	cell-1-0
Row2	cell-0-1	cell-1-1

```
10  [*Row1*], "cell-0-0", "cell-1-0",
11  [*Row2*], "cell-0-1", "cell-1-1",
12  ),
```

	Col1	Col2
Row1	cell-0-0	cell-1-0
Row2	cell-0-1	cell-1-1

```
1  table(
2    columns: 3,
3    align: center + horizon,
4    stroke: (y:none),
5    table.header([], [*Col1*] ,
6    [*Col2*],),
7    [*Row1*], "cell-0-0", "cell-1-0",
8    [*Row2*], "cell-0-1", "cell-1-1",
9  ),
```

```
1  table(
2    columns: 3,
3    align: center + horizon,
4    stroke: (x:none),
5    table.hline(y:0, stroke:none), //
6    remove first line
7    table.hline(y:3, stroke:none), //
8    remove last line
9    table.vline(x:1),
10   table.vline(x:2, start:1, end:2,
11   stroke: red),
12   table.header([], [*Col1*] ,
13   [*Col2*],),
14   [*Row1*], "cell-0-0", "cell-1-0",
15   [*Row2*], "cell-0-1", "cell-1-1",
16   ),
```

```
1  #table(
2    columns: 3,
3    align: center + horizon,
4    table.vline(x:0, stroke: none), table.vline(x:1 , stroke: blue), table.vline(x:2),
5    table.header([], [*Col1*] , [*Col2*], table.hline(stroke: red)),
6    [*Row1*], "cell-0-0", "cell-1-0", table.hline(),
7    [*Row2*], "cell-0-1", "cell-1-1",
8  )
```

<i>c</i>	<i>b</i>	<i>a</i>	<i>cb</i>	<i>ba</i>	<i>y</i>
0	0	0	0	0	0
0	0	1	0	0	1
0	1	0	0	0	0
0	1	1	0	1	0
1	0	0	0	0	0
1	0	1	0	0	1
1	1	0	1	0	1
1	1	1	1	1	1

```

1 #table(
2   columns: 6,
3   stroke: none,
4   align: center+ horizon,
5   table.vline(x:1, stroke:0.5pt), table.vline(x:2, stroke:0.5pt), table.vline(x:3),
6   table.vline(x:4, stroke:0.5pt), table.vline(x:5, stroke:0.5pt),
7   table.header([$c$], [$b$], [$a$], [$c b$], [$b a$], [$y$], table.hline(stroke:
8     1pt)),
9   [ `0` ], [ `0` ], [ `0` ], [ `0` ], [ `0` ], [ `0` ], table.hline(stroke: 0.5pt),
10  [ `0` ], [ `0` ], [ `1` ], [ `0` ], [ `0` ], [ `1` ], table.hline(stroke: 0.5pt),
11  [ `0` ], [ `1` ], [ `0` ], [ `0` ], [ `0` ], [ `0` ], table.hline(stroke: 0.5pt),
12  [ `0` ], [ `1` ], [ `1` ], [ `0` ], [ `1` ], [ `0` ], table.hline(stroke: 1pt),
13  [ `1` ], [ `0` ], [ `0` ], [ `0` ], [ `0` ], [ `0` ], table.hline(stroke: 0.5pt),
14  [ `1` ], [ `0` ], [ `1` ], [ `0` ], [ `0` ], [ `1` ], table.hline(stroke: 0.5pt),
15  [ `1` ], [ `1` ], [ `0` ], [ `1` ], [ `0` ], [ `1` ], table.hline(stroke: 0.5pt),
16  [ `1` ], [ `1` ], [ `1` ], [ `1` ], [ `1` ], [ `1` ],
17 )

```

4.6.1 Karnaugh Tables



```
1 #import "/00-templates/karnaugh.typ": *
```

$$y \begin{array}{c} \overbrace{\overbrace{\begin{array}{|c|c|c|c|} \hline 1 & 0 & 1 & 0 \\ \hline 1 & 0 & 1 & 1 \\ \hline \end{array}}^b}^c \end{array} a$$

```
1 #karnaugh(content:((1, 0, 1, 0),
2                   (1, 0, 1, 1)),)
```

$$\begin{array}{c}
 \begin{array}{c} d \\ \hline c \\ \hline y \end{array}
 \begin{array}{|c|c|c|c|}
 \hline
 1 & 0 & 0 & 0 \\
 \hline
 1 & 0 & 0 & 1 \\
 \hline
 1 & 1 & 0 & 1 \\
 \hline
 1 & 0 & 1 & 1 \\
 \hline
 \end{array}
 \begin{array}{c} \\ \\ a \\ b \end{array}
 \end{array}$$

```
1 #karnaugh(content:((1, 0, 0, 0),
2                    (1, 0, 0, 1),
3                    (1, 1, 0, 1),
4                    (1, 0, 1, 1)),)
```



,

sourcecode[

```
1 #karnaugh(inputs: ($Q_0$, $Q_1$, $Q_2$, $Q_3$, $Q_4$),
2           output: [$Q_0^+$],
3           content: ((1, 0, 0, 0),
4                    (1, 0, 1, 1),
5                    (1, 0, 1, 1),
6                    (1, 0, 0, 1),
7
8                    (1, 0, 0, 1),
9                    (1, 0, 0, 1),
10                   (1, 1, 0, 1),
11                   (1, 1, 0, 1),))
```

]

4.7 Icon Boxes

```
1 #import "/00-templates/boxes.typ": *
```



1 `#infobox()["infobox"]`



1 `#ideabox()["ideabox"]`



1 `#warningbox()["warningbox"]`



1 `#importantbox()["importantbox"]`



1 `#firebox()["firebox"]`



1 `#rocketbox()["rocketbox"]`



1 `#todobox()["todobox"]`



1 `#iconbox(icon: read("/04-resources/
placeholder.svg", encoding: none), linecolor: hei-blue)
["iconbox"]`

```
1 #iconbox(linecolor: hei-pink)["iconbox without icon"]
```

4.8 Color Boxes

```
1 #import "/00-templates/boxes.typ": *
```

Exercise

Some text

```
1 #colorbox(title: "Exercise", color: hei-blue)[Some text]
```

Attention

Some text

```
1 #colorbox(title: "Attention", color: hei-pink)[Some text]
```

Consider

Some text

```
1 #slanted-colorbox(title: "Consider", color: hei-green)[Some text]
```

Information

Some text

```
1 #slanted-colorbox(title: "Information", color: hei-orange)[Some text]
```

4.8.1 Todo Box

```
1 #import "/00-templates/boxes.typ": *
```

TODO

This is not finished

```
1 #todo("This is not finished")
```

4.8.2 Option Style

The option style allows to underlight a text depending on the type or state of the document. Within the `/01-settings/metadata.typ` the `option.type` can be set to **draft** or **final** or other types.

```
1 #import "/00-templates/boxes.typ": *
```

« This text has an option style and is shown in the case the type is draft »

```
1 #option-style(type:"draft")["This text has an option style and is shown in the case the type is draft"]
```

```
1 #option-style(type:"final")["This text has an option style and is shown in the case the type is final"]
```

```
1 #option-style(type:"minimal")["This text has an option style and is shown in the case the type is minimal"]
```


```
1 #option-style(type:"full")["This text has an option style and is shown in the case the type is full"]
```

```
1 #option-style(type:"student")["This text has an option style and is shown in the case the type is student"]
```


```
1 #option-style(type:"solution")["This text has an option style and is shown in the case the type is solution"]
```

4.9 Title Box

```
1 #import "/00-templates/sections.typ": *
```



```
1 #titlebox(title: [Title], subtitle: [Subtitle])
```



```
1 #titlebox(width: 50%, radius: 0pt, border: 1pt, linecolor: hei-blue, titlesize: larger, subtitlesize: large, title: [Title], subtitle: [Subtitle])
```



```
1 #titlebox(linecolor: hei-green, titlesize: larger, subtitlesize: large, title: [Title])
```

4.10 Exam Header

```
1 #import "/00-templates/sections.typ": *
```

Name: -----

```
#exam-header(nbr-ex: 0, lang: "en")
```

Typst

Grade

Name: -----

```
#exam-header(nbr-ex: 1, lang: "en")
```

Typst

1 Grade

Name: -----

--	--

(10)

```
#exam-header(nbr-ex: 2, pts: 10, lang: "en")
```

Typst

1 2 Grade

Name:

(10)	(10)	

#exam-header(nbr-ex: 3, pts: 10, lang: "en")Typst

Name:

1	2	3	Grade
(10)	(10)	(10)	

#exam-header(nbr-ex: 4, pts: 10, lang: "en")Typst

Name:

1	2	3	4	Grade
(10)	(10)	(10)	(10)	

#exam-header(nbr-ex: 5, pts: 10, lang: "en")Typst

Name:

1	2	3	4	5	Grade
(10)	(10)	(10)	(10)	(10)	

#exam-header(nbr-ex: 6, pts: 10, lang: "en")Typst

Name:

1	2	3	4	5	6	Grade
(10)	(10)	(10)	(10)	(10)	(10)	

#exam-header(nbr-ex: 7, pts: 10, lang: "en")Typst

Name:

1	2	3	4	5	6	7	Grade
(10)	(10)	(10)	(10)	(10)	(10)	(10)	

#exam-header(nbr-ex: 8, pts: 10, lang: "en")Typst

Name:

1	2	3	4	5	6	7	8	Grade
(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	

#exam-header(nbr-ex: 9, pts: 10, lang: "en")Typst

1	2	3	4	5	6	7	8	9	Grade
---	---	---	---	---	---	---	---	---	-------

Name:

(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)

```
#exam-header(nbr-ex: 10, pts: 10, lang: "en")
```

Typst

4.11 Exam Reminder

```
1 #import "/00-templates/sections.typ": *
```



Exam Reminder:

You can only use the following items:

- a laptop without internet connection
- a pocketcalculator
- all paper documents you want

It is forbidden to use generative AI.

Good Luck!

```
1 #exam-reminder-did(lang: "en")
```



Prüfungserinnerung:

Sie können nur die folgenden Gegenstände verwenden:

- ein Laptop ohne Internetanschluss
- einen Taschenrechner
- alle Papirdokumente

Es ist verboten, generative KI zu verwenden.

Viel Glück!

```
1 #exam-reminder-did(lang: "de")
```

Rappel d'examen :

Vous ne pouvez utiliser que les éléments suivants :



- un ordinateur portable sans connexion internet
- une calculatrice de poche
- tous les documents papier que vous souhaitez

Il est interdit d'utiliser l'IA générative.

Bonne chance!

```
1 #exam-reminder-did(lang: "fr")
```

Exam Reminder:

You can only use the following items:



- the two-page summary you created.
- a pocketcalculator

In addition, properly comment all high-level and assembler code to explain its purpose and how it fits into the program structure.

Good Luck!

```
1 #exam-reminder-car(lang: "en")
```

Prüfungserinnerung:

Sie können nur die folgenden Elemente verwenden:



- die zweiseitige Zusammenfassung, die Sie erstellt haben.
- einen Taschenrechner

Kommentieren Sie ausserdem den gesamten High-Level- und Assembler-Code ordnungsgemäss aus, um seinen Zweck und seine Einbindung in die Programmstruktur zu erklären.

Viel Glück!

```
1 #exam-reminder-car(lang: "de")
```

Rappel d'examen :

Vous ne pouvez utiliser que les éléments suivants :

- le résumé de deux pages que vous avez créé.
- une calculatrice de poche



Commenter également tout le code de haut niveau et le code assembleur de manière appropriée afin d'expliquer son but et son intégration dans la structure du programme.

Bonne chance!

```
1 #exam-reminder-car(lang: "fr")
```

4.12 Exercise Message

```
1 #import "/00-templates/sections.typ": *
```

Solution vs. Hints:

While not every response provided herein constitutes a comprehensive solution, some serve as helpful hints intended to guide you toward discovering the solution independently. In certain instances, only a portion of the solution is presented.

```
1 #exercises-solution-hints(lang: "en")
```

Lösung vs. Hinweise:

Nicht alle hier gegebenen Antworten sind vollständige Lösungen. Einige dienen lediglich als Hinweise, um Ihnen bei der eigenständigen Lösungsfindung zu helfen. In anderen Fällen wird nur ein Teil der Lösung präsentiert.

```
1 #exercises-solution-hints(lang: "de")
```

**Solution vs. Hints:**

Toutes les réponses fournies ici ne sont pas des solutions complètes. Certaines ne sont que des indices pour vous aider à trouver la solution vous-même. Dans d'autres cas, seule une partie de la solution est fournie.

```
1 #exercises-solution-hints(lang: "fr")
```

4.13 Word/Character Count

With the plugin wordometer is is possible to count the words and characters of a text.

```
1 #import "@preview/wordometer:0.1.4": word-count
```

The following section contains 50 Words and 295 Characters without counting this text.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequae doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut.

```
1 #word-count(total => [
2   #[The following section contains #total.words Words and #total.characters
3   Characters without counting this text.]<no-wc>
4   #lorem(50)
5 ], exclude: <no-wc>)
```



The character count does not include spaces.

5 | References

5.1 Links

Example	Raw
https://tschinz.github.io	<code>https://tschinz.github.io</code>
https://tschinz.github.io	<code>#link("https://tschinz.github.io")</code>
See https://tschinz.github.io	<code>#link("https://tschinz.github.io") [See https://tschinz.github.io]</code>
silvan.zahno@hevs.ch	<code>#link("mailto:silvan.zahno@hevs.com") [silvan.zahno@hevs.ch]</code>
	<code>#link("https://tschinz.github.io") [#image(icon, width:0.5cm)]</code>

Table 8 - Links

5.2 Crossreferences

In the document the following references were added.

```
1 = References <sec:ref>
2 == Links <sec:links>
3 #figure(image("/04-resources/icon.svg", width: 2cm)) <fig:icon>
4 #figure(table(...), kind:table) <tab:links>
5 #figure(align(left, raw(...)) <code-ref>
6 $ \sum_{k=1}^n k = (n(n+1)) / 2 $ <math-eq1> #ref(<math-eq1>)
```

Listing 1 - Label inserts

They can be references as follows:

Type	Example	Raw
Section	Chapitre 5	<code>@sec:ref</code>
Subsection	Chapitre 5.1	<code>@sec:links</code>
Figure	Figure 1	<code>@fig:icon</code>
Table	Table 8	<code>@tab:links</code>
Code	Listing 1	<code>@code-ref</code>
Equation	Equation 1	<code>@math-eq1</code>

5.3 External References

Example	Raw
[1]	<code>#cite(label("zahnoDynamicProjectPlanning2023"))</code>
[1, p.7ff]	<code>#cite(<zahnoDynamicProjectPlanning2023>, supplement:[p.7ff])</code>
[1]	<code>@zahnoDynamicProjectPlanning2023</code>

5.4 Glossary

The glossary entries need to be defined in `/03-tail/glossary.typ`.

```

1  #let entry-list = (
2    (
3      key   : "hei",
4      short : "HEI",
5      long  : "Haute École d'Ingénierie",
6    ),
7    (
8      key       : "fpga",
9      short     : "FPGA",
10     plural    : "FPGAs",
11     long      : "Field Programmable Gate Array",
12     longplural : "Field Programmable Gate Arrays",
13     group     : "Technology"
14     description : "A field-programmable gate array (FPGA) is an integrated circuit
15     designed to be configured by a customer or a designer after manufacturing – hence
16     the term 'field-programmable'.",
17   ),
18 )

```

For the glossary functions the « import » of `/00-templates/helpers.typ` is needed. Underneath it uses the glossarium plugin. It can also be used for acronyms.

```

1  #import "/00-templates/helpers.typ": *

```

Example

Raw

Haute École d'Ingénierie (HEI) and a second time HEI

```

1  #gls("hei") and a second time
   #gls("hei")

```

Haute École d'Ingénierie (HEI)

```

1  #gls("hei", long:true)

```

whatever you want

```

1  #gls("hei", display: "whatever you
   want")

```

Field Programmable Gate Arrays (FPGAs) and a second time FPGAs

```

1  #glspl("fpga") and a second time
   #glspl("fpga")

```

Field Programmable Gate Arrays (FPGAs)

```

1  #glspl("fpga", long: true)

```

Infotronics (IT) is a specialization of Systems Engineering (SYND) which is part of the HEI. The second time a glossary entry is used the short form will be used: see IT and SYND. To get the long form back use Systems Engineering (SYND).

6 | Code

There are two ways to include code in Typst: inline and block. For the block code you can use **codly** or **code1st**. **codly** retakes the traditional ````lang ```` syntax while **code1st** uses a function taking the traditional syntax `#sourcecode[```lang ```]`. Typst also provides the **raw** function to include code in the document. The **raw** function can be used for inline and block code.

<code>inline monospaced string</code>	<pre>1 `inline monospaced string`</pre>
<pre>fn main() {println!("Hello world!")}</pre>	<pre>1 raw(lang:"rust", 2 "fn main() {println!(\"Hello world! 3 \")\" 4)</pre>
<pre>1-- Test 2: INPUT sX, pp 2opCode <= "INPUT sX, pp "; 3code <= "00010"; 4cIn <= '0'; 5A <= "11110000"; 6B <= "00001111";</pre>	vhdl <pre>1 raw(block:true, lang:"vhdl", 2 read("code-example.vhdl"))</pre>
<pre>1fn main() { 2 println!("Hello world!") 3}</pre>	Rust <pre>1 ```rust 2 fn main() { 3 println!("Hello world!") 4 } 5 ```</pre>
<pre>1 fn main() { 2 println!("Hello world!") 3 }</pre>	<pre>1 sourcecode[```rust 2 fn main() { 3 println!("Hello world!") 4 } 5 ```]</pre>
<pre>1fn main() { 2 println!("Hello world!") 3}</pre>	Rust <pre>1 #figure(2 align(left, 3 ```rust 4 fn main() { 5 println!("Hello world!") 6 } 7 ``` 8), 9 caption: [Rust Code], 10) 11 ```</pre>

Listing 2 - Rust Code

7 | Math Equations

Inline math

Let a and b , and c be the side of a right-angled triangle.

Let a and b , and c be the side of a right-angled triangle.

$$\sum_{k=1}^n k = \frac{n(n+1)}{2}$$

$$\sum_{k=1}^n k = (n(n+1)) / 2,$$

Fullline math

$$a^2 + b^2 = c^2$$

(1)

1 $a^2 + b^2 = c^2$ `<math-eq1>`

Math with caption

$$\sum_{k=1}^n k = \frac{n(n+1)}{2}$$

(2)

Equation 8 - Some proof

1 `#figure(`
2 `$\sum_{k=1}^n k = (n(n+1)) / 2$ ,`
3 `caption: [Some proof]`
4 `)`

7.1 Align

Formula	Raw
$\begin{aligned} a_1 &= b_1 + c_1 = z_1 \\ a_2 &= b_2 + c_2 - d_2 + e_2 = z_1 \end{aligned}$	(3) 1 $$ 2 $a_1 = b_1 + c_1 = z_1 + \backslash$ 3 $a_2 = b_2 + c_2 - d_2 + e_2 = z_1$ 4 $$
$\begin{aligned} a_1 &= b_1 + c_1 &= z_1 \\ a_2 &= b_2 + c_2 - d_2 + e_2 = z_1 \end{aligned}$	(4) 1 $$ 2 $a_1 \&= b_1 + c_1 \&= z_1 \backslash$ 3 $a_2 \&= b_2 + c_2 - d_2 + e_2 \&= z_1$ 4 $$

7.2 Symbols

This is an incomplete list for all symbols goto [here](#)

Outside of the $\$$ math environment the symbols can be accessed with `.`

7.2.1 Accents

Sym	Raw	Sym	Raw	Sym	Raw
$\grave{x}$	<code>\$grave(x)\$</code>	$\acute{x}$	<code>\$acute(x)\$</code>	$\hat{x}$	<code>\$hat(x)\$</code>
$\tilde{x}$	<code>\$tilde(x)\$</code>	$\breve{x}$	<code>\$breve(x)\$</code>	$\dot{x}$	<code>\$dot(x)\$</code>
$\ddot{x}$	<code>\$dot.double(x)\$</code>	$\ddot{x}$	<code>\$dot.triple(x)\$</code>	$\ddot{x}$	<code>\$dot.quad(x)\$</code>
$\ddot{x}$	<code>\$diaer(x)\$</code>	$\mathring{x}$	<code>\$circle(x)\$</code>	$\ddot{x}$	<code>\$acute.double(x)\$</code>
$\tilde{x}$	<code>\$caron(x)\$</code>	$\vec{x}$	<code>\$arrow(x)\$</code>	$\vec{x}$	<code>\$arrow.l(x)\$</code>
$\cancel{x}$	<code>\$cancel(x)\$</code>	$\bar{x}$	<code>\$macron(x)\$</code>	$\overline{xyz}$	<code>\$overline(xyz)\$</code>
$\underline{xyz}$	<code>\$overline(xyz)\$</code>	$\underbrace{xyz}$	<code>\$underbrace(xyz)\$</code>	$\overbrace{xyz}$	<code>\$overbrace(xyz)\$</code>
$\underbrace{xyz}$	<code>\$underbracket(xyz)\$</code>	$\overbrace{xyz}$	<code>\$overbracket(xyz)\$</code>	$\overbrace{xyz}$	<code>\$overbracket(xyz)\$</code>

7.2.2 Equals & Operators

Sym	Raw	Sym	Raw	Sym	Raw
$=$	<code>\$=\$</code>	$=$	<code>\$eq\$</code>	$\neq$	<code>\$eq.not\$</code>
$\neq$	<code>\$!=\$</code>	$\equiv$	<code>\$equiv\$</code>	$\neq$	<code>\$equiv.not\$</code>
$\simeq$	<code>\$tilde.eq\$</code>	$\not\equiv$	<code>\$tilde.eq.not\$</code>	$=$	<code>\$eq.small\$</code>
$\geq$	<code>\$gt.eq\$</code>	$\nlessgtr$	<code>\$gt.eq.not\$</code>	$\leq$	<code>\$lt.eq\$</code>
$\nlessgtr$	<code>\$lt.eq.not\$</code>	$\approx$	<code>\$approx\$</code>	$\cong$	<code>\$approx.eq\$</code>
$\napprox$	<code>\$approx.not\$</code>	$:$	<code>\$colon\$</code>	$:=$	<code>\$colon.eq\$</code>
$=:$	<code>\$eq.colon\$</code>	$::=$	<code>\$colon.double.eq\$</code>	$+$	<code>\$+\$</code>
$+$	<code>\$plus\$</code>	$+$	<code>\$plus.small\$</code>	$\pm$	<code>\$plus.minus\$</code>
$\oplus$	<code>\$plus.circle\$</code>	$-$	<code>\$-\$</code>	$-$	<code>\$minus\$</code>
$\mp$	<code>\$minus.plus\$</code>	$\ominus$	<code>\$minus.circle\$</code>		

7.2.3 Scripts

Sym	Raw	Sym	Raw	Sym	Raw
x_1	<code>\$x_1\$</code>	x_{12}	<code>\$x_(12)\$</code>	x_1	<code>\$scripts(x)_1\$</code>
x_1	<code>\$x_1\$</code>	x_{12}	<code>\$x_(12)\$</code>	x_1	<code>\$scripts(x)_1\$</code>
x_1^2	<code>\$x_1^2\$</code>	x_{12}^{34}	<code>\$x_(12)^(34)\$</code>	x_1^2	<code>\$scripts(x)_1^2\$</code>
$\frac{x}{1}$	<code>\$x_1^2\$</code>	x_{12}^{34}	<code>\$x_(12)^(34)\$</code>	x_1^2	<code>\$scripts(x)_1^2\$</code>

7.2.4 Special Elements

Sym	Raw	Sym	Raw
$\binom{n}{k}$	(5) <code>\$ binom(n, k) \$</code>	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	(6) <code>\$ vec(1, 2, delim: "[") \$</code>
$\left\lfloor \frac{1}{2} \right\rfloor$	(7) <code>\$ round(1, 2) \$</code>	$\begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}$	(8) <code>\$ mat(1,2; 3,4) \$</code>

$$\begin{pmatrix} 1 & 2 & \dots & 10 \\ 2 & 2 & \dots & 10 \\ \vdots & \vdots & \ddots & \vdots \\ 10 & 10 & \dots & 10 \end{pmatrix} \quad (9)$$

```
1 $ mat(  
2   1, 2, ..., 10;  
3   2, 2, ..., 10;  
4   dots.v,  
5   dots.v,  
6   dots.down,  
7   dots.v;  
8   10, 10, ...,  
9   10;  
10  ) $
```

$$\sum a_k \quad (10)$$

```
$ sum a_k $
```

$$\sum_{k=0}^n a_k \quad (11)$$

```
$ sum_(k=0)^n a_k $
```

$$\sum_{k=0}^n a_k \quad (12)$$

```
$ scripts(sum)_(k=0)^n  
a_k $
```

$$\sqrt[3]{x} \quad (13)$$

```
$ root(3, x) $
```

$$f(x,y) := \begin{cases} 1 & \text{if } \frac{x \cdot y}{2} \leq 0 \\ 2 & \text{if } x \text{ is even} \\ 3 & \text{if } x \in \mathbb{N} \\ 4 & \text{else} \end{cases} \quad (14)$$

```
1 $ f(x, y) := cases(  
2   1 "if" (x dot y)/2 <= 0,  
3   2 "if" x "is even",  
4   3 "if" x in NN,  
5   4 "else",  
6 ) $
```

$$\frac{1}{2} \quad (15)$$

```
$ 1/2 $
```

$$\frac{1}{2} \quad (16)$$

```
$ frac(1,2) $
```

$$\frac{x+1}{x+2} \quad (17)$$

```
$ (x+1)/(x+2) $
```

$$\frac{(x+1)}{(x+2)} \quad (18)$$

```
$ ((x+1))/(x+2) $
```

$$\prod \quad (19)$$

```
$ product $
```

$$n! = \prod_{k=1}^n k \quad (20)$$

```
$ n!  
product_(k=1)^n k $
```

$$n! = \prod_{k=1}^n k \quad (21)$$

```
$ n! = scripts(product)_(k=1)^n  
k $
```

$$\int \quad (22)$$

```
$ integral $
```

$$\int_a^b f(x) \quad (23)$$

```
$ integral $
```

7.2.5 Alphabeth

Sym
$\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\rho\sigma\tau\upsilon\varphi\chi\psi\omega$
$\text{ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ}$

Raw
$\$alpha\ beta\ gamma\ delta\ epsilon\ zeta\ eta\ theta\ iota\ kappa\ lambda\ mu\ nu\ xi\ omicron\ pi\ rho\ sigma\ tau\ upsilon\ phi\ chi\ psi\ omega\$$
$\$Alpha\ Beta\ Gamma\ Delta\ Epsilon\ Zeta\ Eta\ Theta\ Iota\ Kappa\ Lambda\ Mu\ Nu\ Xi\ Omicron\ Pi\ Rho\ Sigma\ Tau\ Upsilon\ Phi\ Chi\ Psi\ Omega\$$

ABCDEFGHIJKLMNOPQRSTUVWXYZ AA BB CC DD EE FF GG HH II JJ KK LL MM
NN OO PP QQ RR SS TT UU VV WW XX YY ZZ

7.2.6 Logical

Sym	Raw	Sym	Raw	Sym	Raw
$\wedge$	<code>\$and\$</code>	$\bigwedge$	<code>\$and.big\$</code>	$\&$	<code>\$amp\$</code>
$\vee$	<code>\$or\$</code>	$ $	<code>\$bar.v\$</code>	$*$	<code>\$ast.op\$</code>
$*$	<code>\$ast.basic\$</code>	$*$	<code>\$ast.low\$</code>	$\oplus$	<code>\$plus.circle\$</code>
$\oplus$	<code>\$plus.circle.big\$</code>				

7.2.7 Operators

Sym	Raw	Sym	Raw	Sym	Raw
$\sin x$	<code>\$sin x\$</code>	$\cos x$	<code>\$cos x\$</code>	$\tan x$	<code>\$tan x\$</code>
$\arcsin x$	<code>\$arcsin x\$</code>	$\arccos x$	<code>\$arccos x\$</code>	$\arctan x$	<code>\$arctan x\$</code>
$\sinh x$	<code>\$sinh x\$</code>	$\cosh x$	<code>\$cosh x\$</code>	$\tanh x$	<code>\$tanh x\$</code>
$\arg x$	<code>\$arg x\$</code>	$\csc x$	<code>\$csc x\$</code>	$\deg x$	<code>\$deg x\$</code>
$\det x$	<code>\$det x\$</code>	$\dim x$	<code>\$dim x\$</code>	$\exp x$	<code>\$exp x\$</code>
$\bmod x$	<code>\$mod x\$</code>	$\inf x$	<code>\$inf x\$</code>	$\log x$	<code>\$log x\$</code>
$\lim x$	<code>\$lim x\$</code>	$\liminf x$	<code>\$liminf x\$</code>	$\limsup x$	<code>\$limsup x\$</code>
$\min x$	<code>\$min x\$</code>	$\max x$	<code>\$max x\$</code>	$\sup x$	<code>\$sup x\$</code>

7.2.8 Arrows

SymRaw	SymRaw	SymRaw
Arrows right		
$\rightarrow$ <code>\$arrow\$</code>	$\longrightarrow$ <code>\$arrow.long\$</code>	$\mapsto$ <code>\$arrow.bar\$</code>
$\mapsto$ <code>\$arrow.bar.long\$</code>	$\Rightarrow$ <code>\$arrow.double\$</code>	$\Rightarrow$ <code>\$arrow.double.long\$</code>
$\Rightarrow$ <code>\$arrow.double.bar\$</code>	$\Rightarrow$ <code>\$arrow.double.bar.long\$</code>	$\Rightarrow$ <code>\$arrow.quad\$</code>
$\Rightarrow$ <code>\$arrow.stroked\$</code>	$\Rightarrow$ <code>\$arrow.filled\$</code>	$\dashrightarrow$ <code>\$arrow.dashed\$</code>
$\hookrightarrow$ <code>\$arrow.curve\$</code>	$\rightsquigarrow$ <code>\$arrow.squiggly\$</code>	$\looparrowright$ <code>\$arrow.loop\$</code>
Arrows left		
$\leftarrow$ <code>\$arrow.l\$</code>	$\longleftarrow$ <code>\$arrow.l.long\$</code>	$\leftarrow$ <code>\$arrow.l.bar\$</code>
$\leftarrow$ <code>\$arrow.l.bar.long\$</code>	$\leftarrow$ <code>\$arrow.l.double\$</code>	$\leftarrow$ <code>\$arrow.l.double.long\$</code>
$\leftarrow$ <code>\$arrow.l.double.bar\$</code>	$\leftarrow$ <code>\$arrow.l.double.bar.long\$</code>	$\leftarrow$ <code>\$arrow.l.quad\$</code>
$\leftarrow$ <code>\$arrow.l.stroked\$</code>	$\leftarrow$ <code>\$arrow.l.filled\$</code>	$\dashleftarrow$ <code>\$arrow.l.dashed\$</code>
$\hookleftarrow$ <code>\$arrow.l.curve\$</code>	$\rightsquigarrow$ <code>\$arrow.l.squiggly\$</code>	$\looparrowleft$ <code>\$arrow.l.loop\$</code>
Double Arrows Left Right		
$\leftrightarrow$ <code>\$arrow.l.r\$</code>	$\nleftrightarrow$ <code>\$arrow.l.r.not\$</code>	$\longleftrightarrow$ <code>\$arrow.l.r.long\$</code>

$\Leftrightarrow$ `$\arrow{l.r.double}$` $\Leftrightarrow$ `$\arrow{l.r.double.long}$` $\nLeftrightarrow$ `$\arrow{l.r.double.not}$`
 $\rightleftarrows$ `$\arrow{l.r.stroked}$` $\longleftrightarrow$ `$\arrow{l.r.filled}$` $\curvearrowright$ `$\arrow{l.r.wave}$`

Arrows Top

$\uparrow$ `$\arrow{t}$` $\uparrow$ `$\arrow{t.bar}$` $\Uparrow$ `$\arrow{t.double}$`
 $\Uparrow$ `$\arrow{t.triple}$` $\Uparrow$ `$\arrow{t.quad}$` $\Uparrow$ `$\arrow{t.stroked}$`
 $\Uparrow$ `$\arrow{t.filled}$` $\Uparrow$ `$\arrow{t.dashed}$` $\nearrow$ `$\arrow{t.curve}$`

Arrows Bottom

$\downarrow$ `$\arrow{b}$` $\downarrow$ `$\arrow{b.bar}$` $\Downarrow$ `$\arrow{b.double}$`
 $\Downarrow$ `$\arrow{b.triple}$` $\Downarrow$ `$\arrow{b.quad}$` $\Downarrow$ `$\arrow{b.stroked}$`
 $\Downarrow$ `$\arrow{b.filled}$` $\Downarrow$ `$\arrow{b.dashed}$` $\searrow$ `$\arrow{b.curve}$`

Double Arrows Top Bottom

$\Updownarrow$ `$\arrow{t.b}$` $\Updownarrow$ `$\arrow{t.b.double}$` $\Updownarrow$ `$\arrow{t.b.stroked}$`
 $\Updownarrow$ `$\arrow{t.b.filled}$`

Arrows Diagonal Top Right

$\nearrow$ `$\arrow{tr}$` $\nearrow$ `$\arrow{tr.double}$` $\nearrow$ `$\arrow{tr.stroked}$`
 $\nearrow$ `$\arrow{tr.filled}$` $\nearrow$ `$\arrow{tr.hook}$`

Arrows Diagonal Bottom Right

$\searrow$ `$\arrow{br}$` $\searrow$ `$\arrow{br.double}$` $\searrow$ `$\arrow{br.stroked}$`
 $\searrow$ `$\arrow{br.filled}$` $\searrow$ `$\arrow{br.hook}$`

Arrows Diagonal Bottom Left

$\swarrow$ `$\arrow{bl}$` $\swarrow$ `$\arrow{bl.double}$` $\swarrow$ `$\arrow{bl.stroked}$`
 $\swarrow$ `$\arrow{bl.filled}$` $\swarrow$ `$\arrow{bl.hook}$`

Arrows Diagonal Top Left

$\nwarrow$ `$\arrow{tl}$` $\nwarrow$ `$\arrow{tl.double}$` $\nwarrow$ `$\arrow{tl.stroked}$`
 $\nwarrow$ `$\arrow{tl.filled}$` $\nwarrow$ `$\arrow{tl.hook}$`

Double Arrows Diagonal

$\nearrow$ `$\arrow{tl.br}$` $\nearrow$ `$\arrow{tr.bl}$`

Other Arrows

$\circlearrowright$ `$\arrow{cw}$` $\circlearrowright$ `$\arrow{cw.half}$` $\circlearrowleft$ `$\arrow{ccw}$`
 $\circlearrowleft$ `$\arrow{ccw.half}$`

7.2.9 Angles

Sym	Raw	Sym	Raw	Sym	Raw
$\angle$	<code>\$\angle\$</code>	$\sphericalangle$	<code>\$\angle.rev\$</code>	$\sphericalangle$	<code>\$\angle.acute\$</code>
$\sphericalangle$	<code>\$\angle.acute\$</code>	$\sphericalangle$	<code>\$\angle.arc\$</code>	$\sphericalangle$	<code>\$\angle.arc.rev\$</code>
$\langle$	<code>\$\angle.l\$</code>	$\rangle$	<code>\$\angle.r\$</code>	$\langle\langle$	<code>\$\angle.l.double\$</code>
$\rangle\rangle$	<code>\$\angle.r.double\$</code>	$\perp$	<code>\$\angle.right\$</code>	$\perp$	<code>\$\angle.right.rev\$</code>

	<code>\$angle.right.arc\$</code>		<code>\$angle.right.dot\$</code>		<code>\$angle.right.sq\$</code>
	<code>\$angle.spheric\$</code>		<code>\$angle.spheric.rev\$</code>		<code>\$angle.spheric.top\$</code>

7.2.10 Cool Symbols

Sym	Raw	Sym	Raw	Sym	Raw
@	<code>\$at\$</code>	%	<code>\$co\$</code>	©	<code>\$copyright\$</code>
Ⓒ	<code>\$copyright.sound\$</code>	°C	<code>\$degree C\$</code>	€	<code>\$euro\$</code>
\$	<code>\$dollar\$</code>	£	<code>\$pound\$</code>	₩	<code>\$won\$</code>
¥	<code>\$yen\$</code>	฿	<code>\$bitcoin\$</code>	°F	<code>\$degree F\$</code>
!	<code>\$excl\$</code>	¡	<code>\$excl.inv\$</code>	!!	<code>\$excl.double\$</code>
!?	<code>\$excl.quest\$</code>	↯	<code>\$arrow.zigzag\$</code>	⊗	<code>\$ast.circle\$</code>
⚙	<code>\$ast.triple\$</code>	χ	<code>\$chi\$</code>	⌘	<code>\$floral\$</code>
⦿	<code>\$maltese\$</code>	¶	<code>\$pilcrow\$</code>	ℏ	<code>\$planck\$</code>
♣	<code>\$suit.club\$</code>	♦	<code>\$suit.diamond\$</code>	♥	<code>\$suit.heart\$</code>
♠	<code>\$suit.spade\$</code>	△	<code>\$triangle.stroked.nested2\$</code>		

7.2.11 Style

Sym	Raw	Sym	Raw
<i>ABC</i> 123	<code>\$sans(A B C 1 2 3)\$</code>	ℳℳℳ123	<code>\$frak(A B C 1 2 3)\$</code>
ABC123	<code>\$mono(A B C 1 2 3)\$</code>	ABC123	<code>\$bb(A B C 1 2 3)\$</code>
<i>ABC</i> 123	<code>\$cal(A B C 1 2 3)\$</code>		

Sym	Raw
-----	-----

$\sum_{i \in \mathbb{N}} 1 + i$

```
1 #show math.equation: set text(font: "Cambria Math")
2 $sum_(i in NN) 1 + i$,
```

8 | Emoji Symbols

This is an incomplete list for all emoji goto [here](#)

If the emoji module is imported the `#emoji` can be removed

```
1 #import emoji: *
```

Sym Raw

Sym Raw

Smileys

Sym Raw

	<code>#emoji.face</code>		<code>#emoji.baby</code>		<code>#emoji.alien</code>
	<code>#emoji.alien.monster</code>		<code>#emoji.alien.monster</code>		<code>#emoji.eye</code>
	<code>#emoji.eyes</code>		<code>#emoji.face.grin</code>		<code>#emoji.face.angry</code>
	<code>#emoji.face.angry.red</code>		<code>#emoji.face.anguish</code>		<code>#emoji.face.astonish</code>
	<code>#emoji.face.bandage</code>		<code>#emoji.face.beam</code>		<code>#emoji.face.concern</code>
	<code>#emoji.face.cool</code>		<code>#emoji.face.cover</code>		<code>#emoji.face.down</code>
	<code>#emoji.face.down.sweat</code>		<code>#emoji.face.drool</code>		<code>#emoji.face.explode</code>
	<code>#emoji.face.eyeroll</code>		<code>#emoji.face.friendly</code>		<code>#emoji.face.fear</code>
	<code>#emoji.face.fear.sweat</code>		<code>#emoji.face.fever</code>		<code>#emoji.face.flush</code>
	<code>#emoji.face.halo</code>		<code>#emoji.face.happy</code>		<code>#emoji.face.heart</code>
	<code>#emoji.face.hearts</code>		<code>#emoji.face.heat</code>		<code>#emoji.face.kiss</code>
	<code>#emoji.face.kiss.heart</code>		<code>#emoji.face.kiss.blush</code>		<code>#emoji.face.joy</code>
	<code>#emoji.face.lie</code>		<code>#emoji.face.mask</code>		<code>#emoji.face.meh</code>
	<code>#emoji.face.melt</code>		<code>#emoji.face.neutral</code>		<code>#emoji.face.party</code>
	<code>#emoji.face.peek</code>		<code>#emoji.face.plead</code>		<code>#emoji.face.relief</code>
	<code>#emoji.face.vomit</code>		<code>#emoji.face.unhappy</code>		<code>#emoji.face.wow</code>
	<code>#emoji.face.yawn</code>		<code>#emoji.face.wink</code>		<code>#emoji.face.zip</code>
	<code>#emoji.finger.l</code>		<code>#emoji.finger.t</code>		<code>#emoji.finger.b</code>
	<code>#emoji.finger.m</code>		<code>#emoji.finger.front</code>		<code>#emoji.fingers.cross</code>
	<code>#emoji.fingers.pinch</code>		<code>#emoji.fingers.snap</code>		<code>#emoji.fist.front</code>
	<code>#emoji.fist.r</code>		<code>#emoji.fist.l</code>		<code>#emoji.fist.raised</code>
	<code>#emoji.glasses</code>		<code>#emoji.glasses.sun</code>		<code>#emoji.hand.raised</code>
	<code>#emoji.hand.r</code>		<code>#emoji.hand.l</code>		<code>#emoji.hand.t</code>

Sym Raw

 #emoji.hand.b
 #emoji.hand.love
 #emoji.hand.pinch
 #emoji.hand.write
 #emoji.hands.heart

Sym Raw

 #emoji.hand.ok
 #emoji.hand.part
 #emoji.hand.rock
 #emoji.hands.folded
 #emoji.hands.shake

Sym Raw

 #emoji.hand.call
 #emoji.hand.peace
 #emoji.hand.wave
 #emoji.hands.clap
 #emoji.hand.splay

Drinks

Sym Raw

 #emoji.beer
 #emoji.coffee
 #emoji.glass.clink
 #emoji.teacup

Sym Raw

 #emoji.beer.clink
 #emoji.cup.straw
 #emoji.glass.milk
 #emoji.mate

Sym Raw

 #emoji.cocktail.tropical
 #emoji.glass.tumbler
 #emoji.teapot
 #emoji.soup

Animals

Sym Raw

 #emoji.ant
 #emoji.beetle
 #emoji.beetle.lady
 #emoji.bison
 #emoji.butterfly
 #emoji.cat
 #emoji.chipmunk
 #emoji.crocodile
 #emoji.dodo
 #emoji.duck
 #emoji.fairy
 #emoji.flamingo
 #emoji.giraffe

Sym Raw

 #emoji.badger
 #emoji.bee
 #emoji.beaver
 #emoji.boar
 #emoji.camel
 #emoji.chicken
 #emoji.cockroach
 #emoji.dino.pod
 #emoji.dog
 #emoji.egg
 #emoji.feather
 #emoji.fly
 #emoji.hedgehog

Sym Raw

 #emoji.bat
 #emoji.beetle
 #emoji.bear
 #emoji.bug
 #emoji.camel.dromedar
 #emoji.chicken.male
 #emoji.cricket
 #emoji.dino.rex
 #emoji.dolphin
 #emoji.elephant
 #emoji.fish
 #emoji.goat
 #emoji.hippo

Flowers

Sym Raw

 #emoji.fleur
 #emoji.flower.pink

Sym Raw

 #emoji.flower.hibiscus
 #emoji.flower.rose

Sym Raw

 #emoji.flower.lotus
 #emoji.flower.sun

Sym Raw

 `#emoji.flower.wilted`

Sym Raw

 `#emoji.flower.yellow`

Sym Raw

 `#emoji.plant`

Food

Sym Raw

 `#emoji.avocado` `#emoji.broccoli` `#emoji.carrot` `#emoji.cucumber`

Sym Raw

 `#emoji.aubergine` `#emoji.burger` `#emoji.chocolate` `#emoji.fries`

Sym Raw

 `#emoji.banana` `#emoji.cake.slice` `#emoji.corn` `#emoji.honey`

Objects

Sym Raw

 `#emoji.bin` `#emoji.books` `#emoji.bell` `#emoji.broom` `#emoji.cabinet.file` `#emoji.compass`

Sym Raw

 `#emoji.bomb` `#emoji.book` `#emoji.bell.not` `#emoji.brush` `#emoji.chair` `#emoji.comet`

Sym Raw

 `#emoji.bone` `#emoji.book.open` `#emoji.briefcase` `#emoji.bubbles` `#emoji.coffin` `#emoji.hook`

Sport

Sym Raw

 `#emoji.baseball` `#emoji.chess`

Sym Raw

 `#emoji.billiards` `#emoji.climbing`

Sym Raw

 `#emoji.boxing` `#emoji.football`

Vehicles

Sym Raw

 `#emoji.airplane` `#emoji.boat.sail` `#emoji.car` `#emoji.ship`

Sym Raw

 `#emoji.bike` `#emoji.boat.speed` `#emoji.car.front` `#emoji.motorcycle`

Sym Raw

 `#emoji.boat` `#emoji.cablecar` `#emoji.car.racing` `#emoji.wheelchair.motor`

Building

Sym Raw

 `#emoji.castle.eu` `#emoji.factory` `#emoji.house`

Sym Raw

 `#emoji.castle.jp` `#emoji.hospital` `#emoji.museum`

Sym Raw

 `#emoji.circus` `#emoji.office` `#emoji.crane`

Weather

Sym Raw

Sym Raw

Sym Raw

Sym Raw

	<code>#emoji.cloud</code>
	<code>#emoji.cloud.snow</code>
	<code>#emoji.cloud.sun.hidden</code>
	<code>#emoji.drop</code>

Sym Raw

	<code>#emoji.cloud.dust</code>
	<code>#emoji.cloud.storm</code>
	<code>#emoji.cloud.sun.rain</code>
	<code>#emoji.drops</code>

Sym Raw

	<code>#emoji.cloud.rain</code>
	<code>#emoji.cloud.sun</code>
	<code>#emoji.cloud.thunder</code>
	<code>#emoji.sun</code>

Special

Sym Raw

✓	<code>#emoji.checkmark.heavy</code>
	<code>#emoji.circle.white</code>
✗	<code>#emoji.crossmark</code>
	<code>#emoji.explosion</code>
	<code>#emoji.flag.white</code>
	<code>#emoji.flag.red</code>
	<code>#emoji.globe.eu.af</code>
	<code>#emoji.notes</code>

Sym Raw

	<code>#emoji.checkmark.box</code>
	<code>#emoji.circle.stroked</code>
	<code>#emoji.crossmark.box</code>
	<code>#emoji.fire</code>
	<code>#emoji.flag.black</code>
	<code>#emoji.globe.am</code>
	<code>#emoji.globe.meridian</code>
	<code>#emoji.notes.triple</code>

Sym Raw

	<code>#emoji.circle.black</code>
©	<code>#emoji.copyright</code>
!	<code>#emoji.excl</code>
	<code>#emoji.firecracker</code>
	<code>#emoji.flag.goal</code>
	<code>#emoji.globe.as.au</code>
#	<code>#emoji.hash</code>
*	<code>#emoji.ast</code>

Technology

Sym Raw

	<code>#emoji.battery</code>
	<code>#emoji.brightness.low</code>
	<code>#emoji.calendar</code>
	<code>#emoji.cassette</code>
	<code>#emoji.clamp</code>
	<code>#emoji.clock.alarm</code>
	<code>#emoji.controller</code>
	<code>#emoji.email</code>
	<code>#emoji.folder</code>
	<code>#emoji.hammer</code>
	<code>#emoji.laptop</code>

Sym Raw

	<code>#emoji.battery.low</code>
	<code>#emoji.bubble.speech.l</code>
	<code>#emoji.camera</code>
	<code>#emoji.clip</code>
	<code>#emoji.clock.one</code>
	<code>#emoji.computer</code>
	<code>#emoji.crab</code>
	<code>#emoji.floppy</code>
	<code>#emoji.folder.open</code>
	<code>#emoji.hammer.wrench</code>

Sym Raw

	<code>#emoji.brightness.high</code>
	<code>#emoji.bubble.speech.r</code>
	<code>#emoji.camera.movie</code>
	<code>#emoji.clipboard</code>
	<code>#emoji.clock.two</code>
	<code>#emoji.computermouse</code>
	<code>#emoji.disc.cd</code>
	<code>#emoji.flashlight</code>
	<code>#emoji.gear</code>
	<code>#emoji.headphone</code>

Glossary

FPGA – **Field Programmable Gate Array**: A field-programmable gate array (FPGA) is an integrated circuit designed to be configured by a customer or a designer after manufacturing – hence the term 'field-programmable'. [30](#), [30](#), [30](#)

HEI – **Haute École d'Ingénierie** [30](#), [30](#), [30](#), [30](#), [30](#)

IT – **Infotronics** [30](#), [30](#)

SYND – **Systems Engineering** [30](#), [30](#), [30](#)

Bibliography

- [1] S. Zahno *et al.*, « Dynamic Project Planning with Digital Twin », *Frontiers in Manufacturing Technology*, vol. 3, mai 2023, doi: [10.3389/fmtec.2023.1009633](https://doi.org/10.3389/fmtec.2023.1009633).