

Guide to Typst

26.06.2024 - v1.0 0 - for typist v0.11.1

tschinz

whynotlogic@gmail.com

HEI-Vs

Contents

1 Introduction	4
2 Installation	5
2.1 With cargo	5
2.2 MacOS	5
2.3 Linux	5
2.4 Windows	5
3 Formatting	6
3.1 Markup	6
3.2 Page Formatting	6
3.3 Space	6
3.4 Text Formatting	7
4 Elements	10
4.1 Headings	10
4.2 Lists	10
4.3 Custom Lists	11
4.4 Images	11
4.4.1 Alignment	11
4.4.2 Caption	12
4.4.3 Cluster	12
4.5 Tables	14
4.5.1 Karnaugh Tables	16
4.6 Icon Boxes	17
4.7 Color Boxes	18
4.8 Title Box	19
4.9 Exam Header	20
4.10 Exam Reminder	22
4.11 Exercise Message	24
5 References	26
5.1 Links	26
5.2 Crossreferences	26
5.3 External References	26
5.4 Glossary	27

5.5 Acronym	27
6 Code	28
7 Math Equations	30
7.1 Align	30
7.2 Symbols	30
7.2.1 Accents	31
7.2.2 Equals & Operators	31
7.2.3 Scripts	31
7.2.4 Special Elements	31
7.2.5 Alphabeth	32
7.2.6 Logical	33
7.2.7 Operators	33
7.2.8 Arrows	33
7.2.9 Angles	35
7.2.10 Cool Symbols	35
7.2.11 Style	35
8 Emoji Symbols	37
Bibliography	38

Figures

Figure 1: ZNotes Icon	12
Figure 2: Multiple images one caption	12
Figure 3: Multiple images one caption	12
Figure 4: Caption left image	13
Figure 5: Caption right image	13
Figure 6: Caption topleft image	13
Figure 7: Caption topright image	13
Figure 8: Caption bottomleft image	13
Figure 9: Caption bottomright image	13
Figure 14: Some proof	30

Tables

Table 1: Table caption	14
Table 2: Links	26

Listings

Listing 1: Label inserts	26
Listing 2: Rust Code	28

Equations

Equation (1)	30
Equation (2)	30
Equation (3)	30
Equation (4)	30
Equation (5)	32
Equation (6)	32
Equation (7)	32
Equation (8)	32
Equation (9)	32
Equation (10)	32
Equation (11)	32
Equation (12)	32
Equation (13)	32
Equation (14)	32
Equation (15)	32
Equation (16)	32
Equation (17)	32
Equation (18)	32
Equation (19)	32
Equation (20)	32
Equation (21)	32
Equation (22)	32
Equation (23)	32

1 | Introduction

The goal of this document is to have the most common used elements for the markup language **typst** readily available. A detailed documentation can be found on their website: <https://typst.app/docs> It is to note that these are **my** most common used elements. For some elements custom templates are needed:

- [tablex](#)
- [myref](#)
- all files in the **00-templates/** folder such as
 - **boxes.typ**
 - **constants.typ**
 - **helpers.typ**
 - **items.typ**
 - **metadata.typ**
 - **template-***

2 | Installation

2.1 With cargo

If you use already the **rust** programming language then you can use rust to install the latest toolchain.

```
# install rust and cargo
curl https://sh.rustup.rs -sSf | sh

# install typst
cargo install --git https://github.com/typst/typst
```

2.2 MacOS

On MacOS you can use **homebrew**

```
# install homebrew
/bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"

# install typst
brew install typst
```

2.3 Linux

In Linux you can use the commonly available package manager

```
brew install typst
pacman -S typst
xbps-install typst
sudo apt-get install typst
```

2.4 Windows

On Windows you can use **chocolatey**. See: <https://chocolatey.org/install>

```
# install chocolatey
# ensure to use a administrative powershell
Set-ExecutionPolicy Bypass -Scope Process -
Force; [System.Net.ServicePointManager]::SecurityProtocol =
[System.Net.ServicePointManager]::SecurityProtocol -bor 3072; iex ((New-Object
System.Net.WebClient).DownloadString('https://community.chocolatey.org/install.ps
1'))

# install typst
choco install typst
```

3 | Formatting

3.1 Markup

Name	Example	Raw
Singleline Comment		//
Multiline Comment		/* */
Paragraph break		blankline
Line break		\
bold	bold	*bold*
italic	<i>italic</i>	_italic_
monospaced	monospaced	`monospaced`
math	$x = 1$	\$x=1\$
lowercase	lower	#lower("LoWeR")
uppercase	UPPER	#upper("UpPeR")
smallcaps	SMALLCAPS	#smallcaps("SmallCaps")
smartquote	“test”	#smartquote()test#smartquote()
overline	<u>overline</u>	#overline("overline")
underline	<u>underline</u>	#underline("underline")
strike	strike	#strike("strike")
sub	Text _{sub}	Text#sub("sub")
super	Text ^{super}	Text#super("super")
Label		<label>
Reference		@label

3.2 Page Formatting

```
#pagebreak() // pagebreak
#parbreak() // parbreak
\ // linebreak
```

3.3 Space

A

B

A #h(5cm) B,

C

C #v(0.2cm) D

D

3.4 Text Formatting

For the custom textsizes and colors you need to import:

```
#import "../01-tail/constants.typ": *
```

Name	Example	Raw
Sizes	8pt text tiny text	<code>text(8pt, "8pt text")</code> <code>text(tiny "tiny text")</code>
	9pt text smaller text	<code>text(9pt, "9pt text")</code> <code>text(smaller "smaller text")</code>
	10pt text small text	<code>text(10pt, "10pt text")</code> <code>text(small "small text")</code>
	11pt text normal text	<code>text(11pt, "11pt text")</code> <code>text(normal "normal text")</code>
	14pt text large text	<code>text(14pt, "14pt text")</code> <code>text(large "large text")</code>
	16pt text larger text	<code>text(16pt, "16pt text")</code> <code>text(larger "larger text")</code>
	24pt text huge text	<code>text(24pt, "24pt text")</code> <code>text(huge "huge text")</code>
Types	36pt text huger text	<code>text(36pt, "36pt text")</code> <code>text(huger "huger text")</code>
	Fira Sans	<code>text(font:"Fira Sans", "Fira Sans")</code>
	Fira Mono	<code>text(font:"Fira Mono", "Fira Mono")</code>
	Source Sans Pro	<code>text(font:"Source Sans Pro", "Source Sans Pro")</code>
	New Computer Modern	<code>text(font:"New Computer Modern", "New Computer Modern")</code>
	New Computer Modern Sans	<code>text(font:"New Computer Modern Sans", "New Computer Mo")</code>

Alignment	start	<code>align(start){start}</code>
	end	<code>align(end){end}</code>
	left	<code>align(left){left}</code>
	center	<code>align(center){center}</code>
	right	<code>align(right){right}</code>
	top	<code>align(top){top}</code>
	horizon	<code>align(horizon){horizon}</code>
	bottom	<code>align(bottom){bottom}</code>
	center + horizon	<code>align(center + horizon){center + horizon}</code>

Colors	black	<code>#text(fill:black)[black]</code>
	red	<code>#text(fill:red)[red]</code>
	green	<code>#text(fill:green)[green]</code>
	blue	<code>#text(fill:blue)[blue]</code>
	purple	<code>#text(fill:purple)[purple]</code>
	gray-80	<code>#text(fill:gray-80)[gray-80]</code>
	gray-70	<code>#text(fill:gray-70)[gray-70]</code>
	gray-60	<code>#text(fill:gray-60)[gray-60]</code>
	gray-50	<code>#text(fill:gray-50)[gray-50]</code>
	gray-40	<code>#text(fill:gray-40)[gray-40]</code>
	gray-30	<code>#text(fill:gray-30)[gray-30]</code>
	gray-20	<code>#text(fill:gray-20)[gray-20]</code>
	gray-10	<code>#text(fill:gray-10)[gray-10]</code>
	hei-orange	<code>#text(fill:hei-orange)[hei-orange]</code>
	hei-blue	<code>#text(fill:hei-blue)[hei-blue]</code>
	hei-pink	<code>#text(fill:hei-pink)[hei-pink]</code>
	hei-yellow	<code>#text(fill:hei-yellow)[hei-yellow]</code>
	hei-green	<code>#text(fill:hei-green)[hei-green]</code>
	spl-green	<code>#text(fill:spl-green)[spl-green]</code>
	spl-blue	<code>#text(fill:spl-blue)[spl-blue]</code>
	spl-pink	<code>#text(fill:spl-pink)[spl-green]</code>
	color-info	<code>#text(fill:color-info)[color-info]</code>
	color-idea	<code>#text(fill:color-idea)[color-idea]</code>
	color-warning	<code>#text(fill:color-warning)[color-warning]</code>
	color-important	<code>#text(fill:color-important)[color-important]</code>
	color-fire	<code>#text(fill:color-fire)[color-fire]</code>
	color-rocket	<code>#text(fill:color-rocket)[color-rocket]</code>
	color-todo	<code>#text(fill:color-todo)[color-todo]</code>
	code-bg	<code>#text(fill:code-bg)[code-bg]</code>
	code-border	<code>#text(fill:code-border)[code-border]</code>

4 | Elements

4.1 Headings

```
= Heading 1
== Heading 1.1
=== Heading 1.1.1
==== Heading 1.1.1.1
...
```

4.2 Lists

- First
- Second
- Third

```
- First
- Second
- Third
```

- First
 - Second
 - Third

```
- First
- Second
- Third
```

- First
- Second
- Third

```
- First
- Second
- Third
```

- First
- Second
- Third

```
list(
  [First],
  [Second],
  [Third],
)
```

1. First
 1. Second
 2. Third
- Text
4. Fourth
 5. Fifth

```
+ First
+ Second
+ Third
Text
4. Fourth
+ Fifth
```

1. First
 - a) Second
 2. Third
- Text
4. Fourth
 5. Fifth

```
+ First
#set enum(numbering: "a")
+ Second
+ Third
Text
```

4. Fourth
+ Fifth

4.3 Custom Lists

```
#import "../00-templates/items.typ": *
```


- ☑ item-list
- ⚙ item-checkbadge
- ☑ item-checkcircle
- ☑ item-checksquare
- ✓ item-check
- 📁 item-file
- 📁 item-folder
- ⊗ item-xcircle
- ⊗ item-xsquare
- × item-x

```
#item-list(content:"item-list")
#item-checkbadge(content:"item-checkbadge")
#item-checkcircle(content:"item-checkcircle")
#item-checksquare(content:"item-checksquare")
#item-check(content:"item-check")
#item-file(content:"item-file")
#item-folder(content:"item-folder")
#item-xcircle(content:"item-xcircle")
#item-xsquare(content:"item-xsquare")
#item-x(content:"item-x")
```

4.4 Images

4.4.1 Alignment

left



```
#image("../04-resources/icon.svg",
width: 2cm)
```

center



```
#align(center,
image("../04-resources/icon.svg",
width: 2cm)
)
```

right



```
#align(right,
  image("../04-resources/icon.svg",
    width: 2cm)
)
```

4.4.2 Caption




Figure 1: ZNotes Icon

```
#figure(
  image("../04-resources/icon.svg",
    width: 2cm),
  caption: [ZNotes Icon]
) <fig-icon>
```

4.4.3 Cluster

Two images one caption




Figure 2: Multiple images **one** caption

```
#figure(
  tablex(
    columns: 2,
    stroke: none,
    align: center + horizon,
    image(icon, width: 2cm), image(icon, width: 2cm)
  ),
  caption: [Multiple images *one* caption]
)
```

Four images one caption




Figure 3: Multiple images **one** caption

```
#figure(
  tablex(
    columns: 2,
    stroke: none,
    align: center + horizon,
    image(icon, width: 2cm), image(icon, width: 2cm),
    image(icon, width: 2cm), image(icon, width: 2cm),
  ),
  caption: [Multiple images *one* caption]
)
```

Two images two caption




Figure 4: Caption left image



Figure 5: Caption right image

```
#align(center,
  tablex(
    columns: 2,
    stroke: none,
    align: center + horizon,
    figure(image(icon, width: 2cm), caption: [Caption left image]), figure(image(icon,
    width: 2cm), caption: [Caption right image]),
  ))
```

Four images four caption




Figure 6: Caption topleft image




Figure 7: Caption topright image



Figure 8: Caption bottomleft image



Figure 9: Caption bottomright image

```
#align(center,
  tablex(
    columns: 2,
    stroke: none,
    align: center + horizon,
```

```

figure(image(icon, width: 2cm), caption: [Caption topleft image]),
figure(image(icon, width: 2cm), caption: [Caption topright image]),
figure(image(icon, width: 2cm), caption: [Caption bottomleft image]),
figure(image(icon, width: 2cm), caption: [Caption bottomright image]),
))

```

4.5 Tables

For all **#tablex** command the appropriate module needs to be imported

```
#import "../00-templates/tablex.typ": *
```

Tables with and without caption

	Col1	Col2
Row1	cell-0-0	cell-1-0
Row2	cell-0-1	cell-1-1

	Col1	Col2
Row1	cell-0-0	cell-1-0
Row2	cell-0-1	cell-1-1

Table 1: Table caption

```

tablex(
  columns: 3,
  align: center + horizon,
  [
    , [*Col1*] , [*Col2*],
    [*Row1*], "cell-0-0", "cell-1-0",
    [*Row2*], "cell-0-1", "cell-1-1",
  ]
)

```

```

figure(
  tablex(
    columns: 3,
    align: center + horizon,
    [
      , [*Col1*] , [*Col2*],
      [*Row1*], "cell-0-0", "cell-1-0",
      [*Row2*], "cell-0-1", "cell-1-1",
    ],
  ),
  kind: table,
  caption: [Table Caption]
)

```

Tables with cell spans

	Col1	Col2
Row1	cell-0	cell-1-0
Row2		cell-1-1

	Col1	Col2
Row1	cell-0	
Row2	cell-0-1	cell-1-1

```

tablex(
  columns: 3,
  align: center + horizon,
  [
    , [*Col1*] , [*Col2*],
    [*Row1*], rowspanx(2)[cell-0],
    "cell-1-0",
    [*Row2*], "cell-1-1"
  ]
)

```

```

tablex(
  columns: 3,
  align: center + horizon,
  [
    , [*Col1*] , [*Col2*],
    [*Row1*], colspanx(2)[cell-0],
    [*Row2*], "cell-0-1", "cell-1-1",
  ]
)

```

Table Design

	Col1	Col2
Row1	cell-0-0	cell-1-0
Row2	cell-0-1	cell-1-1

	Col1	Col2
Row1	cell-0-0	cell-1-0
Row2	cell-0-1	cell-1-1

```
tablex(  
  columns: 3,  
  auto-vlines: false,  
  align: center + horizon,  
  [], [*Col1*] , [*Col2*],  
  [*Row1*], "cell-0-0", "cell-1-0",  
  [*Row2*], "cell-0-1", "cell-1-1",  
)
```


```
tablex(  
  columns: 3,  
  auto-hlines: false,  
  align: center + horizon,  
  [], [*Col1*] , [*Col2*],  
  [*Row1*], "cell-0-0", "cell-1-0",  
  [*Row2*], "cell-0-1", "cell-1-1",  
)
```

	Col1	Col2
Row1	cell-0-0	cell-1-0
Row2	cell-0-1	cell-1-1

```
#tablex(  
  columns: 3,  
  auto-lines: false,  
  align: center + horizon,  
  (), vlinex(stroke: blue) , vlinex(), (),  
  [], [*Col1*] , [*Col2*], hlinex(stroke: red),  
  [*Row1*], "cell-0-0", "cell-1-0", hlinex(),  
  [*Row2*], "cell-0-1", "cell-1-1",  
)
```

<i>c</i>	<i>b</i>	<i>a</i>	<i>cb</i>	<i>ba</i>	<i>y</i>
0	0	0	0	0	0
0	0	1	0	0	1
0	1	0	0	0	0
0	1	1	0	1	0
1	0	0	0	0	0
1	0	1	0	0	1
1	1	0	1	0	1
1	1	1	1	1	1

```
#tablex(  
  columns: 6,  
  auto-vlines: false,
```

,

```
#karnaugh(inputs: ($Q_0$, $Q_1$, $Q_2$, $Q_3$, $Q_4$),
            output: [$Q_0^+$],
            content: ((1, 0, 0, 0),
                      (1, 0, 1, 1),
                      (1, 0, 1, 1),
                      (1, 0, 0, 1),

                      (1, 0, 0, 1),
                      (1, 0, 0, 1),
                      (1, 1, 0, 1),
                      (1, 1, 0, 1)))
```

4.6 Icon Boxes

```
#import "../00-templates/boxes.typ": *
```



```
#infobox()["infobox"]
```



```
#ideabox() ["ideabox"]
```



```
#warningbox() ["warningbox"]
```



```
#importantbox()["importantbox"]
```



```
#firebox()["firebox"]
```



```
#rocketbox()["rocketbox"]
```



```
#todobox()["todobox"]
```



```
#iconbox(icon:"../04-resources/placeholder.svg", linecolor:
hei-blue)["iconbox"]
```

```
#iconbox(linecolor: hei-pink)["iconbox without icon"]
```

4.7 Color Boxes

```
#import "../00-templates/boxes.typ": *
```

Exercise

Some text

```
#colorbox( title: "Exercise", color:hei-blue)[Some text]
```

Attention

Some text

```
#colorbox( title: "Attention", color:hei-pink)[Some text]
```

Consider

Some text

```
#slantedColorbox( title: "Consider", color:hei-green)[Some text]
```

Information

Some text

```
#slantedColorbox( title: "Information", color:hei-orange)[Some text]
```

4.8 Title Box

```
#import "../00-templates/sections.typ": *
```

Title

Subtitle

```
#titlebox(title:[Title], subtitle:[Subtitle])
```

Title

Subtitle

```
#titlebox(width:50%, radius:0pt, border:1pt, linecolor: hei-blue, titlesize: larger,
subtitle: large, title:[Title], subtitle:[Subtitle])
```

Title

```
#titlebox(linecolor: hei-green, titlesize: larger, subtitlesize: large, title:[Title])
```

4.9 Exam Header

```
#import "../00-templates/sections.typ": *
```

Name:

```
#exam_header(nbrEx:0, lang: "en")
```

Name:

Grade

```
#exam_header(nbrEx:1, lang: "en")
```

Name:

1 Grade

(10)

```
#exam_header(nbrEx:2, pts:10, lang: "en")
```

Name:

1 2 Grade

(10)

(10)

```
#exam_header(nbrEx:3, pts:10, lang: "en")
```

1 2 3 Grade

Name:

(10)	(10)	(10)	

```
#exam_header(nbrEx:4, pts:10, lang: "en")
```

Name:

1	2	3	4	Grade
(10)	(10)	(10)	(10)	

```
#exam_header(nbrEx:5, pts:10, lang: "en")
```

Name:

1	2	3	4	5	Grade
(10)	(10)	(10)	(10)	(10)	

```
#exam_header(nbrEx:6, pts:10, lang: "en")
```

Name:

1	2	3	4	5	6	Grade
(10)	(10)	(10)	(10)	(10)	(10)	

```
#exam_header(nbrEx:7, pts:10, lang: "en")
```

Name:

1	2	3	4	5	6	7	Grade
(10)	(10)	(10)	(10)	(10)	(10)	(10)	

```
#exam_header(nbrEx:8, pts:10, lang: "en")
```

Name:

1	2	3	4	5	6	7	8	Grade
(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	

```
#exam_header(nbrEx:9, pts:10, lang: "en")
```

1	2	3	4	5	6	7	8	9	Grade
---	---	---	---	---	---	---	---	---	-------

Name:

(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)	(10)

```
#exam_header(nbrEx:10, pts:10, lang: "en")
```

4.10 Exam Reminder

```
#import "../00-templates/sections.typ": *
```

**Exam Reminder:**

You can only use the following items:

- a laptop without internet connection
- a pocketcalculator
- all paper documents you want

It is forbidden to use generative AI.

Good Luck!

```
#exam_reminder_did(lang: "en")
```

**Prüfungserinnerung:**

Sie können nur die folgenden Gegenstände verwenden:

- ein Laptop ohne Internetanschluss
- einen Taschenrechner
- alle Papirdokumente

Es ist verboten, generative KI zu verwenden.

Viel Glück!

```
#exam_reminder_did(lang: "de")
```

Rappel d'examen :

Vous ne pouvez utiliser que les éléments suivants :



- un ordinateur portable sans connexion internet
- une calculatrice de poche
- tous les documents papier que vous souhaitez

Il est interdit d'utiliser l'IA générative.

Bonne chance!

```
#exam_reminder_did(lang: "fr")
```

Exam Reminder:

You can only use the following items:



- the two-page summary you created.
- a pocketcalculator

In addition, properly comment all high-level and assembler code to explain its purpose and how it fits into the program structure.

Good Luck!

```
#exam_reminder_car(lang: "en")
```

Prüfungserinnerung:

Sie können nur die folgenden Elemente verwenden:



- die zweiseitige Zusammenfassung, die Sie erstellt haben.
- einen Taschenrechner

Kommentieren Sie ausserdem den gesamten High-Level- und Assembler-Code ordnungsgemäss aus, um seinen Zweck und seine Einbindung in die Programmstruktur zu erklären.

Viel Glück!

```
#exam_reminder_car(lang: "de")
```

Rappel d'examen :

Vous ne pouvez utiliser que les éléments suivants :

- le résumé de deux pages que vous avez créé.
- une calculatrice de poche

Commenter également tout le code de haut niveau et le code assembleur de manière appropriée afin d'expliquer son but et son intégration dans la structure du programme.

Bonne chance!

```
#exam_reminder_car(lang: "fr")
```

4.11 Exercise Message

```
#import "../00-templates/sections.typ": *
```

**Solution vs. Hints:**

While not every response provided herein constitutes a comprehensive solution, some serve as helpful hints intended to guide you toward discovering the solution independently. In certain instances, only a portion of the solution is presented.

```
#exercises_solution_hints(lang: "en")
```

**Lösung vs. Hinweise:**

Nicht alle hier gegebenen Antworten sind vollständige Lösungen. Einige dienen lediglich als Hinweise, um Ihnen bei der eigenständigen Lösungsfindung zu helfen. In anderen Fällen wird nur ein Teil der Lösung präsentiert.

```
#exercises_solution_hints(lang: "de")
```

**Solution vs. Hints:**

Toutes les réponses fournies ici ne sont pas des solutions complètes. Certaines ne sont que des indices pour vous aider à trouver la solution vous-même. Dans d'autres cas, seule une partie de la solution est fournie.

```
#exercises_solution_hints(lang: "fr")
```

5 | References

5.1 Links

Example	Raw
https://example.com	<code>https://example.com</code>
https://example.com	<code>#link("https://example.com")</code>
See example.com	<code>#link("https://example.com")[See example.com]</code>
whynotlogic@gmail.com	<code>#link("mailto:whynotlogic@gmail.com")[whynotlogic\@gmail.com]</code>
	<code>#link("https://tschinz.github.io/znotes")[#image(icon, width:0.5cm)]</code>

Table 2: Links

5.2 Crossreferences

In the document the following references were added.

```
= References <sec-ref>
== Links <sec-links>
#figure(image("../04-resources/icon.svg", width: 2cm)) <fig-icon>
#figure(tablex(...), kind:table) <tab-links>
#figure(align(left, raw(...)) <code-ref>
$ sum_(k=1)^n k = (n(n+1)) / 2 $ <math-eq1> #ref(<math-eq1>)
```

Listing 1: Label inserts

They can be references as follows:

Type	Example	Raw
Section	Section 5	<code>@sec-ref</code>
Subsection	Section 5.1	<code>@sec-links</code>
Figure	Figure 1	<code>@fig-icon</code>
Table	Table 2	<code>@tab-links</code>
Code	Listing 1	<code>@code-ref</code>
Equation	Equation 1	<code>@math-eq1</code>

5.3 External References

Example	Raw
[1]	<code>#cite(label("stateoftheArt"))</code>
[1, p.7ff]	<code>#cite(<stateoftheArt>, supplement: [p.7ff])</code>

[1]

@stateoftheArt

5.4 Glossary

The glossary entries need to be defined in **03-tail/glossary.typ**. For the glossary functions the “import” of **00-templates/helpers.typ** is needed.

```
#import "../00-templates/helpers.typ": *
#import "../03-tail/glossary.typ": *
```

Example

Scrum

Scrum is an agile process framework for managing complex knowledge work, with an initial emphasis on software development, although it has been used in other fields and is slowly starting to be explored for other complex work, research and advanced technologies.

Raw

```
#gls-scrumm.name
```

```
#gls-scrumm.description
```

5.5 Acronym

The acronym entries need to be defined in **03-tail/glossary.typ**. For the acronym functions the “import” of **00-templates/helpers.typ** is needed.

```
#import "../00-templates/helpers.typ": *
#import "../03-tail/glossary.typ": *
```

Example

AR

AR

Augmented Reality

Augmented Reality)

Augmented Reality (AR)

Augmented Reality (AR)

Raw

```
#acr-ar.abr
```

```
#acrshort(acr-ar.abbr)
```

```
#acr-ar.long
```

```
#acrlong(acr-ar)
```

```
#acr-ar.long (#acr-ar.abbr)
```

```
#acrfull(acr-ar)
```

6 | Code

inline monospaced string

```
`inline monospaced string`
```

```
fn main() {println!("Hello world!")}
```

```
raw(lang:"rust",
  "fn main() {println!(\"Hello world!
  \")\"}
  )
```

```
-- Test 2: INPUT sX, pp
opCode <= "INPUT sX, pp    ";
code <= "00010";
cIn <=
A <=
B <=
wait for clockPeriod;
assert Y = "00001010"
  report "test 2 INPUT wrong"
  severity note
```

```
raw(block:true, lang:"vhdl",
  read("code-example.vhdl"))
)
```

```
fn main() {
  println!("Hello world!")
}
```

```
```rust
fn main() {
 println!("Hello world!")
}
```
```

```
fn main() {
  println!("Hello world!")
}
```

```
#figure(
  align(left,
    ```rust
 fn main() {
 println!("Hello world!")
 }
    ```
  ),
  caption: [Rust Code],
)
```

Listing 2: Rust Code

A plugin allows to get linenumbers

```
#import "@preview/codelst:2.0.1": sourcecode
```

```
1 fn main() {
2   println!("Hello world!")
3 }
```

```
#sourcecode()[
  ```rust
 fn main() {
```

```
println!("Hello world!")
}
```\]
```

7 | Math Equations

Inline math

Let a and b , and c be the side of a right-angled triangle.

Let a and b , and c be the side of a right-angled triangle.

$$\sum_{k=1}^n k = \frac{n(n+1)}{2}$$

$$\sum_{k=1}^n k = (n(n+1)) / 2,$$

Fullline math

$$a^2 + b^2 = c^2$$

(1)

$$a^2 + b^2 = c^2$$

`<math-eq1>`

Math with caption

$$\sum_{k=1}^n k = \frac{n(n+1)}{2}$$

(2)

Figure 14: Some proof

```
#figure(  
  $ sum_{k=1}^n k = (n(n+1)) / 2 $,  
  caption: [Some proof]  
)
```

7.1 Align

Formula

$$\begin{aligned} a_1 &= b_1 + c_1 = z_1 \\ a_2 &= b_2 + c_2 - d_2 + e_2 = z_1 \end{aligned}$$

(3)

Raw

$$\begin{aligned} a_1 &= b_1 + c_1 = z_1 \backslash \\ a_2 &= b_2 + c_2 - d_2 + e_2 = z_1 \end{aligned}$$

$$\begin{aligned} a_1 &= b_1 + c_1 &&= z_1 \\ a_2 &= b_2 + c_2 - d_2 + e_2 = z_1 \end{aligned}$$

(4)

$$\begin{aligned} a_1 &\&= b_1 + c_1 \&= z_1 \backslash \\ a_2 &\&= b_2 + c_2 - d_2 + e_2 \&= z_1 \end{aligned}$$

7.2 Symbols

This is an incomplete list for all symbols goto [here](#)

Outside of the `$$` math environment the symbols can be accessed with `.`

7.2.1 Accents

Sym- bol	Raw	Sym- bol	Raw	Sym- bol	Raw
$\grave{x}$	<code>\$grave(x)\$</code>	$\acute{x}$	<code>\$acute(x)\$</code>	$\hat{x}$	<code>\$hat(x)\$</code>
$\tilde{x}$	<code>\$tilde(x)\$</code>	$\breve{x}$	<code>\$breve(x)\$</code>	$\dot{x}$	<code>\$dot(x)\$</code>
$\ddot{x}$	<code>\$dot.double(x)\$</code>	$\ddot{x}$	<code>\$dot.triple(x)\$</code>	$\ddot{x}$	<code>\$dot.quad(x)\$</code>
$\ddot{x}$	<code>\$diaer(x)\$</code>	$\mathring{x}$	<code>\$circle(x)\$</code>	$\ddot{x}$	<code>\$acute.double(x)\$</code>
$\tilde{x}$	<code>\$caron(x)\$</code>	$\vec{x}$	<code>\$arrow(x)\$</code>	$\vec{x}$	<code>\$arrow.l(x)\$</code>
$\cancel{x}$	<code>\$cancel(x)\$</code>	$\bar{x}$	<code>\$macron(x)\$</code>	$\overline{xyz}$	<code>\$overline(xyz)\$</code>
$\overline{xyz}$	<code>\$overline(xyz)\$</code>	$\underbrace{xyz}$	<code>\$underbrace(xyz)\$</code>	$\overbrace{xyz}$	<code>\$overbrace(xyz)\$</code>
$\underbrace{xyz}$	<code>\$underbracket(xyz)\$</code>	$\overbrace{xyz}$	<code>\$overbracket(xyz)\$</code>	$\overbrace{xyz}$	<code>\$overbracket(xyz)\$</code>

7.2.2 Equals & Operators

Sym- bol	Raw	Sym- bol	Raw	Sym- bol	Raw
$=$	<code>\$=\$</code>	$=$	<code>\$eq\$</code>	$\neq$	<code>\$eq.not\$</code>
$\neq$	<code>\$!=\$</code>	$\equiv$	<code>\$equiv\$</code>	$\neq$	<code>\$equiv.not\$</code>
$\simeq$	<code>\$tilde.eq\$</code>	$\neq$	<code>\$tilde.eq.not\$</code>	$=$	<code>\$eq.small\$</code>
$\geq$	<code>\$gt.eq\$</code>	$\nless$	<code>\$gt.eq.not\$</code>	$\leq$	<code>\$lt.eq\$</code>
$\nless$	<code>\$lt.eq.not\$</code>	$\approx$	<code>\$approx\$</code>	$\cong$	<code>\$approx.eq\$</code>
$\napprox$	<code>\$approx.not\$</code>	$:$	<code>\$colon\$</code>	$:=$	<code>\$colon.eq\$</code>
$=:$	<code>\$eq.colon\$</code>	$::=$	<code>\$colon.double.eq\$</code>	$+$	<code>\$+\$</code>
$+$	<code>\$plus\$</code>	$+$	<code>\$plus.small\$</code>	$\pm$	<code>\$plus.minus\$</code>
$\oplus$	<code>\$plus.circle\$</code>	$-$	<code>\$-\$</code>	$-$	<code>\$minus\$</code>
$\mp$	<code>\$minus.plus\$</code>	$\ominus$	<code>\$minus.circle\$</code>		

7.2.3 Scripts

Sym- bol	Raw	Sym- bol	Raw	Sym- bol	Raw
x_1	<code>\$x_1\$</code>	x_{12}	<code>\$x_(12)\$</code>	x_1	<code>\$scripts(x)_1\$</code>
x_1	<code>\$x_1\$</code>	x_{12}	<code>\$x_(12)\$</code>	x_1	<code>\$scripts(x)_1\$</code>
x_1^2	<code>\$x_1^2\$</code>	x_{12}^{34}	<code>\$x_(12)^(34)\$</code>	x_1^2	<code>\$scripts(x)_1^2\$</code>
x_1^2	<code>\$x_1^2\$</code>	x_{12}^{34}	<code>\$x_(12)^(34)\$</code>	x_1^2	<code>\$scripts(x)_1^2\$</code>

7.2.4 Special Elements

Symbol

Raw

$$\binom{n}{k} \quad (5) \quad \$ \text{binom}(n, k) \$$$

$$\left\lfloor \frac{1}{2} \right\rfloor \quad (7) \quad \$ \text{round}(1, 2) \$$$

$$\begin{pmatrix} 1 & 2 & \dots & 10 \\ 2 & 2 & \dots & 10 \\ \vdots & \vdots & \ddots & \vdots \\ 10 & 10 & \dots & 10 \end{pmatrix} (9)$$

```
$ mat(
  1, 2, ..., 10;
  2, 2, ..., 10;
  ...,
  dots.v,
  dots.v,
  dots.down,
  dots.v;
  10, 10, ...,
  10;
) $
```

$$\sum_{k=0}^n a_k \quad (11) \quad \$ \text{sum}_{(k=0)}^n \text{a_k} \$$$

$$\sqrt[3]{x} \quad (13) \quad \$ \text{root}(3, x) \$$$

```
$ f(x, y) := cases(
  1 "if" (x dot y)/2 <= 0,
  2 "if" x "is even",
  3 "if" x in NN,
  4 "else",
) $
```

$$\frac{1}{2} \quad (16) \quad \$ \text{frac}(1,2) \$$$

$$\frac{(x+1)}{(x+2)} \quad (18) \quad \$ ((x+1))/(x+2) \$$$

$$n! = \prod_{k=1}^n k \quad (20) \quad \$ \text{product}_{(k=1)}^n \text{n_k} \$$$

$$\int \quad (22) \quad \$ \text{integral} \$$$

Symbol

Raw

$$\begin{bmatrix} 1 \\ 2 \end{bmatrix} \quad (6) \quad \$ \text{vec}(1, 2, \text{delim: "["}) \$$$

$$\begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix} \quad (8) \quad \$ \text{mat}(1,2; 3,4) \$$$

$$\sum a_k \quad (10) \quad \$ \text{sum a_k} \$$$

$$\sum_{k=0}^n a_k \quad (12) \quad \$ \text{scripts}(\text{sum})_{(k=0)}^n \text{a_k} \$$$

$$f(x, y) := \begin{cases} 1 & \text{if } \frac{x \cdot y}{2} \leq 0 \\ 2 & \text{if } x \text{ is even} \\ 3 & \text{if } x \in \mathbb{N} \\ 4 & \text{else} \end{cases} \quad (14)$$

$$\frac{1}{2} \quad (15) \quad \$ \text{1/2} \$$$

$$\frac{x+1}{x+2} \quad (17) \quad \$ (\text{x+1})/(\text{x+2}) \$$$

$$\prod \quad (19) \quad \$ \text{product} \$$$

$$n! = \prod_{k=1}^n k \quad (21) \quad \$ \text{n!} = \text{scripts}(\text{product})_{(k=1)}^n \text{k} \$$$

$$\int_a^b f(x) \quad (23) \quad \$ \text{integral} \$$$

7.2.5 Alphabeth

Symbol

Raw

$\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\rho\sigma\tau\upsilon\varphi\chi\psi\omega$	<code>\$alpha beta gamma delta epsilon zeta eta theta iota kappa lambda mu nu xi omicron pi rho sigma tau upsilon phi chi psi omega\$</code>
$\mathrm{A}\mathrm{B}\mathrm{C}\mathrm{D}\mathrm{E}\mathrm{F}\mathrm{G}\mathrm{H}\mathrm{I}\mathrm{J}\mathrm{K}\mathrm{L}\mathrm{M}\mathrm{N}\mathrm{O}\mathrm{P}\mathrm{Q}\mathrm{R}\mathrm{S}\mathrm{T}\mathrm{T}\mathrm{X}\mathrm{Y}\mathrm{Z}$	<code>\$Alpha Beta Gamma Delta Epsilon Zeta Eta Theta Iota Kappa Lambda Mu Nu Xi Omicron Pi Rho Sigma Tau Upsilon Phi Chi Psi Omega\$</code>
$\mathrm{A}\mathrm{B}\mathrm{C}\mathrm{D}\mathrm{E}\mathrm{F}\mathrm{G}\mathrm{H}\mathrm{I}\mathrm{J}\mathrm{K}\mathrm{L}\mathrm{M}\mathrm{N}\mathrm{O}\mathrm{P}\mathrm{Q}\mathrm{R}\mathrm{S}\mathrm{T}\mathrm{U}\mathrm{V}\mathrm{W}\mathrm{X}\mathrm{Y}\mathrm{Z}$	<code>\$AA BB CC DD EE FF GG HH II JJ KK LL MM NN OO PP QQ RR SS TT UU VV WW XX YY ZZ\$</code>

7.2.6 Logical

Symbol	Raw	Symbol	Raw	Symbol	Raw
$\wedge$	<code>\$and\$</code>	$\bigwedge$	<code>\$and.big\$</code>	$\&$	<code>\$amp\$</code>
$\vee$	<code>\$or\$</code>	$ $	<code>\$bar.v\$</code>	$*$	<code>\$ast.op\$</code>
$*$	<code>\$ast.basic\$</code>	$*$	<code>\$ast.low\$</code>	$\oplus$	<code>\$plus.circle\$</code>
$\oplus$	<code>\$plus.circle.big\$</code>				

7.2.7 Operators

Sym- bol	Raw	Sym- bol	Raw	Sym- bol	Raw
$\sin x$	<code>\$sin x\$</code>	$\cos x$	<code>\$cos x\$</code>	$\tan x$	<code>\$tan x\$</code>
$\arcsin x$	<code>\$arcsin x\$</code>	$\arccos x$	<code>\$arccos x\$</code>	$\arctan x$	<code>\$arctan x\$</code>
$\sinh x$	<code>\$sinh x\$</code>	$\cosh x$	<code>\$cosh x\$</code>	$\tanh x$	<code>\$tanh x\$</code>
$\arg x$	<code>\$arg x\$</code>	$\csc x$	<code>\$csc x\$</code>	$\deg x$	<code>\$deg x\$</code>
$\det x$	<code>\$det x\$</code>	$\dim x$	<code>\$dim x\$</code>	$\exp x$	<code>\$exp x\$</code>
$\operatorname{mod} x$	<code>\$mod x\$</code>	$\inf x$	<code>\$inf x\$</code>	$\log x$	<code>\$log x\$</code>
$\lim x$	<code>\$lim x\$</code>	$\liminf x$	<code>\$liminf x\$</code>	$\limsup x$	<code>\$limsup x\$</code>
$\min x$	<code>\$min x\$</code>	$\max x$	<code>\$max x\$</code>	$\sup x$	<code>\$sup x\$</code>

7.2.8 Arrows

SymRaw	SymRaw	SymRaw	
	Arrows right		
$\rightarrow$	<code>\$arrow\$</code>	$\mapsto$	<code>\$arrow.bar\$</code>
$\mapsto$	<code>\$arrow.bar.long\$</code>	$\Rightarrow$	<code>\$arrow.double\$</code>
$\Rightarrow$	<code>\$arrow.double.bar\$</code>	$\Rightarrow$	<code>\$arrow.double.long\$</code>
$\Rightarrow$	<code>\$arrow.double.bar.long\$</code>	$\Leftrightarrow$	<code>\$arrow.quad\$</code>
$\Rightarrow$	<code>\$arrow.stroked\$</code>	$\dashrightarrow$	<code>\$arrow.dashed\$</code>
$\hookrightarrow$	<code>\$arrow.curve\$</code>	$\rightsquigarrow$	<code>\$arrow.squiggly\$</code>
		$\looparrowright$	<code>\$arrow.loop\$</code>

Arrows left

$\leftarrow$	<code>\$arrow.l\$</code>	$\longleftarrow$	<code>\$arrow.l.long\$</code>	$\bar{\leftarrow}$	<code>\$arrow.l.bar\$</code>
$\longleftarrow$	<code>\$arrow.l.bar.long\$</code>	$\Leftarrow$	<code>\$arrow.l.double\$</code>	$\Longleftarrow$	<code>\$arrow.l.double.long\$</code>
$\Leftrightarrow$	<code>\$arrow.l.double.bar\$</code>	$\Leftrightarrow$	<code>\$arrow.l.double.bar.long\$</code>	$\Leftarrow$	<code>\$arrow.l.quad\$</code>
$\bar{\leftarrow}$	<code>\$arrow.l.stroked\$</code>	$\blackleftarrow$	<code>\$arrow.l.filled\$</code>	$\dashleftarrow$	<code>\$arrow.l.dashed\$</code>
$\curvearrowleft$	<code>\$arrow.l.curve\$</code>	$\squigarrowleft$	<code>\$arrow.l.squiggly\$</code>	$\looparrowleft$	<code>\$arrow.l.loop\$</code>

Double Arrows Left Right

$\leftrightarrow$	<code>\$arrow.l.r\$</code>	$\nleftrightarrow$	<code>\$arrow.l.r.not\$</code>	$\longleftrightarrow$	<code>\$arrow.l.r.long\$</code>
$\Rrightarrow$	<code>\$arrow.l.r.double\$</code>	$\Rrightarrow$	<code>\$arrow.l.r.double.long\$</code>	$\nleftrightarrow$	<code>\$arrow.l.r.double.not\$</code>
$\Rrightarrow$	<code>\$arrow.l.r.stroked\$</code>	$\blackleftrightarrow$	<code>\$arrow.l.r.filled\$</code>	$\curvearrowright$	<code>\$arrow.l.r.wave\$</code>

Arrows Top

$\uparrow$	<code>\$arrow.t\$</code>	$\Uparrow$	<code>\$arrow.t.bar\$</code>	$\Uparrow$	<code>\$arrow.t.double\$</code>
$\Uparrow$	<code>\$arrow.t.triple\$</code>	$\Uparrow$	<code>\$arrow.t.quad\$</code>	$\uparrow$	<code>\$arrow.t.stroked\$</code>
$\blackuparrow$	<code>\$arrow.t.filled\$</code>	$\dagger$	<code>\$arrow.t.dashed\$</code>	$\rightarrow$	<code>\$arrow.t.curve\$</code>

Arrows Bottom

$\downarrow$	<code>\$arrow.b\$</code>	$\Downarrow$	<code>\$arrow.b.bar\$</code>	$\Downarrow$	<code>\$arrow.b.double\$</code>
$\Downarrow$	<code>\$arrow.b.triple\$</code>	$\Downarrow$	<code>\$arrow.b.quad\$</code>	$\downarrow$	<code>\$arrow.b.stroked\$</code>
$\blackdownarrow$	<code>\$arrow.b.filled\$</code>	$\dagger$	<code>\$arrow.b.dashed\$</code>	$\rightarrow$	<code>\$arrow.b.curve\$</code>

Double Arrows Top Bottom

$\updownarrow$	<code>\$arrow.t.b\$</code>	$\Updownarrow$	<code>\$arrow.t.b.double\$</code>	$\Updownarrow$	<code>\$arrow.t.b.stroked\$</code>
$\blackupdownarrow$	<code>\$arrow.t.b.filled\$</code>				

Arrows Diagonal Top Right

$\nearrow$	<code>\$arrow.tr\$</code>	$\nearrow$	<code>\$arrow.tr.double\$</code>	$\nearrow$	<code>\$arrow.tr.stroked\$</code>
$\blacknearrow$	<code>\$arrow.tr.filled\$</code>	$\hooknearrow$	<code>\$arrow.tr.hook\$</code>		

Arrows Diagonal Bottom Right

$\searrow$	<code>\$arrow.br\$</code>	$\searrow$	<code>\$arrow.br.double\$</code>	$\searrow$	<code>\$arrow.br.stroked\$</code>
$\blacksearrow$	<code>\$arrow.br.filled\$</code>	$\hooksearrow$	<code>\$arrow.br.hook\$</code>		

Arrows Diagonal Bottom Left

$\swarrow$	<code>\$arrow.bl\$</code>	$\swarrow$	<code>\$arrow.bl.double\$</code>	$\swarrow$	<code>\$arrow.bl.stroked\$</code>
$\blackswarrow$	<code>\$arrow.bl.filled\$</code>	$\hookswarrow$	<code>\$arrow.bl.hook\$</code>		

Arrows Diagonal Top Left

$\nwarrow$	<code>\$arrow.tl\$</code>	$\nwarrow$	<code>\$arrow.tl.double\$</code>	$\nwarrow$	<code>\$arrow.tl.stroked\$</code>
$\blacknwarrow$	<code>\$arrow.tl.filled\$</code>	$\hooknwarrow$	<code>\$arrow.tl.hook\$</code>		

Double Arrows Diagonal

$\nwarrow$	<code>\$arrow.tl.br\$</code>	$\nearrow$	<code>\$arrow.tr.bl\$</code>
------------	------------------------------	------------	------------------------------

Other Arrows

	<code>\$arrow.cw\$</code>		<code>\$arrow.cw.half\$</code>		<code>\$arrow.ccw\$</code>
	<code>\$arrow.ccw.half\$</code>				

7.2.9 Angles

Sym- bol	Raw	Sym- bol	Raw	Sym- bol	Raw
	<code>\$angle\$</code>		<code>\$angle.rev\$</code>		<code>\$angle.acute\$</code>
	<code>\$angle.acute\$</code>		<code>\$angle.arc\$</code>		<code>\$angle.arc.rev\$</code>
	<code>\$angle.l\$</code>		<code>\$angle.r\$</code>		<code>\$angle.l.double\$</code>
	<code>\$angle.r.double\$</code>		<code>\$angle.right\$</code>		<code>\$angle.right.rev\$</code>
	<code>\$angle.right.arc\$</code>		<code>\$angle.right.dot\$</code>		<code>\$angle.right.sq\$</code>
	<code>\$angle.spheric\$</code>		<code>\$angle.spheric.rev\$</code>		<code>\$angle.spheric.top\$</code>

7.2.10 Cool Symbols

Sym- bol	Raw	Sym- bol	Raw	Sym- bol	Raw
@	<code>\$at\$</code>	%	<code>\$co\$</code>	©	<code>\$copyright\$</code>
©	<code>\$copyright.sound\$</code>	°C	<code>\$degree.c\$</code>	€	<code>\$euro\$</code>
\$	<code>\$dollar\$</code>	£	<code>\$pound\$</code>	₩	<code>\$won\$</code>
¥	<code>\$yen\$</code>	฿	<code>\$bitcoin\$</code>	°F	<code>\$degree.f\$</code>
!	<code>\$excl\$</code>	¡	<code>\$excl.inv\$</code>	!!	<code>\$excl.double\$</code>
!?	<code>\$excl.quest\$</code>	↯	<code>\$arrow.zigzag\$</code>	⊗	<code>\$ast.circle\$</code>
⚙	<code>\$ast.triple\$</code>	χ	<code>\$chi\$</code>	☒	<code>\$floral\$</code>
⚔	<code>\$maltese\$</code>	¶	<code>\$pilcrow\$</code>	ℎ	<code>\$planck\$</code>
♣	<code>\$suit.club\$</code>	♦	<code>\$suit.diamond\$</code>	♥	<code>\$suit.heart\$</code>
♠	<code>\$suit.spade\$</code>	△	<code>\$triangle.stroked.nested2\$</code>		

7.2.11 Style

Symbol	Raw	Symbol	Raw
ABC123	<code>\$sans(A B C 1 2 3)\$</code>	ℳ℔℥123	<code>\$frak(A B C 1 2 3)\$</code>
ABC123	<code>\$mono(A B C 1 2 3)\$</code>	ABC123	<code>\$bb(A B C 1 2 3)\$</code>
ABC123	<code>\$cal(A B C 1 2 3)\$</code>		

Symbol	Raw
--------	-----

$$\sum_{i \in \mathbb{N}} 1 + i$$

```
#show math.equation: set text(font: "Fira Math")  
$sum_(i in NN) 1 + i$,
```

8 | Emoji Symbols

This is an incomplete list for all emoji goto [here](#)

If the emoji module is imported the `#emoji` can be removed

```
#import emoji: *
```

Sym	Raw	Sym	Raw
	<code>#emoji.face</code>		

```
#bibliography("../03-tail/bibliography.bib", style:"apa")  
#bibliography("../03-tail/bibliography.bib", style:"chicago-author-date")  
#bibliography("../03-tail/bibliography.bib", style:"chicago-notes")  
#bibliography("../03-tail/bibliography.bib", style:"ieee")  
#bibliography("../03-tail/bibliography.bib", style:"mla")
```

Bibliography

- [1] P. Fettke, “State-of-the-Art Des State-of-the-Art,” *Wirtschaftsinformatik*, pp. 257–266, 2006, doi: [10.1007/s11576-006-0057-3](https://doi.org/10.1007/s11576-006-0057-3).