

Theorema 2.0: A First Tour

NB reached List of cells reached CellGroupData reached List of cells reached
NullCell reached

We consider “proving”, “computing”, and “solving” as the three basic mathematical activities.

CellGroupData reached List of cells reached

1 Proving

We want to prove

$$(\forall_x (P[x] \vee Q[x])) \wedge (\forall_y (P[y] \Rightarrow Q[y])) \Leftrightarrow (\forall_x Q[x]).$$

To prove a formula like the above, we need to enter it in the context of a Theorema environment.

1.1 Proposition (First Test, 2014)

Iff[And[Forall[x, Or[P[x], Q[x]]], Forall[y, Implies[P[y], Q[y]]]],
Forall[x, Q[x]]]

Cell reached CellGroupData reached List of cells reached Cell reached Cell
reached Cell reached Cell reached Cell reached Cell reached Cell reached Cell
reached Cell reached Cell reached Cell reached CellGroupData reached List of
cells reached

2 Computing

CellGroupData reached List of cells reached Cell reached

2.0.1 Global Declaration

$$\forall_{a,b} a=b$$

2.1 [?]

Forall[unexpected number of arguments, IffDef[Tma2tex'Private'tmaToTeXable[Theorema'Language'AnnotatedTM[Theorema'Language'LessTM, Theorema'Language'SubScriptTM[Theorema'Knowledge'lexTM]]]unexpected number of arguments, Exists[STEPRNGunexpectednumberofarguments, And[Less[Subscript[a, i], Subscript[b, j]], Equal[Subscript[a, j], Subscript[b, j]]]]]]]

■ Cell reached Cell reached CellGroupData reached List of cells reached Cell reached CellGroupData reached List of cells reached Cell reached

2.1.1 Global Declaration

$$\forall_K$$

2.1.2 Global Declaration

$$\text{Mon}[K] := \Delta_M$$

2.1.3 Global Declaration

$$\forall_{m1,m2}$$

2.2 [?]

EqualDef[Tma2tex'Private'tmaToTeXable[Theorema'Language'DomainOperationTM[Theorema'Knowledge'lexTM, Theorema'Language'TimesTM]]unexpectednumberofarguments, Tuple[Tma2tex'Private'tmaToTeXable[Theorema'Language'SubScriptTM[Theorema'Knowledge'lexTM]]unexpected number of arguments, TupleOf[STEPRNGunexpectednumberofarguments, Tma2tex'Private'tmaToTeXable[Theorema'Language'SubScriptTM[Theorema'Knowledge'lexTM]]unexpected number of arguments]]]

2.3 [?]

IffDef[Tma2tex‘Private‘tmaToTeXable[Theorema‘Language‘DomainOperationTM[Theorema‘Knowledge‘M
Theorema‘Language‘LessTM]]unexpectednumberofarguments, Tma2tex‘Private‘tmaToTeXable[Theorem

■Cell reached Cell reached Cell reached CellGroupData reached List of cells
reached

3 Set Theory

CellGroupData reached List of cells reached Cell reached

3.0.1 Global Declaration

\forall
 x, y

3.1 [?]

Forall[unexpected number of arguments, EqualDef[SubsetEqual[x, y],
Forall[z, Implies[Element[z, x], Element[z, y]]]]]

■Cell reached

3.2 Proposition (transitivity of \subseteq)

Forall[unexpected number of arguments, Implies[And[SubsetE-
qual[a, b], SubsetEqual[b, FrontEnd‘FileName[RootDirectory, C :
, Users, jackh, git, repository, tma2tex, FirstTour.nb, CharacterEncoding- >
UTF-8]]], SubsetEqual[a, FrontEnd‘FileName[RootDirectory, C:,
Users, jackh, git, repository, tma2tex, FirstTour.nb, CharacterEncoding -j
UTF-8]]]]]

Cell reached CellGroupData reached List of cells reached Cell reached Cell
reached CellGroupData reached List of cells reached Cell reached Cell reached