

Antigravity

لعبة المبيعات الذكية — Gamified CRM

المدة الإجمالية

10 أيام عمل · من 10 مايو إلى 19 مايو 2026

التقنيات

Next.js · Phaser 3 · Supabase

الفريق

SybTech Software

فهرس المحتويات

3	01 نظرة عامة على المشروع
4	02 التقنيات المستخدمة (Tech Stack)
5	03 إعداد الـ Skills من GitHub
7	04 دليل تثبيت الـ Skills بالتفصيل
12	05 الخطة الكاملة - 10 أيام
14	06 الستوري لاين والـ Gameplay المُحسّن
20	07 البرومبتس التفصيلية لكل يوم
33	08 هيكل قاعدة البيانات
35	09 نصائح وأفضل الممارسات
37	10 Checklist نهائي قبل التسليم

نظرة عامة على المشروع

الفكرة الأساسية

Antigravity هو نظام CRM ثوري يدمج بين الـ Web Development والـ Game Design. بدل ما الموظف يدخل على جداول كثيفة، يبدل "لعبة" عبارة عن مكتب افتراضي 2D بستايل Pixel Art، وكل مهمة بيعملها (مكالمة، إغلاق ديل، تسجيل Lead) بتتحول لنقاط XP بتعلي مستواه في اللعبة.

الأهداف الأساسية

- **زيادة الإنتاجية:** تحويل الشغل الممل لتجربة ممتعة عن طريق المنافسة والمكافآت
- **منع الاحتراق الوظيفي:** نظام الـ Stamina يجبر الموظف يأخذ breaks منتظمة
- **رقابة لحظية:** المدير شايف أداء الفريق Real-time كأنه يلعب استراتيجي جيم
- **تحفيز نفسي:** XP, Levels, Badges, Leaderboards بتولع روح المنافسة

الإحصائيات السريعة

10	7	5	4
أيام عمل	جداول DB	مناطق في الماب	مراحل أساسية

القيمة البيعية للمشروع

السيستم ده لو اتعرض على أي شركة مبيعات أو كول سنتر، هياكلوه أكل، للأسباب دي:

- الموظف بدل ما يهرب من الشغل، بيبقى عايز يلعب عشان يطلع الأول على الـ Leaderboard
- نظام الـ Stamina بيحافظ على مجهود الموظفين ويمنع الإرهاق
- المدير شايف الـ Performance بتاع كل الموظفين قدام عينه لايف
- قابلية الـ Customization حسب احتياج كل شركة

التقنيات المستخدمة (Tech Stack)

الطبقة	التقنية	السبب
Frontend Framework	Next.js 14 (App Router)	Server Components + سرعة + SEO ممتاز
Language	TypeScript	Type Safety ضروري لمشروع بالحجم ده
Game Engine	Phaser 3	أقوى مكتبة 2D للويب + مجانية
Styling	Tailwind CSS + shadcn ui	سرعة في التصميم + UI components احترافية
State Management	Zustand	أبسط من Redux + يربط Phaser بـ React
Backend / DB	Supabase	PostgreSQL + Auth + Realtime في حاجة واحدة
Realtime	Supabase Channels	WebSockets جاهزة مع Presence API
Deployment	Vercel	Deploy تلقائي + مجاني للمشاريع الصغيرة
Version Control	Git + GitHub	أساسي لأي مشروع محترف

إعداد ال Skills من GitHub

ال Skills دي حزم جاهزة من Anthropic بتساعد Claude Code يشتغل أحسن في مجالات معينة. هنعلمهم ونربطهم بالمشروع.

الخطوة 1: تحميل ال Skills

```
# اعمل فولدر المشروع
mkdir antigravity-crm && cd antigravity-crm
git init

# اعمل فولدر للـ skills
mkdir -p .claude/skills

# Anthropic الرسمي بتاع repo استنسخ ال
git clone https://github.com/anthropics/skills.git temp

# اللي محتاجهم بس skills انسخ ال
cp -r temp/frontend-design .claude/skills/
cp -r temp/web-artifacts-builder .claude/skills/
cp -r temp/algorithmic-art .claude/skills/
cp -r temp/skill-creator .claude/skills/

# امسح المؤقت
rm -rf temp
```

الخطوة 2: ال Skills الأساسية للمشروع

الأيام	الاستخدام	Skill
10 , 9 , 4 , 1	تصميم ال UI/HUD/Modals	frontend-design
8 , 4	بناء React Components مع shadcn/ui	web-artifacts-builder
2	توليد Pixel Art Sprites	algorithmic-art
1	إنشاء Skill مخصصة للمشروع	skill-creator

الخطوة 3: ملف PROJECT_CONTEXT.md

اعمل الملف ده في root المشروع. Claude Code هيقراه أول ما تبدأ كل يوم:

```
# Antigravity CRM - Project Context

## Vision
A 2D web-based gamified CRM that transforms boring sales work
into an engaging multiplayer office game.

## Tech Stack
- Next.js 14 (App Router) + TypeScript
- Phaser 3 for 2D game rendering
- Supabase (Auth, DB, Realtime)
- Tailwind CSS + shadcn/ui
- Zustand for state management

## Game Conventions
- Tile size: 32x32 pixels
- Map dimensions: 40 cols x 30 rows
- Canvas: 1280x960 pixels
- Movement speed: 8px per frame

## XP Values
- Made Call: +5 XP
- New Lead: +10 XP
- Closed Deal: +50 XP
- Sent Email: +3 XP

## Map Zones
- Spawn Point: (20, 28) - center bottom
- Bullpen: rows 10-20, cols 8-32
- Leaderboard Wall: row 1, cols 16-24
- Break Room: rows 22-28, cols 2-10
- Manager Office: rows 2-8, cols 32-38

## Color Palette
- Primary: #6366f1 (Indigo)
- Secondary: #8b5cf6 (Purple)
- Success: #10b981 (Green)
- Warning: #f59e0b (Amber)
- Danger: #ef4444 (Red)
```

دليل تثبيت الـ Skills بالتفصيل

ليه القسم ده مهم جداً؟

الـ Skills اللي بتحملها من GitHub مش بتشتغل لوحدها. لازم تثبتها صح وتقول لـ Claude Code يستخدمها. القسم ده بيشرحلك كل تفصيلة عشان تضمن إن الـ Skills شغالة فعلياً في مشروعك.

الفكرة الأساسية

Claude Code بيعرف الـ Skills عن طريق فولدر مخصص اسمه `.claude/skills/` في مشروعك. أي skill تحطها هناك، Claude Code هيشوفها تلقائياً ويعرف يستخدمها.

الطريقة الكاملة - خطوة بخطوة

الخطوة 1: افتح Terminal في فولدر المشروع

```
# اعمل فولدر المشروع لو لسه ما عملتوش
mkdir antigravity-crm
cd antigravity-crm

# ابدأ Git
git init
```

الخطوة 2: اعمل فولدر الـ Skills

```
mkdir -p .claude/skills
```

ملاحظة مهمة

الفولدر اسمه يبدأ بنقطة `.claude` - ده فولدر مخفي، عشان كده ممكن متشوفوش في File Explorer العادي. في الـ terminal اكتب `ls -la` عشان بيان.

الخطوة 3: حمل ال Skills من GitHub

الطريقة الأولى: تحميل ال repo كله ونسخ اللي تحتاجه

```
# الرسمي مؤقتاً repo استنسخ ال
git clone https://github.com/anthropics/skills.git temp-skills

# اللي محتاجها skills انسخ بس ال
cp -r temp-skills/frontend-design .claude/skills/
cp -r temp-skills/web-artifacts-builder .claude/skills/
cp -r temp-skills/algorithmic-art .claude/skills/
cp -r temp-skills/skill-creator .claude/skills/

# امسح المؤقت
rm -rf temp-skills
```

الطريقة الثانية: لو عايز skill من repo معين

```
# ثاني repo من skill مثلاً
cd .claude/skills
git clone https://github.com/USERNAME/SKILL-REPO.git skill-name
cd ../..
```

الخطوة 4: تأكد إنهم اتثبتوا صح

```
# skills اعرض محتوى فولدر ال
ls -la .claude/skills/

# المفروض تشوف:
# frontend-design/
# web-artifacts-builder/
# algorithmic-art/
# skill-creator/

# SKILL.md فيها ملف skill تأكد إن كل
ls .claude/skills/frontend-design/
# لازم تشوف SKILL.md
```

إزاي تتأكد إن Skill شغالة فعلاً؟ 🔍

كل skill لازم يكون فيها ملف **SKILL.md** في جذرها. ده ملف بيقول ل Claude Code:

- اسم ال skill
- إمتى يستخدمها

• إيه ال instructions اللي يتبعها

```
# افتح الملف عشان تشوف محتواه
cat .claude/skills/frontend-design/SKILL.md
```

✓ لو الملف ده موجود ← ال skill شغالة

✗ لو الملف مش موجود ← ال skill مش هتشتغل

إزاي تخلي Claude Code يستخدمها فعلياً؟ 🎬

دي النقطة الأهم!

تثبيت ال skill مش معناه إن Claude Code هيستخدمها تلقائياً. لازم **تقوله** يقرأها في أول رسالة في كل session.

في أول رسالة لـ Claude Code، اكتبه:

```
Read all SKILL.md files in .claude/skills/ before we start.
Then I'll give you today's task.
```

أو بشكل أوضح:

```
Before doing anything, please:
1. List all directories in .claude/skills/
2. Read each SKILL.md file you find
3. Tell me which skills are available
4. Then wait for my instructions
```

الهيكل الصحيح بيبقى شكله إيه؟ 📋

بعد ما تخلص، فولدر مشروعك المفروض يبقى كده:

```
antigravity-crm/
|
├── .claude/                ← الفولدر المخفي
|   └── skills/            ← فولدر ال skills
|       ├── frontend-design/
|       └── SKILL.md        ← الملف ده مهم جداً
```

```
├── |
│   ├── |
│   │   ├── | REFERENCE.md
│   │   └── | examples/
│   ├── |
│   │   ├── | web-artifacts-builder/
│   │   │   ├── | SKILL.md
│   │   │   └── | ...
│   ├── |
│   │   ├── | algorithmic-art/
│   │   │   ├── | SKILL.md
│   │   │   └── | ...
│   └── |
│       ├── | skill-creator/
│       │   ├── | SKILL.md
│       │   └── | ...
├── | PROJECT_CONTEXT.md
├── | package.json
├── | app/
├── | components/
└── | ...
```

ملف فكرة المشروع ←

⚠️ مشاكل شائعة وحلولها

المشكلة 1: "Claude Code" مش عارف الـ "skills"

السبب: ما قتلوش يقرأها.

الحل: كل ما تبدأ session جديدة، قوله:

Read `.claude/skills/*/SKILL.md` before starting.

المشكلة 2: "ملف SKILL.md مش موجود"

السبب: ال repo اللي حمّلت منه مش skill صحيحة.

الحل: تأكد إن الـ repo ده مخصص لـ Claude Skills، وبيحتوي على ملف `SKILL.md`. لو الـ repo فيه ملفات ثانية، ممكن يكون documentation عادى مش skill.

المشكلة 3: "Permission denied"**السبب:** صلاحيات الفولدر.**الحل:**

```
chmod -R 755 .claude/
```

المشكلة 4: "ال skill شغالة بس مش بتأثر"**السبب:** ملف `SKILL.md` فيه frontmatter (هيدر) ناقص.**الحل:** افتح الملف وتأكد إنه بيبدأ بـ:

```
---
name: skill-name
description: What this skill does
---
```

سكريببت جاهز - انسخه وشغله 🚀

ده سكريبت كامل تنفذه مرة واحدة وكل حاجة هتتظبط:

```
#!/bin/bash
# setup-skills.sh

echo "🚀 Setting up Antigravity skills..."

# اعمل فولدر ال skills
mkdir -p .claude/skills

# حمل ال repo
echo "📦 Downloading skills from Anthropic..."
git clone https://github.com/anthropics/skills.git /tmp/anthropic-skills

# المطلوبة skills انسخ ال
echo "📦 Installing skills..."
SKILLS=("frontend-design" "web-artifacts-builder" "algorithmic-art" "skill-creator")

for skill in "${SKILLS[@]}; do
    if [ -d "/tmp/anthropic-skills/$skill" ]; then
        cp -r "/tmp/anthropic-skills/$skill" .claude/skills/
        echo "✅ Installed: $skill"
    else
```

```

        echo "⚠ Not found: $skill"
    fi
done

# امسح المؤقت
rm -rf /tmp/anthropic-skills

# تحقق
echo ""
echo "📋 Installed skills:"
ls -la .claude/skills/

echo ""
echo "✨ Done! Now in Claude Code, type:"
echo "    'Read all SKILL.md files in .claude/skills/ before starting'"

```

إزاي تستخدم السكربت ده:

```

# اعمل الملف
nano setup-skills.sh

# الصق فيه الكود اللي فوق

# اعمله executable
chmod +x setup-skills.sh

# شغله
./setup-skills.sh

```

نصيحة ذهبية - ملف CLAUDE.md 💡

☀ ده هيووفر عليك وقت كبير

اعمل ملف `.claude/CLAUDE.md` في فولدر المشروع - ده ملف Claude Code بيقرأه تلقائياً في أي session بدون ما تطلب منه.

محتوى الملف:

```

# Claude Code Instructions for Antigravity Project

## Always do this first
1. Read PROJECT_CONTEXT.md to understand the project
2. Read all SKILL.md files in .claude/skills/
3. Read the latest DAY_X_DONE.md file to know where we left off

```

```

## Available Skills
- frontend-design: For UI/HUD/Modals design
- web-artifacts-builder: For React components with shadcn/ui
- algorithmic-art: For pixel art sprite generation
- skill-creator: For creating custom project skills
- antigravity-conventions: Custom skill with project rules

## Project Conventions
- Tile size: 32x32px
- Map: 40x30 tiles
- Always use TypeScript strict mode
- Follow the file structure in PROJECT_CONTEXT.md

## Daily Workflow
- At start: read latest DAY_X_DONE.md
- During work: commit often with clear messages
- At end: write DAY_X_DONE.md summary

```

كده Claude Code أول ما يفتح في مشروعك، هيقرا الملف ده تلقائياً ويعرف كل حاجة بدون ما تكرر التعليمات كل يوم.

ملخص سريع

1. اعمل فولدر `.claude/skills/`.
2. حمّل الـ skills من GitHub وانسخها فيه
3. تأكد إن كل skill فيها ملف `SKILL.md`
4. اعمل ملف `.claude/CLAUDE.md` فيه التعليمات
5. في كل session جديدة، قول لـ Claude Code يقرأ الـ skills

الخطة الكاملة - 10 أيام



المرحلة 1 : Foundation (الأيام 1-3)

10 مايو

يوم 1

Project Setup & Skills 🚀

- تحميل الـ Skills من GitHub
- إعداد TypeScript + Next.js
- إنشاء Supabase Project + الجداول
- هيكل الفولدرات + ملف PROJECT_CONTEXT

11 مايو

يوم 2

Map Rendering 🌍

- إنشاء Phaser Scene الأساسية
- رسم الماب الكاملة بكل المناطق
- نظام الـ Collision
- الكاميرا المتحركة

12 مايو

يوم 3

Player Movement & Login 🏃

- حركة اللاعب الناعمة
- شاشة Login بـ Supabase Auth
- نظام Spawn
- HUD أساسي (اسم، Level، XP)

المرحلة 2 : CRM Core (الأيام 4-5)

13 مايو

يوم 4

Workstation Interactions

- نظام التفاعل مع المكاتب
- CRM Modal كامل (Add Lead, Log Activity)
- ربط مع Supabase وحفظ البيانات
- عرض ال Leads الخاصة بكل موظف

14 مايو

يوم 5

Gamification System

- نظام XP وال Levels
- نظام Stamina الكامل
- منطق Break Room
- إشعارات XP و Level Up

المرحلة 3 : Multiplayer (الأيام 6-7)

15 مايو

يوم 6

Real-time Positions

- Supabase Realtime Channels
- بث حركة اللاعبين Live
- Smooth Interpolation للحركة
- عرض اللاعبين الآخرين

16 مايو

يوم 7

Presence & Live Updates

- قائمة Online Users
- Status Indicators (Working/Break/Idle)
- إشعارات XP لحظية لكل الفريق
- Refresh بدون Leaderboard Live

المرحلة 4 : Advanced & Polish (الأيام 8-10)

17 مايو

يوم 8

Manager Features

- Manager Dashboard كامل
- توزيع ال Leads على الفريق
- نظام ال Quests
- Analytics & Charts

18 مايو

يوم 9

Badges & Polish

- نظام Badges & Achievements
- Animations & Transitions
- Sound Effects & Music
- Notifications System

19 مايو

يوم 10

Final Day - Deploy

- Bug Fixes النهائية
- Demo Data Seed
- Deploy على Vercel
- README + Documentation

يوم 20 (يوم التسليم)

محجوز ك **يوم احتياطي للطوارئ** ولتحضير ال Presentation للعميل. لو خلصت بدري، استغله في عمل Demo Video أو تحسينات إضافية.

الستوري لاين وال Gameplay المُحسّن

🎯 ليه القسم ده مهم؟

أي لعبة ناجحة محتاجة **ستوري لاين** ولحظات بتخلي اللاعب متشدد. القسم ده بيعرف رحلة الموظف اليومية، وال features الإضافية اللي بتحول المشروع من "CRM ممتع" لـ "لعبة إدمانية".

الستوري لاين الكاملة: "يوم في حياة بطل المبيعات"

الفصل الأول: الدخول البطولي

أحمد بيعمل Login. أفاتاره بينزل في نقطة البداية (Spawn Point) في أسفل منتصف المكتب الافتراضي. بيلقي إشعار: "**رحلتك اليوم: قفل ديل بقيمة 10K**". طاقته 100%. زملاؤه بيلوّحوله.  ماكينة القهوة فاضية - فرصة!

الفصل الثاني: التنبيه الأول

بعد ساعة شغل، **جرس بيرن في المكتب!**  Hot Lead ذهبي ظهر فجأة فوق مكتب فاضي. أحمد يجري قبل زميله علي، يلتقطه، **XP 100+ فوراً!** علي يحط reaction "😓" والكل ضحك. لحظة منافسة لحظية مش متوقعة.

الفصل الثالث: التحدي الخفي

وسط الشغل، أحمد عمل 30 مكالمة ووصل لـ 25% طاقة. فجأة شبح أحمر بيطهر فوق مكتبه - "**Burnout Demon**"! لازم يروح Break Room. هناك بيلقي سارة، **High Five**! الاتنين +5 XP. القهوة شحنته أسرع. النظام يجبر الراحة بطريقة ممتعة بدل ما تكون مجرد رسالة تحذير.

الفصل الرابع: الذروة - الانتصار الجماعي 🎆

أحمد رجع، عمل المكالمات الحاسمة، **قفل الديل بـ 15K!** الشاشة كلها بتلمع، confetti بتنزل عند كل الموظفين اللي فاتحين اللعبة، أصوات احتفال جماعية، الـ CEO الافتراضي اللي كان في زيارة شافه - **XP 3x** الفريق كله بيبعت "🔥🔥🔥". لحظة من اللحظات اللي بتفضل في ذاكرة الموظف.

الفصل الخامس: المكافأة والصعود 🏆

Level Up مع أنيميشن سينمائي. بادج جديد "**CEO's Favorite**" (نادر جداً). أحمد يفتح المتجر، يشتري قبعة ذهبية لأفاتاره من العملات اللي كسبها. اسمه على الـ **#1 Leaderboard** على مستوى الشركة كلها.

الفصل السادس: الختام السينمائي 🎬

الساعة 5 مساءً، الموسيقى بتهدأ وتتحوّل لـ outro سينمائي. شاشة Daily Highlights كبيرة بتظهر:

- أفضل ديل اليوم: أحمد - 25,000\$
- أكثر واحد عمل مكالمات: سارة - 47 مكالمات
- "الصاعد" (Most Improved): عمر - 15+ levels

أحمد **MVP اليوم!** بيطلع على منصة افتراضية، الكل بيصفقه، يلوّح ويعمل Logout. "**شوفك بكره يا بطل.**"

الـ 10 Features اللي بتحول التجربة لإدمان 🎮

⚠️ ملاحظة استراتيجية

عندك وقت محدود (10 أيام). بدل ما تنفذ كل الأفكار دي نص نص، **اختار 3-4 أفكار** وانفذهم بشكل ممتاز. الأفكار المرشحة بنجمة ★ هي الأولوية القصوى.

★ 1. الـ Hot Leads العشوائية (Random Events)

كل ساعة عشوائية، Lead "ذهبي" بيطهر على الماب كأيقونة بترن فوق مكتب فاضي. أول واحد يجري ويلتقطه بياخده.

التأثير:

- بتخلق موجات Excitement عشوائية على مدار اليوم
- جري حقيقي في ال office (مشهد كوميدي بين الموظفين)
- منافسة لحظية بين الموظفين بشكل ممتع

2. التحالفات وال Squads

الموظفين يقدروا يكونوا فرق صغيرة (2-3 ناس). لو الفريق حقق التارجت الجماعي، كلهم بياخدوا bonus. ممكن بيعتوا "Power-ups" لبعض زي شحن طاقة أو XP boost.

التأثير: بتحول المنافسة من فردية لجماعية، وبتخلق علاقات بين الموظفين.

3. زيارة ال CEO (Boss Visit Events)

مرة في الأسبوع، شخصية ال CEO بتدخل المكتب الافتراضي وبتمشي. أي حد بيقفل ديل وال CEO شايفه:

- بياخد XP مضاعف 3x
- بادج نادر "Spotted by CEO"
- الكل بيشوف ال CEO وفيه ضغط ممتع

4. الكافيين - عناصر تفاعلية في ال Break Room

بدل ما ال Break Room تكون مجرد مكان شحن طاقة، حطها عناصر:

العنصر	التأثير
☕ ماكينة قهوة	شحن سريع لكن فيه 10 cooldown دقائق
🎮 طاولة بلياردو	mini-game بسيط مع زميل (الفايز ياخذ XP)
📺 تلفزيون	بيعرض highlights لأفضل ديلز اليوم
🍕 طلب بيتزا	feature جماعي - الفريق يطلب سوا

5. ★ اللحظات الذهبية (Power Hours)

كل يوم، ساعة عشوائية بكون فيها:

- **Happy Hour** 🔥: كل 2x XP
- **Lightning Round** ⚡: كل مكاملة ب 10 ثواني بتديك bonus
- **Sniper Mode** 🎯: أول 3 ديلز يقفلوا في الساعة دي بياخدوا badge نادر

التأثير: بتخلق anticipation وترقب على مدار اليوم كله، الموظف يفضل متابعة.

6. الأعداء (The Villains)

خصوم افتراضيين عشان يكون فيه شيء يحاربه:

- **The Procrastinator** 🐌: لو قعدت 10 دقائق من غير اكشن، بيظهر "وحش الكسل" فوق مكتبك. لازم تعمل اكشن عشان يختفي.
- **The Burnout Demon** 👻: لو طاقتك تحت 20% وفضلت تشتغل، بيظهر شبح أحمر بيقلل XP بتاعك.
- **The Ghost Lead** 👻: Lead بيختفي بعد ساعة لو ما اتواصلتش معاه.

7. المتجر الافتراضي (The Shop)

العملات اللي بيكسبها الموظف يقدر يصرفها على:

Cosmetics (شياكة):

- ألوان وملابس للأفاتار
- إكسسوارات (نظارات، قبعات)
- مكتب مخصص (ألوان، نباتات، صور)

Power-ups (مفيدة):

- "Energy Drink" - شحن طاقة فوري
- "Lucky Charm" - زيادة فرصة Hot Leads
- "5" - Time Freeze 5 دقائق XP مضاعف
- "Headphones" - تركيز (تخفي إشعارات الزملاء)

8. ال Story Mode الشخصي

كل موظف عنده رحلة شخصية بـ milestones:

- **Rookie** (المستويات 1-5) - تتعلم الأساسيات
- **Hunter** (6-15) - تقفل أول ديل كبير
- **Closer** (16-30) - تدرّب موظف جديد
- **Legend** (+31) - اسمك يتحط في "Hall of Fame" دائم

كل مرحلة فيها مهام خاصة بتفتح ميزات جديدة، قصة بسيطة بتتطور، وألقاب يتنادى بيها.

★ 9. اللحظات الاجتماعية (Social Moments)

اللعبة multiplayer بس مفيش تفاعل حقيقي - ال features دي بتحل ده:

- **High Five System** 🙌: ممكن تروح لزميل وتدوس "High Five" بعد ديل كويس → الاتنين بياخدوا 5+ XP
- **Quick Reactions** 💬: زرار سريع لإرسال "🔥" أو "🙌" أو "👊" لزميل
- **Voice Cheers** 🎤: أصوات احتفال جماعي لما الفريق يحقق التارجت
- **Birthday Mode** 🎂: يوم ميلاد موظف، أفاتاره يلبس قبعة، الكل بيقدّر بيعتله هدايا افتراضية

★ 10. النهاية اليومية الدرامية (Daily Closure)

بدل ما الموظف يخرج بسكوت في آخر اليوم، اعمل احتفال يومي:

الساعة 5 مساءً (آخر الدوام):

- 🎬 الموسيقى بتتغير لـ outro سينمائي
 - 📊 شاشة كبيرة بتظهر "Daily Highlights"
 - 🏆 Daily MVP يطلع على المنصة الافتراضية
 - 🙌 الكل بيلوّح ويخرج
- ده بيخلي اليوم له بداية ونهاية واضحة زي حلقة مسلسل، وبيخلي الموظف مستني بكرة.

🎯 ال Features المُرشحة للتنفيذ (+MVP)

★ الأولوية القصوى - نفّذهم في ال 10 أيام

1. **Hot Leads العشوائية** - بتضيف Excitement فوري ومش معقدة تقنياً
2. **Daily Highlights في آخر اليوم** - بيختم اليوم بمشهد قوي وذكرى للموظف
3. **High Five System** - تفاعل اجتماعي بسيط لكن قوي جداً
4. **Power Hours** - بتخلي اليوم متنوع وفيه ترقب

الموجة الثانية - للنسخة v2

1. المتجر الافتراضي والـ Cosmetics
2. الـ Story Mode الشخصي
3. زيارة الـ CEO
4. الـ Squads والتحالفات
5. الـ Villains (الأعداء)
6. عناصر الـ Break Room التفاعلية

تعديل الخطة - دمج الـ Features الجديدة

الـ 4 Features الأولى ممكن ندمجها في الأيام الموجودة بدون ما نزود أيام:

المدة	اليوم المقترح	الـ Feature
2-3 ساعات	يوم 7 (مع الـ Live Updates)	Hot Leads العشوائية ★
1-2 ساعة	يوم 7 (مع الـ Presence)	High Five System ★
2 ساعة	يوم 8 (مع الـ Manager Features)	Power Hours ★
3 ساعات	يوم 9 (مع الـ Polish)	Daily Highlights ★

برومبت إضافي - Features التفاعلية

ضيف البرومبت ده في يوم 7 و 8 و 9 حسب الجدول فوق:

Antigravity CRM - Enhanced Gameplay Features

Context

We're adding 4 game-changing features to make the experience more engaging and addictive. These integrate with existing systems.

Feature 1: Hot Leads Random Events (Day 7)

Description

Every 45-90 minutes (random), spawn a glowing golden lead marker on an empty desk. First player to walk to it and press SPACE claims it for +100 XP.

Implementation

- Create HotLeadManager class in /game/managers/
- Scheduled timer with random interval (45-90 min)
- Spawn animation: golden glow, particle effects, sound alert
- Broadcast event to all clients via Supabase Realtime
- First click wins (race condition handled server-side)
- Award +100 XP to winner
- Show notification to all: "[Username] just grabbed the Hot Lead!"
- Add to activities table with type "hot_lead_claimed"

UI Elements

- Bell ring sound when spawning
- Golden marker with pulsing animation
- Countdown timer (60 seconds before it disappears)
- Notification banner for all players

Feature 2: High Five System (Day 7)

Description

Players can give each other high fives for an XP boost.

Implementation

- Add interaction when standing adjacent to another player
- Prompt: "Press H to High Five [Username]"
- On accept: both players get +5 XP
- Cooldown: 5 minutes between high fives per pair
- Animation: both avatars do high five gesture
- Sound effect: "clap" sound

Database

- Add high_fives table (id, from_user, to_user, created_at)
- Track for badge unlock: "Team Player" (give 50 high fives)

Feature 3: Power Hours (Day 8)

Description

Manager can trigger special events that boost XP gains.

Three types:

1. Happy Hour: All XP x2 for 60 minutes
2. Lightning Round: Bonus XP for fast actions (call within 10s)
3. Sniper Mode: First 3 deals get rare badge

Implementation

- Add power_hours table (id, type, started_at, duration, started_by)
- Manager dashboard has "Activate Power Hour" button
- Broadcast to all clients immediately
- HUD shows active power hour with countdown
- XP calculation respects active multipliers
- Visual: screen tint changes (orange for happy hour, blue for lightning)
- Auto-end when timer expires

Feature 4: Daily Highlights (Day 9)

Description

End-of-day cinematic showing top performers.

Triggers

- Manual trigger by manager
- Or automatic at 5 PM (configurable)

Content

- Best deal closer (highest value)
- Most active (most calls)
- Most improved (biggest XP gain today)
- Daily MVP (highest combined score)
- Total team stats

Implementation

- Create DailyHighlights component
- Full-screen modal with cinematic music
- Avatars animate to virtual stage
- Stats with count-up animations
- Confetti for MVP
- "Goodbye animation" - players wave and logout
- Save daily_highlights record to DB for history

Deliverables

- All 4 features working
- Visual polish and animations
- Sound effects integrated
- Performance tested with multiple users
- Documentation updated

البرومبتس التفصيلية لكل يوم

طريقة الاستخدام

كل يوم، افتح Claude Code في فولدر المشروع، وانسخ البرومبت بتاع اليوم ده وألصقه. Claude هيتولى الباقي. في آخر اليوم، اعمل `git commit` وانتقل لليوم بعده.

يوم 1: Project Setup & Skills

July 17

Antigravity CRM - Day 1: Project Foundation

Context

We're building a 2D web-based gamified CRM called "Antigravity".
This is day 1 of a 10-day plan. Today's goal: Complete project setup, database schema, folder structure, and skill configuration.

Step 0: Read Skills First

Read these files in order:

1. `.claude/skills/skill-creator/SKILL.md`
2. `.claude/skills/frontend-design/SKILL.md`

Step 1: Create PROJECT_CONTEXT.md

Document the full project vision, tech stack, conventions, XP values, map dimensions, and color palette.
(Use the template provided in the project plan PDF)

Step 2: Initialize Next.js

Run:

```
npx create-next-app@latest . --typescript --tailwind --app
```

Then install:

```
npm install phaser @supabase/supabase-js zustand lucide-react
```

Step 3: Setup Supabase

Create migration files for these tables:

- profiles (id, username, role, xp, level, stamina, coins, avatar_color)
- positions (user_id, x, y, direction, scene, updated_at)
- leads (id, name, phone, email, status, source, assigned_to, created_at)
- activities (id, user_id, type, xp_earned, lead_id, created_at)
- badges (id, name, description, icon, criteria)
- user_badges (user_id, badge_id, earned_at)
- quests (id, title, description, xp_reward, assigned_to, status, due_at)

Add Row Level Security (RLS) policies for each table.

Step 4: Create Folder Structure

```
antigravity-crm/
├── .claude/skills/
├── app/
│   ├── (auth)/login/
│   ├── game/
│   └── api/
├── components/
│   ├── ui/
│   ├── game-hud/
│   └── crm-modals/
├── game/
│   ├── scenes/
│   ├── entities/
│   ├── config/
│   └── utils/
├── lib/
│   ├── supabase/
│   └── store/
└── types/
```

Step 5: Custom Skill

Use skill-creator to create "antigravity-conventions" skill in .claude/skills/antigravity-conventions/ documenting:

- Tile size: 32x32px
- Map: 40x30 tiles
- XP values
- Color palette
- Naming conventions

Deliverables

- Running Next.js app at localhost:3000
- Supabase project with all tables + RLS
- Complete folder structure
- Custom skill documented
- Git initialized + first commit
- DAY_1_DONE.md summary file

DO NOT do today

- Don't write Phaser code yet
- Don't build any UI components yet
- Just setup, schema, and documentation

يوم 2: Map Rendering

July 17

Antigravity CRM - Day 2: Map Rendering

Context

Yesterday: Project setup, DB schema, folder structure done.

Today: Build the Phaser scene with the complete office map.

Step 0: Read Skills

1. .claude/skills/algorithmic-art/SKILL.md
2. .claude/skills/antigravity-conventions/SKILL.md
3. ./PROJECT_CONTEXT.md

Step 1: Generate Placeholder Sprites

Use algorithmic-art skill to generate pixel art sprites:

- Floor tiles (32x32) for: bullpen floor, break room floor, manager office floor
- Wall tiles
- Furniture: desk (3x2 tiles), chair, water cooler, couch, plant
- Decorations: leaderboard wall, glass walls

Save as PNG in /public/assets/sprites/

Step 2: Create Map Configuration

Create /game/config/mapConfig.ts with:

- 2D array representing the map (40 cols x 30 rows)
- Each cell: tile type, walkable boolean, interactive boolean
- Zone definitions with coordinates

Step 3: Build OfficeScene

Create /game/scenes/OfficeScene.ts that:

- Extends Phaser.Scene
- Loads all sprites in preload()
- Renders the map in create() using Phaser.Tilemaps
- Adds visual distinction between zones (different floor colors)
- Places furniture in correct positions

Step 4: Map Zones (exact coordinates)

- Spawn Point: (20, 28) - center bottom
- Bullpen: rows 10-20, cols 8-32
 - 6 desks in 2 rows of 3
 - Each desk: 3x2 tiles
 - Computer interaction tile on top of each desk
- Leaderboard Wall: row 1, cols 16-24 (8 tiles wide)
- Break Room: rows 22-28, cols 2-10
 - Couches, plants, water cooler
- Manager Office: rows 2-8, cols 32-38
 - Glass walls with collision

Step 5: Collision System

- Walls: solid collision
- Furniture: solid collision
- Glass walls: solid collision but transparent visually
- Interactive tiles: trigger zones (no collision but detectable)

Step 6: Camera System

- Camera centered on map for now
- Set bounds to map size
- Smooth follow ready (will use tomorrow with player)

```

## Step 7: Integrate with Next.js
Create /app/game/page.tsx that:
- Mounts the Phaser game in a div
- Handles cleanup on unmount
- Server-side renders the page shell

## Deliverables
- Map renders correctly at /game route
- All zones visually distinct
- Furniture placed correctly
- Collision boundaries defined
- DAY_2_DONE.md summary

## Test
- Open localhost:3000/game
- Map should be visible
- All zones identifiable
- No console errors

```

يوم 3: Player Movement & Login

July 17

```

# Antigravity CRM - Day 3: Player & Auth

## Context
Map is done. Today: Add player movement, authentication,
and basic HUD overlay.

## Step 0: Read
1. .claude/skills/frontend-design/SKILL.md
2. ./PROJECT_CONTEXT.md
3. ./DAY_2_DONE.md

## Step 1: Login Page
Create /app/(auth)/login/page.tsx with:
- Email + password form
- Sign up option (creates profile entry)
- Use Supabase Auth
- Apply gamified design aesthetic (use frontend-design skill)
- Redirect to /game after successful login
- Show loading states and errors

## Step 2: Auth Middleware
Create middleware to:
- Protect /game route
- Redirect unauthenticated users to /login
- Pass user data to game

## Step 3: Player Entity
Create /game/entities/Player.ts:

```

- Sprite class (32x32 colored rectangle for now)
- Properties: x, y, direction, username, avatarColor
- Movement methods: move(direction), updatePosition()
- Direction tracking: up, down, left, right

Step 4: Movement Controls

- Arrow keys + WASD
- Speed: 8px per frame
- Grid-aligned movement (snaps to 32px grid)
- Check collision before moving
- Update direction sprite based on movement

Step 5: Camera Follow

- Camera follows player smoothly
- Smooth deadzone (player can move slightly without camera moving)
- Camera bounded to map limits

Step 6: Spawn System

- On login, spawn player at (20, 28)
- Save spawn position to positions table
- Update position on every move (throttled to 100ms)

Step 7: HUD Overlay (React)

Create /components/game-hud/HUD.tsx:

- Top-left: Avatar circle, username, level number, XP bar
- Top-right: Stamina bar (placeholder, will work tomorrow)
- Position: fixed, overlaid on Phaser canvas
- Use Tailwind for styling
- Pull data from Zustand store

Step 8: Zustand Store

Create /lib/store/gameStore.ts:

- Player state (xp, level, stamina, coins)
- Update methods
- Sync with Supabase on changes

Deliverables

- Working login/signup
- Player spawns and moves smoothly
- Camera follows player
- HUD visible with player info
- Position saved to DB
- DAY_3_DONE.md

Test scenarios

- Sign up new user → redirected to game → spawn at correct position
- Move with arrow keys → smooth movement
- Hit walls/desks → no clipping
- Refresh page → player respawns at last position

Workstation Interactions : يوم 4

July
17

```
# Antigravity CRM - Day 4: CRM Interactions

## Context
Player can move around. Today: The CRM core - workstation
interactions and the main CRM modal.

## Step 0: Read
1. .claude/skills/web-artifacts-builder/SKILL.md
2. .claude/skills/frontend-design/SKILL.md
3. ./DAY_3_DONE.md

## Step 1: Setup shadcn/ui
Run: npx shadcn-ui@latest init
Install components: dialog, button, input, tabs, table,
card, badge, toast, form, select, textarea

## Step 2: Interaction Manager
Create /game/utils/InteractionManager.ts:
- Detect when player is adjacent to interactive tile
- Show floating "Press SPACE" prompt above player
- Emit events when SPACE/ENTER pressed
- Each interactable has a type and metadata

## Step 3: Interaction Prompt UI
Create /components/game-hud/InteractionPrompt.tsx:
- Floating tooltip above player when near interactable
- Shows: "Press SPACE to use [object name]"
- Smooth fade in/out
- Synced with Phaser via Zustand

## Step 4: CRM Modal (Main Component)
Create /components/crm-modals/WorkstationModal.tsx:
Use web-artifacts-builder for structure. Tabs:

#### Tab 1: New Lead
- Form: name, phone, email, source (dropdown), notes
- Validation
- Submit → save to Supabase + award 10 XP
- Toast notification on success

#### Tab 2: My Leads
- Table of leads where assigned_to = current user
- Columns: name, phone, status, created_at, actions
- Status update dropdown: New, Contacted, Qualified, Closed, Lost
- Search and filter

#### Tab 3: Log Activity
- Buttons grid: Made Call, Closed Deal, Sent Email, Demo Done
- Each button: icon + name + XP value
```

- Click → save activity + award XP + animation

Tab 4: My Stats

- Today's stats: calls, deals, leads added
- This week's chart (use recharts)
- Progress to next level
- Recent activities feed

Step 5: Modal Trigger Logic

- When player presses SPACE near their desk
- Pause Phaser game input
- Open modal with smooth animation
- Close modal → resume game

Step 6: XP Award System

Create /lib/game/xpSystem.ts:

- awardXP(userId, amount, reason)
- Update profile in Supabase
- Calculate level from XP ($\text{level} = \text{floor}(\sqrt{\text{xp}/100})$)
- If level up → trigger level up event
- Show animated +XP toast

Step 7: Real-time Updates

- After any DB write, refetch user stats
- Update HUD immediately
- Show success toast with XP gained

Deliverables

- Workstation interaction working
- Full CRM modal with 4 tabs functional
- XP system working
- Leads can be added and managed
- Activities can be logged
- DAY_4_DONE.md

Test

- Walk to your desk → see prompt
- Press SPACE → modal opens
- Add a lead → success toast + XP gain
- Log a call → XP gain visible in HUD
- All data persists in Supabase

يوم 5: Gamification System

July 17

Antigravity CRM - Day 5: Stamina & Levels

Context

CRM works. Today: Complete the gamification - Stamina, levels with proper progression, and Break Room.

```

## Step 0: Read
1. .claude/skills/frontend-design/SKILL.md
2. ./DAY_4_DONE.md

## Step 1: Stamina System
Create /lib/game/staminaSystem.ts:
- Max stamina: 100
- Drain: -2 per call, -5 per deal, -1 per email
- Regen: +1 per second when in break room
- Below 20%: warning notification
- At 0: block all CRM actions until refilled

## Step 2: Stamina UI
Update HUD with stamina bar:
- Visual bar with smooth animations
- Color changes: green (>50), yellow (20-50), red (<20)
- Pulsing effect when low
- Tooltip showing exact value

## Step 3: Break Room Logic
- Define break room zone in game config
- On player enter: start regen timer
- On player exit: stop regen
- Visual feedback: player avatar shows "resting" state
- Other players see "On Break" indicator

## Step 4: Level Up System
Create /lib/game/levelSystem.ts:
- XP per level:  $100 * (\text{level}^{1.5})$ 
- Calculate level from total XP
- Detect level up moment
- Trigger level up animation + sound

## Step 5: Level Up Animation
Create /components/game-hud/LevelUpAnimation.tsx:
- Full screen overlay
- Particle effects
- "LEVEL UP!" text with new level number
- New abilities unlocked (visual only for now)
- Auto-dismiss after 3 seconds
- Celebratory sound

## Step 6: Notification System
Create /components/game-hud/NotificationCenter.tsx:
- Toast queue for multiple notifications
- Types: XP gain, level up, badge earned, low stamina, deal closed
- Each type has unique style and animation
- Stack vertically with smooth transitions

## Step 7: Daily Stats Reset
- Cron job or check on login
- Reset daily stats at midnight
- Keep all-time stats

```

- Show "Daily" vs "All-time" tabs in stats

Step 8: Activity Feed

Create /components/game-hud/ActivityFeed.tsx:

- Bottom-right collapsible panel
- Shows recent activities (own + team)
- Real-time updates (placeholder, full realtime tomorrow)
- Filterable: All, Mine, Team

Deliverables

- Full stamina system working
- Break room regenerates stamina
- Level progression with animations
- Notification system in place
- Activity feed functional
- DAY_5_DONE.md

Test

- Make 50 calls → stamina depletes → block actions
- Walk to break room → stamina regenerates
- Earn enough XP → level up animation triggers
- Check feed → all activities listed

يوم 6: Real-time Multiplayer

July 17

Antigravity CRM - Day 6: Realtime Positions

Context

Single-player works perfectly. Today: Make it multiplayer with real-time player positions visible to everyone.

Step 0: Read

1. ./DAY_5_DONE.md
2. Supabase Realtime docs
3. ./PROJECT_CONTEXT.md

Step 1: Realtime Channel Setup

Create /lib/supabase/realtime.ts:

- Connect to a "office-room" channel
- Subscribe to position broadcasts
- Subscribe to player joined/left events
- Handle reconnection logic

Step 2: Position Broadcasting

- On player move (throttled to 100ms):
 - Broadcast { userId, x, y, direction, animation }
- Use Supabase broadcast (not DB writes - too slow)
- Use DB only for saving final position on logout

Step 3: Other Players Rendering

Create /game/entities/RemotePlayer.ts:

- Same as Player but controlled by network events
- Username label above sprite
- Different avatar color per user
- Smooth movement (interpolation)

Step 4: Smooth Interpolation

- Receive position updates every 100ms
- Interpolate between current and target position
- 60 FPS smooth movement even with network jitter
- Use linear interpolation (lerp)

Step 5: Player Join/Leave

- On user login: broadcast "player_joined"
- On user logout: broadcast "player_left"
- Spawn animation when new player joins
- Fade out animation when player leaves

Step 6: Connection Handling

- Show connection status in HUD
- Auto-reconnect on disconnect
- Buffer events during reconnection
- Show "Reconnecting..." state

Step 7: Performance Optimization

- Only render players in viewport
- Throttle updates if many players
- Use object pooling for sprites
- Test with 5+ simulated players

Step 8: Avatar Customization (Basic)

- Random color on first signup (saved to profile)
- Show different colors for different users
- Color visible above their head

Deliverables

- Open 2 browser tabs → see each other moving
- Smooth movement, no teleporting
- Player labels visible
- Join/leave animations work
- DAY_6_DONE.md

Test

- Open 3 tabs with different accounts
- Move all of them around
- Verify all see each other in real-time
- Test disconnection (close tab) → other clients see leave
- Test reconnection (refresh) → smooth re-entry

يوم 7: Presence & Live Updates



```
# Antigravity CRM - Day 7: Live Everything

## Context
Multiplayer movement works. Today: Make ALL data live -
XP, leaderboard, activities, presence.

## Step 0: Read
1. ./DAY_6_DONE.md
2. Supabase Presence API docs

## Step 1: Presence System
Use Supabase Presence:
- Track who's online
- Track each user's status: working, on_break, idle, in_meeting
- Sync presence state across all clients

## Step 2: Online Users Panel
Create /components/game-hud/OnlinePlayers.tsx:
- Right sidebar (collapsible)
- List all online users
- Status indicator dot (green/yellow/red/blue)
- Avatar + username + level
- Click → camera pans to that player

## Step 3: Status Detection
Auto-detect status:
- "working" - at workstation
- "on_break" - in break room
- "idle" - no input for 5 minutes
- "in_meeting" - manual toggle from menu

## Step 4: Live XP Notifications
- When ANY user earns XP, broadcast to room
- Show floating "+XP" text above their avatar
- Different colors for different XP amounts:
  - +5 XP: white
  - +10 XP: green
  - +50 XP: gold
  - Level up: rainbow

## Step 5: Live Leaderboard
Update /components/game-hud/LeaderboardWall.tsx:
- Subscribe to profiles table changes
- Auto-update top 10 in real-time
- Smooth animations when ranks change
- Highlight rank changes (up arrow / down arrow)
- Today / Week / All-time tabs

## Step 6: Live Activity Feed
```

Update activity feed:

- Subscribe to activities table
- Show new activities as they happen
- Different styling per type
- Click activity → camera pans to user

Step 7: Closed Deal Celebration

When ANY user closes a deal:

- Confetti animation across all clients
- Celebratory sound
- Banner: "[Username] just closed a deal! 🎉"
- Their avatar gets a temporary glow effect

Step 8: Live Notifications

Manager → Sales Rep notifications:

- "You've been assigned a new lead"
- "Your daily target updated"
- Real-time delivery via channels

Deliverables

- Full presence system working
- Live leaderboard updates
- Live XP popups
- Live activity feed
- Celebrations work for everyone
- DAY_7_DONE.md

Test (with 3+ accounts)

- All actions visible to others instantly
- Leaderboard updates without refresh
- Status changes when moving rooms
- Deal close → all see celebration

يوم 8: Manager Features

July
17

Antigravity CRM - Day 8: Manager Dashboard

Context

Sales reps have full functionality. Today: Manager-only features - dashboard, lead assignment, quests.

Step 0: Read

1. .claude/skills/web-artifacts-builder/SKILL.md
2. ./DAY_7_DONE.md

Step 1: Role-based Access

- Check user role from profile
- Manager interactions only available to managers
- Glass office only enterable by managers
- Add "manager" role checks throughout

Step 2: Manager Desk Interaction

When manager interacts with their desk:

- Open large dashboard modal (full screen)
- Multiple tabs:

Tab 1: Team Overview

- Card per team member showing:
 - Avatar, name, level
 - Today's stats (calls, deals, XP)
 - Current status
 - Stamina bar
- Sortable by various metrics

Tab 2: Lead Distribution

- Unassigned leads list
- Drag and drop to assign to specific rep
- Or auto-distribute (round-robin)
- Bulk import from CSV

Tab 3: Quest Creator

Form to create quests:

- Title, description
- XP reward
- Target type: individual, team, role
- Deadline
- Conditions (e.g., "Make 20 calls")

Tab 4: Analytics

Charts (use recharts):

- Daily team performance (line chart)
- Top performers (bar chart)
- Lead conversion funnel
- XP distribution
- Calls per hour heatmap

Tab 5: Activity Stream

- Live feed of all team activities
- Filterable by user, type, date
- Export to CSV

Step 3: Quest System (Player Side)

- Quests appear as glowing markers on the map
- "!" icon above quest giver (manager office)
- Player walks to quest → modal shows quest details
- Accept → quest added to player's quest log
- Track progress in HUD

Step 4: Quest Tracker

Create /components/game-hud/QuestTracker.tsx:

- Right side panel (collapsible)
- List active quests
- Progress bar for each

- Time remaining
- Auto-complete when conditions met

Step 5: Lead Assignment Visualization

- When manager assigns lead → animation
- Lead "flies" from manager office to rep's desk
- Rep gets notification + sound
- Lead appears in their CRM

Step 6: Permissions & Security

- RLS policies for manager-only operations
- Server-side validation on all manager actions
- Audit log for sensitive actions

Step 7: Demo Manager Account

Create seed script that adds:

- 1 manager account
- 5 sales rep accounts
- 30 sample leads (mix of assigned/unassigned)
- 5 sample quests

Deliverables

- Complete manager dashboard
- Lead assignment working
- Quest system functional
- Analytics charts displayed
- Demo accounts ready
- DAY_8_DONE.md

Test

- Login as manager → access dashboard
- Assign lead → rep gets notification
- Create quest → marker appears
- Rep accepts quest → tracker updates
- Charts show real data

يوم 9: Badges & Polish

July 17

Antigravity CRM - Day 9: Polish & Badges

Context

All core features done. Today: Make it shine - badges, animations, sounds, juice.

Step 0: Read

1. .claude/skills/frontend-design/SKILL.md
2. ./DAY_8_DONE.md

Step 1: Badges System

Create badges with criteria:

- "First Blood" - First closed deal
- "Centurion" - 100 calls in one day
- "Whale Hunter" - Closed deal worth \$10k+
- "Marathon" - Worked 8 hours straight
- "Team Player" - Helped close team target
- "Speed Demon" - 10 calls in 30 minutes
- "Perfectionist" - 100% conversion in a day
- "Early Bird" - Logged in before 7am
- "Night Owl" - Worked past 10pm
- "Streak" - Met daily target 7 days in a row

Step 2: Badge Detection Engine

Create /lib/game/badgeEngine.ts:

- Run after every activity
- Check all badge criteria
- Award if criteria met (no duplicates)
- Trigger badge unlock event

Step 3: Badge Unlock Animation

Full-screen overlay:

- Background blur
- Badge icon flies in from corner
- "BADGE UNLOCKED" text
- Badge name and description
- Particle effects
- Sound effect
- "Continue" button

Step 4: Badge Showcase

Create /components/game-hud/BadgeShowcase.tsx:

- Profile section showing all badges
- Earned badges in color, locked in greyscale
- Hover → show criteria
- Animated unlock counter

Step 5: Sound System

Add audio (use freesound.org assets):

- Background music (lo-fi, toggleable)
- Footsteps (different per terrain)
- Modal open/close
- XP gain (different per amount)
- Level up (epic sound)
- Badge unlock (achievement sound)
- Deal close (cha-ching)
- Notification ping
- Door / room transitions
- Click sounds for UI

Create /lib/audio/AudioManager.ts:

- Volume control
- Mute toggle
- Music vs SFX separate volumes
- Save preferences to localStorage

Step 6: Animation Polish

- Player walking animation (4-frame cycle)
- Smooth modal transitions (slide + fade)
- Stat number rolls (count-up animations)
- XP bar smooth fills
- Particle effects on important actions
- Day/night cycle (background tint by real time)

Step 7: Loading States

- Skeleton screens for all data
- Smooth loading bars
- Error boundaries with friendly messages
- Empty states with calls-to-action

Step 8: Settings Menu

Create /components/SettingsMenu.tsx:

- Volume sliders (music + SFX)
- Notification preferences
- Avatar color picker
- Display name change
- Logout button

Step 9: Onboarding Tutorial

For new users:

- Welcome screen
- Highlight key UI elements
- Walk through first quest:
 1. "Move to your desk" (arrow guide)
 2. "Press SPACE to use computer"
 3. "Add your first lead"
 4. "Check the leaderboard"
- Award "Welcome" badge on completion

Deliverables

- 10 badges fully implemented
- Sound effects everywhere
- Smooth animations throughout
- Settings menu working
- Onboarding tutorial complete
- DAY_9_DONE.md

Test

- New user → tutorial guides them
- Earn badges naturally → unlocks trigger
- Settings persist across refreshes
- All animations smooth at 60fps

Final Day - Deploy :10 يوم



```
# Antigravity CRM - Day 10: Ship It

## Context
Last day. Everything works. Today: Polish bugs,
deploy, document, prepare for handover.

## Step 0: Read
1. ./DAY_9_DONE.md
2. All previous DAY_X_DONE.md files

## Step 1: Bug Hunt Session
- Test every flow end-to-end
- Open 3 browsers simultaneously
- Try to break things
- List all bugs found
- Fix critical ones, document minor ones
- Test on Chrome, Firefox, Safari

## Step 2: Performance Optimization
- Lighthouse audit
- Optimize images (next/image)
- Lazy load components
- Reduce bundle size
- Add loading priorities
- Test on slow 3G

## Step 3: Mobile Responsive
- Replace keyboard with virtual joystick on mobile
- Adjust HUD for small screens
- Touch interactions
- Test on actual phone

## Step 4: Demo Data Seed
Create /scripts/seed-demo.ts:
- 1 manager account: manager@demo.com / Demo123!
- 5 sales reps with varied stats:
  - alex@demo.com (top performer, level 15)
  - sara@demo.com (mid level, 8)
  - omar@demo.com (new, level 2)
  - lina@demo.com (mid level, 7)
  - youssef@demo.com (top 2, level 12)
- 50 sample leads
- Various activities
- Some unlocked badges
- Active quests

## Step 5: Deploy to Vercel
- Push to GitHub
- Connect Vercel
```

- Configure environment variables:
 - NEXT_PUBLIC_SUPABASE_URL
 - NEXT_PUBLIC_SUPABASE_ANON_KEY
 - SUPABASE_SERVICE_ROLE_KEY
- Deploy
- Test production URL
- Configure custom domain if available

Step 6: Supabase Production

- Switch to production Supabase project
- Apply all migrations
- Configure RLS policies
- Set rate limits
- Configure auth providers
- Run seed script

Step 7: Documentation

Create comprehensive README.md:

- Project description with screenshots
- Live demo URL
- Demo credentials
- Tech stack
- Setup instructions
- Architecture overview
- Folder structure explanation
- Contributing guide
- License

Step 8: Demo Video Script

Plan a 3-minute demo video:

- 0:00-0:20 - Intro: Problem with traditional CRMs
- 0:20-0:40 - Solution: Gamified approach
- 0:40-1:30 - Walkthrough as sales rep
- 1:30-2:30 - Manager perspective
- 2:30-3:00 - Multiplayer + closing

Step 9: Pitch Deck

Create simple deck:

- Slide 1: Problem
- Slide 2: Solution
- Slide 3: Tech stack
- Slide 4: Live demo screenshot
- Slide 5: Business value
- Slide 6: Pricing/Next steps

Step 10: Final Handover Package

Prepare folder with:

- Source code (private GitHub repo)
- README with all docs
- Demo URL
- Demo credentials
- Pitch deck PDF
- Architecture diagram

- Database schema diagram
- 5-10 high-quality screenshots

Deliverables

- Live deployed app
- Complete documentation
- Demo accounts working
- All bugs fixed
- Pitch deck ready
- Project ready for client presentation

Final Test Checklist

- [] Login works on production
- [] All features functional
- [] Multiplayer works across regions
- [] No console errors
- [] Mobile works
- [] Demo accounts populated
- [] Performance > 90 Lighthouse score
- [] Documentation complete

هيكل قاعدة البيانات



جدول 1: profiles

```
create table profiles (
  id uuid references auth.users primary key,
  username text unique not null,
  email text unique not null,
  role text default 'sales_rep' check (role in ('sales_rep', 'manager', 'admin')),
  xp integer default 0,
  level integer default 1,
  stamina integer default 100,
  coins integer default 0,
  avatar_color text default '#6366f1',
  status text default 'offline',
  created_at timestamptz default now(),
  updated_at timestamptz default now()
);
```

جدول 2: positions

```
create table positions (
  user_id uuid references profiles(id) primary key,
  x integer not null,
  y integer not null,
  direction text default 'down',
  scene text default 'office',
  updated_at timestamptz default now()
);
```

جدول 3: leads

```
create table leads (
  id uuid default gen_random_uuid() primary key,
  name text not null,
  phone text,
  email text,
  source text,
  status text default 'new' check (status in
    ('new', 'contacted', 'qualified', 'closed', 'lost')),
  notes text,
  value numeric default 0,
```

```

assigned_to uuid references profiles(id),
created_by uuid references profiles(id),
created_at timestamptz default now(),
updated_at timestamptz default now()
);

```

جدول 4: activities

```

create table activities (
  id uuid default gen_random_uuid() primary key,
  user_id uuid references profiles(id) not null,
  type text not null check (type in
    ('call', 'email', 'meeting', 'deal_closed', 'lead_added')),
  xp_earned integer not null,
  lead_id uuid references leads(id),
  metadata jsonb,
  created_at timestamptz default now()
);

```

جدول 5: badges

```

create table badges (
  id uuid default gen_random_uuid() primary key,
  name text unique not null,
  description text not null,
  icon text not null,
  criteria jsonb not null,
  rarity text default 'common'
);

create table user_badges (
  user_id uuid references profiles(id),
  badge_id uuid references badges(id),
  earned_at timestamptz default now(),
  primary key (user_id, badge_id)
);

```

جدول 6: quests

```

create table quests (
  id uuid default gen_random_uuid() primary key,
  title text not null,
  description text,
  xp_reward integer default 0,
  coin_reward integer default 0,
  target_type text default 'individual',
  conditions jsonb not null,

```

```
assigned_to uuid references profiles(id),  
created_by uuid references profiles(id),  
status text default 'active',  
due_at timestampz,  
created_at timestampz default now()  
);
```

نصائح وأفضل الممارسات

نصائح يومية

في بداية كل يوم

- افتح Claude Code وابدأ بـ `read DAY_X_DONE.md` من اليوم اللي قبله
- راجع الـ checklist بتاع اليوم اللي قدامك
- تأكد إن Supabase شغال والـ env variables مطبوعة
- اعمل `git pull` قبل ما تبدأ

في آخر كل يوم

- اعمل `git commit` برسالة واضحة
- اكتب ملف `DAY_X_DONE.md` فيه:
 - إيه اللي اتعمل
 - إيه المشاكل اللي حصلت وحلولها
 - إيه اللي ممكن يتأجل لبكره
- اختبر الـ feature اللي عملته اليوم ده
- ادفع لـ GitHub

نصائح تقنية

✓ اعمل الحاجات دي

- **TypeScript Strict Mode**: فعّله من اليوم الأول
- **Types أولاً**: اكتب ال types قبل ما تكتب ال logic
- **Throttle Realtime**: الحركة لـ 100ms بس عشان متخلصش ال Supabase quota
- **Test على فترات**: مش تستنى آخر يوم تختبر كل حاجة
- **Mobile Detection**: تأكد من شكل ال UI على الموبايل من اليوم 3

✗ بلاش الحاجات دي

- **Pixel Perfect Art**: استخدم placeholders، لو فضل وقت في النهاية اشتغل عليهم
- **Premature Optimization**: خلّي الكود يشتغل الأول، ال performance بعدين
- **Feature Creep**: التزم بالخطّة، أي feature إضافي اكتبه في "v2"
- **Skipping Tests**: اختبر بعد كل feature، مش في النهاية
- **Bad Commits**: رسائل commit واضحة + commits صغيرة

نصائح للعرض

🎯 لما تعرض المشروع للعميل

- افتح 3 شاشات/تابّات بـ accounts مختلفة عشان تبين ال multiplayer
- ابدأ بإنك تشرح المشكلة (CRMs traditional مملة) قبل ما تعرض الحل
- اعمل actions هتدي XP عشان الراجل يشوف الحاجات بتلمع
- اقفل ديل قدامه عشان يشوف ال celebration animation
- افتح Manager Dashboard في الآخر عشان يبين القيمة الإدارية
- جهّز رد لأي سؤال عن ال scalability وال security

Checklist نهائي قبل التسليم

التقني

- Login + Signup شغالين ☐
- اللاعب بي spawn في المكان الصح ☐
- الحركة smooth وبدون مشاكل ☐
- كل المناطق على الماب شغالة ☐
- CRM Modal بيحفظ لل DB ☐
- XP بيتحسب صح ☐
- Stamina بتنزل وتزيد كويس ☐
- Levels بيتجي صح ☐
- Leaderboard live شغال ☐
- Multiplayer presence شغال ☐
- Manager features كاملة ☐
- Badges بتفك (+10 badges) ☐
- Quests شغالة ☐
- Notifications شغالة ☐
- Sound effects شغالة ☐

ال Polish

- Loading states في كل مكان ☐
- Error states واضحة ☐
- Empty states موجودة ☐
- Animations smooth ☐
- Responsive على الموبايل ☐
- Cross-browser tested ☐
- Performance > 90 Lighthouse ☐
- مفيش console errors ☐

Deployment

- Vercel Deployed ☐
- Supabase Production شغال ☐
- Environment variables مضبوطة ☐
- Custom domain (اختياري) ☐
- SSL شغال ☐
- Demo data موجودة ☐
- Demo accounts شغالة ☐

Documentation

- README كامل ☐
- Setup instructions واضحة ☐
- Architecture diagram ☐
- Database schema diagram ☐
- Screenshots عالية الجودة (5-10) ☐
- Demo video (3 دقائق) ☐
- Pitch deck (6 slides) ☐
- License file ☐

Presentation Day

- التابتوب مشحون 100% ☐
- الإنترنت مضبوط ☐
- browser tabs 3 محضرة ☐
- Demo accounts logged in ☐
- Pitch deck مفتوح ☐
- Demo video جاهز كـ backup ☐
- Screenshots على الموبايل كـ backup ☐
- جوابات معدة للأسئلة الصعبة ☐

بالتوفيق يا هندسة! 🚀

لو طبقت الخطة دي يوم بيوم، هتلاقي نفسك يوم 19 ومعاك مشروع محترف جاهز للعرض. التزم بالخطة، اوعى ت skip أي يوم، وكل يوم اعمل commit.

SybTech Software · Antigravity Project · 2026