


3

REVISIONS				
REV	DESCRIPTION	DATE	APPROVED	
	SEE SHEET ONE			

TOLERANCES DIM LINEAR TOLERANC	
Cotes en mm Dimension range in mm	Classe de tolérance Tolerance class
a ≤ 1	±0.13
1 < a ≤ 3	±0.15
3 < a ≤ 6	±0.17
6 < a ≤ 10	±0.20
10 < a ≤ 15	± 0.22
15 < a ≤ 22	±0.25
22 < a ≤ 30	± 0.27
30 < a ≤ 40	±0.30
40 < a ≤ 53	±0.35
53 < a ≤ 70	±0.38
70 < a ≤ 90	±0.43
90 < a ≤ 115	± 0.50
115 < a ≤ 150	± 0.60
150 < a ≤ 200	±0.75
200 < a ≤ 250	± 0.90
250 < a ≤ 315	±1.10
315 < a ≤ 400	± 1.30
400 < a ≤ 500	± 1.50
500 < a ≤ 630	±1.90
630 < a ≤ 800	±2.40
800 < a ≤ 1000	±2.90
1000 < a ≤ 1300	±3.60
1300 < a ≤ 1600	±4.40
1600 < a ≤ 2000	± 5.40



DEPOUILLE / DRAFT ANGLE
0 à 1° SAUF INDICATION CONTRAIRE SUR LE DESSIN
0 to 1 deg except specified on the drawing

13. LA PIÈCE DOIT RESPECTER LES CRITÈRES DE COSMÉTIQUE DE L'INSTRUCTION D'INSPECTION NELLCOR PURITAN BENNETT N° 11019105

13. PART MUST MEET THE P/N II019105 COSMETIC CRITERIA OF NELLCOR PURITAN BENNETT INSPECTION INSTRUCTION.

COVIDIEN 6135 Gunbarrel Avenue Boulder, CO 80301 PROPRIETARY & CONFIDENTIAL. THIS DOCUMENT MAY NOT BE COPIED, DISCLOSED, OR USED IN WHOLE OR IN PART WITHOUT THE CONSENT OF COVIDIEN.

© 2012 COVIDIEN ALL RIGHTS RESERVED.

SIZE FILENAME: В 3823200.SLDDRW DRAWING NO.: 3823200

SHEET: DRAWN: SCALE: 1:5 4 OF 4

TEMPLATE 10093581 REV A

REV

В

В