Use Case Name: Acceptance   **ID:** 6   **Importance Level:** High

Primary Actor: Tasker, Taskee   **Use Case Type:** Detail - Essential

Stakeholders and Interests:

      Tesker – wants to view the task given, and accept or reject it.

      Taskee – wants to choose between one of the taskers recommended.

Brief Description: This use case describes how tasker accepts the task and how taskee accepts the tasker.

Trigger1: Tasker accepts the job and the session starts.

Type1: External

Trigger2: Taskee accepts the tasker and the request is sent to tasker.

Type2: External

Relationships:

      Association: Tasker , Taskee

      Include: Accept task
                Accept tasker
                Withdraw

      Extend: Additional conditions

Normal Flow of Events:

      1. The taskee sees the list of all recommended taskers.
      2. If the taskee selects one tasker
          Execute Accept tasker use case.
      3. A request is sent to that tasker.
      4. If tasker accepts the task
          Execute Accept task use case.
      5. If after the session has started, tasker or taskee wanted to cancel the session
          Execute Withdraw use case.

SubFlows:

     S-1: Tasker accepts the task and session starts.
     S-2: Taskee views tasker's profile and accepts tasker.
     S-3: In Withdraw, cancel the session and notify both tasker and taskee.

Alternate/Exceptional Flows:

     1a1. Show similar tasks and taskers.