Challenge #10: Rensponsive Layout

- 1. Sticky Header
- 2. Responsive Topnav
- 3. Rensponsive image grid
- 4. Rounded Image
- 5. Favicon

1.

```
header{
    min-height: 100vh;
    background: linear-gradient(\Boxrgba(0, 0, 0, 0.4), \Boxrgba(0, 0, 0, 0.4)), url(https://i.pi
    display: flex;
    flex-direction: column;
    justify-content: stretch;
.navbar{
    background: \square \operatorname{rgba}(0, 0, 0, 0.6);
    padding: 1.2rem;
.navbar-brand{
   color: □#fff;
    font-size: 2rem;
   display: block;
   text-align: center;
   text-decoration: none;
    font-family: var(--Playfair);
    letter-spacing: 1px;
.navbar-nav{
    padding: 0.8rem 0 0.2rem 0;
    text-align: center;
.navbar-nav a{
    text-transform: uppercase;
    font-family: var(--Roboto);
    letter-spacing: 1px;
    font-weight: 500;
    color: #fff;
    text-decoration: none;
    display: inline-block;
    padding: 0.4rem 0.1rem;
    letter-spacing: 3px;
    transition: opacity 0.5s ease;
.navbar-nav a:hover{
    opacity: 0.7;
```

```
/* Media Queries */
@media screen and (min-width: 540px){
    .navbar-nav a{
        padding-right: 1.2rem;
       padding-left: 1.2rem;
    .banner-title{
       font-size: 5rem;
    .banner form{
       margin-top: 1.4rem;
       width: 80%;
       margin-left: auto;
       margin-right: auto;
@media screen and (min-width: 768px){
    .navbar .container{
       display: flex;
        align-items: center;
        justify-content: space-between;
    .search-input{
       padding: 0.8rem 0;
    .design-content{
       display: grid;
        grid-template-columns: repeat(2, 1fr);
       gap: 2rem;
    .design-item{
       margin: 0;
    .blog-content{
       display: grid;
       grid-template-columns: repeat(2, 1fr);
        gap: 2rem;
```

```
border-radius: 50%;
  transition: all 0.5s ease-in-out;
}
.shadow{
  margin-left: auto;
  margin-right: auto;
  border-radius: 50%;
  width: 200px;
  height: 200px;
  position: relative;
  cursor: pointer;
}
```

5.