

Lab#7 Create dashboard with accordion using Bootstrap. Each accordion contains different bootstrap components.

Final Outcome :





Code Snippet:

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css"
    rel="stylesheet"
    integrity="sha384-
sRIl4kxILFvY47J16cr9ZwB07vP4J8+LH7qKQnuqkuIAvNWLzeN8tE5YBujZqJLB"
    crossorigin="anonymous">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js"
    integrity="sha384-
FKyoEForCGlyvwx9Hj09JcYn3nv7wiPVlz7YYwJrWVcXK/BmnVDxM+D2scQbITxI"
    crossorigin="anonymous"></script>
</head>

<body>
```

```
  <div class="accordion" id="accordionExample">
    <div class="accordion-item">
      <h2 class="accordion-header">
        <button class="accordion-button" type="button" data-bs-toggle="collapse"
          data-bs-target="#collapseOne" aria-expanded="true" aria-
controls="collapseOne">
          card
        </button>
      </h2>

      <div id="collapseOne" class="accordion-collapse collapse show" data-bs-
parent="#accordionExample">
        <div class="accordion-body">
          <div class="card" style="width: 18rem;">
            <img src="krishna.jpg" class="card-img-top" alt="card_title_image">
            <div class="card-body">
              <h5 class="card-title">Card title</h5>
              <p class="card-text">Some quick example text to build on the card title and
make up the bulk
                of the card's content.</p>
              <a href="#" class="btn btn-primary">Go somewhere</a>
            </div>
          </div>
        </div>
      </div>
    </div>

    <div class="accordion-item">
      <h2 class="accordion-header">
        <button class="accordion-button collapsed" type="button" data-bs-
toggle="collapse"
          data-bs-target="#collapseTwo" aria-expanded="false" aria-
controls="collapseTwo">
          alert
        </button>
      </h2>

      <div id="collapseTwo" class="accordion-collapse collapse" data-bs-
parent="#accordionExample">
        <div class="accordion-body">
```

```
            <div class="alert alert-primary" role="alert">
              A simple primary alert—check it out!
            </div>
            <div class="alert alert-secondary" role="alert">
              A simple secondary alert—check it out!
            </div>
            <div class="alert alert-success" role="alert">
              A simple success alert—check it out!
            </div>
            <div class="alert alert-danger" role="alert">
              A simple danger alert—check it out!
            </div>
            <div class="alert alert-warning" role="alert">
              A simple warning alert—check it out!
            </div>
            <div class="alert alert-info" role="alert">
              A simple info alert—check it out!
            </div>
            <div class="alert alert-light" role="alert">
              A simple light alert—check it out!
            </div>
            <div class="alert alert-dark" role="alert">
              A simple dark alert—check it out!
            </div>
          </div>
        </div>
      </div>

      <div class="accordion-item">
        <h2 class="accordion-header">
          <button class="accordion-button collapsed" type="button" data-bs-
toggle="collapse"
            data-bs-target="#collapseThree" aria-expanded="false" aria-
controls="collapseThree">
            Button
          </button>
        </h2>

        <div id="collapseThree" class="accordion-collapse collapse" data-bs-
parent="#accordionExample">
          <div class="accordion-body">
```

```
            <button type="button" class="btn btn-primary">Primary</button>
            <button type="button" class="btn btn-secondary">Secondary</button>
            <button type="button" class="btn btn-success">Success</button>
            <button type="button" class="btn btn-danger">Danger</button>
            <button type="button" class="btn btn-warning">Warning</button>
            <button type="button" class="btn btn-info">Info</button>
            <button type="button" class="btn btn-light">Light</button>
            <button type="button" class="btn btn-dark">Dark</button>
            <button type="button" class="btn btn-link">Link</button>
          </div>
        </div>
      </div>
    </div>

    <div class="accordion" id="accordionExample2">
      <div class="accordion-item">
        <h2 class="accordion-header">
          <button class="accordion-button" type="button" data-bs-toggle="collapse"
            data-bs-target="#collapseFour" aria-expanded="true" aria-
controls="collapseFour">
            Table
          </button>
        </h2>

        <div id="collapseFour" class="accordion-collapse collapse show" data-bs-
parent="#accordionExample2">
          <div class="accordion-body">
            <table class="table">
              <thead>
                <tr>
                  <th scope="col">#</th>
                  <th scope="col">First</th>
                  <th scope="col">Last</th>
                  <th scope="col">Handle</th>
                </tr>
              </thead>
              <tbody>
                <tr>
                  <th scope="row">1</th>
                  <td>Het</td>
                  <td>Khandhediya</td>
```

```
                <td>@mdo</td>
              </tr>
              <tr>
                <th scope="row">2</th>
                <td>Parlee</td>
                <td>Bhensadadia</td>
                <td>@fat</td>
              </tr>
              <tr>
                <th scope="row">3</th>
                <td>Kumkum</td>
                <td>Chauhan</td>
                <td>@social</td>
              </tr>
            </tbody>
          </table>
        </div>
      </div>
    </div>
  </div>

</body>

</html>
```