

Noble University, Junagadh

Faculty of Computer Application

Project Report On

Women's wardrobe

(android application)

Submitted in partial fulfillment of the requirements for the degree of

Bachelor of Science in Information Technology (B.Sc. IT) — Semester 4

Academic Year: 2025 - 2026

Submitted By:

Kanani Princy and Moradhra Hetvi

Enrollment No.: 241091022

Enrollment No.: 240431154

Under the Guidance of

Prof. Reena Ma'am



Department of Information Technology

Noble University, Junagadh, Gujarat



Noble University, Junagadh

UNIVERSITY CERTIFICATE

Enrollment No.: 241091022

Enrollment No.: 240431154

This is to certify that the project report entitled "Women's wardrobe" has been satisfactorily completed and submitted by Ms. Kanani Princy & Ms. Moradhra Hetvi student of Bachelor of Science in Information Technology, Semester 4, Noble University, Junagadh, during the academic year 2025-2026.

This project is the bonafide work carried out in the Laboratory of Noble University, Junagadh, under the guidance of Prof. Reena Ma'am, Faculty of Computer Application. The work presented in this report is original and has not been submitted elsewhere for any other degree or examination.

Internal Guide

Signature: _____

Name: Prof. Reena Ma'am

Department: Information Technology

HOD Signature: _____

Principal Signature: _____

Date: _____

Place: Noble University, Junagadh

PREFACE

This report contains all the outputs of a project undertaken to develop a working model of suitable clothes and to study the existing working system. As part of this study, we analyzed the requirements of the working model and tried to improve it using the technological functionality that the current computer science provides.

This volume contains the documentation summary of the working system, the background study and analysis, the technical requirements and the working specification of the developed system.

We recommend the user to take the advantage of the study presented here and implement the system with their required improvisation. We hope this study will reduce the burden of the reanalysis of the development phase.

Kanani Princy
B.Sc. IT —
Semester 4 Noble
University, Junagadh

ACKNOWLEDGEMENT

“It is not possible to prepare a project report without the assistance & encouragement of other people. This one is certainly no exception.”

On the very outset of this report, we would like to extend our sincere & heartfelt obligation towards all the personages who have helped us in this endeavor. Without their active guidance, help, cooperation & encouragement, we would not have made headway in the project. We are ineffably indebted to our Dean, Mr. Paresh Vora Sir for his conscientious guidance and encouragement to accomplish this assignment.

We are extremely thankful and pay our gratitude to our project guide Prof Mr. Reena danger Ma'am her valuable guidance and support on completion of this project in its presently.

We extend our gratitude to Faculty of Computer Application, Noble University, Junagadh for giving us this opportunity.

Thanking You

Student -1 Princy kanani (241091022)

Student -2 Hetvi moradhra (240431154)

INDEX

Sr. No.	Title		Page No.
1	University Certificate		2
2	Preface		3
3	Acknowledgement		4
4	Index		5
5	Project Profile		7
	5.1	Introduction	7
	5.2	Problem Statement	7
	5.3	Objectives	8
	5.4	Scope	9
	5.5	Target User Segmentation	10
6	User Research C Analysis		11
	6.1	Existing Application Study	11
	6.2	Competitive Analysis	11
	6.3	Design Feasibility Analysis	12
	6.4	User Research (Survey C Interview)	12
	6.5	Empathy Map	13
	6.6	User Journey Map	13
	6.7	Affinity Diagram	14
	6.8	User Personas	15
	6.9	Key Insights C Problem Definition	15
7	Requirements Analysis		17
	7.1	Design Thinking Process	17
	7.2	Functional Requirements (User Actions)	17
	7.3	Non-Functional Requirements (UX Factors)	18
	7.4	User Stories	19
8	System Design		21
	8.1	User Flow Diagram	21

	8.2	Information Architecture	22
	8.3	Low-Fidelity Wireframes (Paper Sketches)	23
	8.4	Mid-Fidelity Wireframes (Digital)	23
	8.5	Design System 8.5.1 Colors	23
		8.5.2 Typography 8.5.3 Components 8.5.4 Spacing C Grid	25
	8.6	Accessibility Considerations	25
	8.7	Prototype Design (Figma / XD)	26
	8.8	Micro-interactions (Optional)	26
9		Final UI Design	27
	9.1	High-Fidelity Screen Designs	27
	9.2	Screen-wise Design Explanation	29
	9.3	Prototyping C Interactions	30
10		Implementation C Tools	32
	10.1	Tools C Technologies (Figma, Adobe XD, etc.)	32
	10.2	Design System Implementation (Component Usage in UI Screens)	32
11		Usability Testing C Iteration	34
	11.1	Usability Testing Method	34
	11.2	Testing Scenarios C Tasks	34
	11.3	User Feedback Analysis	34
	11.4	Iterative Design (Before vs. After Comparison)	35
12		Conclusion C Future Scope	36
	12.1	Advantages of the Project	36
	12.2	Limitations of the Project	37
	12.3	Future Enhancements	38
13		References	
14		Appendices	40
		A. Additional Screens	40
		B. Additional Wireframes (if any)	40
		C. Survey Questionnaire	41

CHAPTER 5: PROJECT PROFILE

5.1 Introduction

Good morning respected teachers and my dear friends.
My name is [Your Name], and I am a Semester 4 student of Nobel University.
Today, I am going to present my topic on “Women’s Wardrobe.”
A wardrobe is not just a place to store clothes.
It reflects a person’s style, personality, and daily life.

Women’s wardrobes have changed a lot over time.
They include both traditional and modern clothing styles.
Different cultures influence what women wear.
Fashion trends also play an important role in clothing choices.
Comfort and confidence are key factors in selecting outfits.

A good wardrobe includes a variety of clothes for different occasions.
Seasonal changes also affect clothing preferences.
Accessories like bags, shoes, and jewelry complete the look.
Organizing a wardrobe helps in saving time and effort.

Nowadays, women prefer stylish yet comfortable clothing.
Sustainable fashion is also becoming popular.
A well-maintained wardrobe shows creativity and individuality.
In conclusion, a woman’s wardrobe is a mix of fashion, comfort, and identity.

5.2 Problem Statement

A women’s wardrobe website aims to provide an organized and user-friendly platform where users can explore, select, and manage clothing items according to their preferences. The main problem is that many existing fashion websites are either too complex or lack personalization features. Users often struggle to find outfits suitable for specific occasions, seasons, or styles. Additionally, there is limited support for wardrobe planning and outfit combination suggestions. This creates a need for a simplified, smart solution tailored to women’s fashion needs.

Another challenge is maintaining an efficient system for browsing, filtering, and searching products without overwhelming the user. Many platforms fail to categorize clothing effectively, making navigation difficult and time-consuming. There is also a lack of integration between user preferences and recommendations. The website should address issues like slow performance, poor UI design, and lack of responsiveness across devices. Ensuring a smooth and engaging user experience becomes a key problem to solve.

Finally, the project must deal with backend challenges such as managing product databases, user accounts, and order processing. Security of user data and payment information is another major concern. The system should be scalable to handle multiple users simultaneously without crashes or delays. It should also provide admin features for updating inventory and tracking orders. Overall, the problem focuses on building a secure, efficient, and user-friendly wardrobe management website for women.

5.3 Objectives

The primary objectives of this project are as follows:

1. To design and develop a user-centered, multi-page women's wardrobe web application that allows users to browse, select, and manage their clothing collections easily.
2. To apply UI/UX design principles such as user research, wireframing, and prototyping to create a visually appealing and easy-to-use wardrobe platform.
3. To implement a structured product categorization system that organizes clothing based on type, occasion, season, and style preferences.
4. To develop a responsive website that ensures smooth performance across different devices like mobile phones, tablets, and desktops.
5. To integrate features such as search, filter, and personalized recommendations to enhance user experience and simplify outfit selection.
6. To evaluate the usability and performance of the system through testing and incorporate user feedback for continuous improvement.

5.4 Scope

The scope of the Women's Wardrobe Website encompasses the complete UI/UX design lifecycle and front-end implementation of a user-friendly fashion platform. The project focuses on providing an interactive system where users can explore, manage, and organize their clothing choices efficiently. The project covers the following areas:

- **User Research:** Conducting surveys, user journey analysis, and persona development to understand user preferences, fashion trends, and shopping behavior.
- **Interface Design:** Creating wireframes at multiple fidelity levels and developing a comprehensive design system including layout, typography, colors, and components for better user experience.
- **Front-End Development:** Implementing the designed interface using HTML5, CSS3, and JavaScript across multiple interconnected web pages.
- **Product Categorization:** Organizing wardrobe items based on categories such as type, occasion, season, and style to improve navigation and usability.
- **Usability Testing:** Evaluating the interface through structured testing scenarios and improving the system based on user feedback.

The current scope is limited to client-side technologies. Server-side backend integration, database management, user authentication, and advanced recommendation systems are identified as future enhancements beyond the present scope.

5.5 Target User Segmentation

The system is designed to serve the following primary user segments:

Primary Users — Women (App Users):

- **Age Range:** 16 to 45 years
- **Technical Proficiency:** Basic to intermediate smartphone and Android app usage

- Primary Need: To manage their wardrobe digitally, browse outfits, and get styling suggestions easily
- Pain Points: Difficulty in organizing clothes, confusion in outfit selection, and lack of personalized recommendations

Secondary Users — Admin (Application Administrators):

- Role: Managing and monitoring wardrobe data, categories, and user activities
- Primary Need: Reduced manual effort and efficient management of clothing data and app content
- Pain Points: Data management complexity, updating fashion trends, and maintaining accurate records

Tertiary Users — Fashion Stylists:

- Role: Viewing user preferences and providing outfit recommendations
- Primary Need: Organized access to user data to suggest suitable clothing combinations
- Pain Points: Limited personalization tools, difficulty in analyzing user choices, and lack of real-time interaction features

CHAPTER 6: USER RESEARCH & ANALYSIS

6.1 Existing Application Study

Before designing the Women's Wardrobe Android Application, a detailed study of existing shopping methods and mobile applications was conducted to identify usability gaps and limitations.

Offline Retail Shopping (Local Stores & Boutiques):

Traditional shopping requires users to visit stores physically. While it allows trial of clothes, it is time-consuming, limited by store hours, and offers limited variety. It lacks convenience compared to mobile solutions.

Social Media-Based Selling (Instagram/WhatsApp):

Many sellers use apps like Instagram and WhatsApp for product sales. However, these platforms lack structured product catalogs, secure payment integration, and proper order management systems, leading to poor user experience.

Existing E-commerce Mobile Applications:

Popular apps like Myntra and Amazon provide extensive product ranges but often include complex navigation, excessive filters, ads, and mandatory login systems. These factors increase user effort and reduce efficiency for quick shopping.

6.2 Competitive Analysis

Comparison of existing solutions with the proposed Android application:

Feature	Offline Shopping	Myntra / Amazon App	Proposed Android App
24/7 Access	No	Yes	Yes
No Registration	Yes	No	Yes
Mobile Optimized	No	Yes	Yes
Simple Navigation	Yes	Complex	Simple
Quick Checkout	Yes	Yes	Yes
Lightweight App	N/A	No	Yes

6.3 Design Feasibility Analysis

The feasibility of developing the Android application using modern technologies (XML + Java/Kotlin) was evaluated:

- UI Design Feasibility:**
 Android XML layouts support modern UI components such as RecyclerView (product lists), CardView (product cards), and responsive layouts. *Fully feasible.*
- Interaction Design Feasibility:**
 Java/Kotlin enables smooth interaction handling such as adding to cart, filtering products, and real-time updates. *Fully feasible.*
- Navigation Design Feasibility:**
 Android navigation components allow seamless transitions between screens (Home → Categories → Product → Cart → Checkout). *Fully feasible.*
- Performance Feasibility:**
 Lightweight design ensures fast loading and smooth performance on mid-range devices. *Feasible.*
- Accessibility Feasibility:**
 Android supports accessibility features such as content descriptions, scalable text, and voice assistance. *Feasible.*

6.4 User Research (Survey & Interview)

User research was conducted among smartphone users to understand shopping behavior and preferences.

Key Findings:

- 80% of users prefer mobile apps over websites for shopping.
- 70% find large e-commerce apps confusing due to too many options.
- 88% prefer a fast and simple checkout process.
- 75% want clear product images and pricing.
- 85% dislike mandatory login before browsing or purchasing.

6.5 Empathy Map

Says:

- “I want to shop quickly on my phone.”
- “Apps are too complicated sometimes.”
- “I don’t want to sign up just to buy something.”

Thinks:

- “Is this app easy to use?”
- “Will checkout take too long?”
- “Is this product worth it?”

Does:

- Scrolls through multiple shopping apps
- Compares products and prices
- Leaves apps if loading is slow or confusing

Feels:

- Frustrated with complex apps
- Overwhelmed by too many options
- Satisfied when the process is quick and smooth

6.6 User Journey Map

Stage 1 — Awareness:

User discovers the app via ads or recommendations.

Emotion: Curious

Stage 2 — App Launch (Home Screen):

User views featured products and categories.

Emotion: Interested

Stage 3 — Category Selection:

User selects a category (e.g., dresses, tops).

Emotion: Engaged

Stage 4 — Product View:

User checks product details, images, and price.

Emotion: Evaluating

Stage 5 — Add to Cart & Checkout:

User adds item and proceeds to checkout.

Emotion: Focused

Stage 6 — Order Confirmation:

User receives instant confirmation.

Emotion: Satisfied

6.7 Affinity Diagram

Key themes identified:

- **Mobile Accessibility:**
Users prefer shopping anytime using smartphones.
- **Simplicity:**
Minimal design and fewer steps improve usability.
- **Visual Appeal:**
Attractive product images influence decisions.
- **Fast Checkout:**
Quick purchase process is critical.

6.8 User Personas

Persona 1 — Neha Sharma (Student User):

- Age: 22 | Occupation: Student
- Tech Level: Moderate
- Goal: Buy trendy clothes using mobile
- Frustration: Complicated apps and slow checkout
- Expectation: Simple, fast shopping experience

Persona 2 — Anjali Verma (Working Professional):

- Age: 30 | Occupation: Marketing Executive
- Tech Level: High
- Goal: Quick shopping during breaks
- Frustration: Too many steps in checkout
- Expectation: Fast, no-login purchase

6.9 Key Insights & Problem Definition

Key Insights:

1. Users prefer mobile-first shopping experiences.
2. Complex UI in existing apps discourages users.
3. Mandatory login creates friction in quick purchases.
4. Speed and simplicity are critical for user satisfaction.

Problem Statement:

Women shoppers need a lightweight, user-friendly Android application that enables them to browse, select, and purchase clothing quickly without unnecessary complexity or mandatory registration, ensuring a seamless and efficient mobile shopping experience.

CHAPTER 7: REQUIREMENTS ANALYSIS

Design Thinking Process

The Women's Wardrobe Android Application was developed using the five-stage Design Thinking methodology, ensuring a user-centered approach throughout the design process:

Stage 1 — Empathise:

User research was conducted through surveys, interviews, and observation of shopping behavior on mobile apps such as Myntra and Amazon. Key pain points identified included complex navigation, mandatory login, and slow checkout processes.

Stage 2 — Define:

Research insights were analysed using affinity diagrams to define the core problem. User groups such as students and working professionals were identified, along with their expectations for quick, simple, and mobile-friendly shopping experiences.

Stage 3 — Ideate:

Multiple design ideas were generated for app navigation, product browsing, and checkout flow. A simple category-based navigation with minimal steps and a clean UI was selected as the optimal solution.

Stage 4 — Prototype:

Low-fidelity sketches, mid-fidelity wireframes, and high-fidelity Android UI designs (XML layouts) were created. The design was refined iteratively to improve usability and visual appeal.

Stage 5 — Test:

Usability testing was conducted with target users. Feedback was collected on navigation, speed, and ease of checkout, and improvements were implemented accordingly.

7.2 Functional Requirements (User Actions)

The following functional requirements define what the Android application must enable users to do:

1. The system shall allow users to access the application without mandatory registration or login.
2. The system shall display categorized product sections (e.g., dresses, tops, ethnic wear).
3. The system shall show product details including image, price, description, and available sizes.
4. The system shall allow users to add products to a shopping cart.
5. The system shall provide a checkout form to enter user details such as name, address, and contact number.
6. The system shall display order confirmation immediately after successful checkout.
7. The system shall allow users to browse and navigate seamlessly between screens.
8. The system shall maintain consistent UI design across all screens.

7.3 Non-Functional Requirements (UX Factors)

These requirements define the quality and usability standards of the application:

Usability:

- The app shall be easy to use for users with basic smartphone knowledge.
- All buttons and interactive elements shall provide clear visual feedback.
- Product information shall be clearly displayed with readable text and intuitive layout.

Accessibility:

- The app shall support readable font sizes and proper color contrast.
- Images shall include content descriptions for accessibility support.
- The interface shall be usable across different screen sizes and devices.

Performance:

- The app shall load all screens within 2–3 seconds.
- Cart updates and checkout processes shall be fast and responsive.

Consistency:

- The same color scheme, typography, and layout style shall be maintained throughout the app.
- Navigation patterns shall remain uniform across all screens.

7.4 User Stories

These user stories describe system requirements from the user's perspective:

Customer User Stories:

- As a user, I want to browse clothing categories easily, so that I can find products quickly.
- As a user, I want to view product images and details, so that I can make informed purchase decisions.
- As a user, I want to add items to a cart, so that I can review them before purchasing.
- As a user, I want a quick checkout process without mandatory login, so that I can save time.
- As a user, I want instant order confirmation, so that I feel confident my purchase is successful.

Admin User Stories:

- As an admin, I want product data to be organized properly, so that it is easy to manage inventory.
- As an admin, I want the system to be scalable, so that new products and categories can be added easily.

-

CHAPTER 8: SYSTEM DESIGN

8.1 User Flow Diagram

User Flow Diagram



The user flow diagram represents the complete journey a customer follows in the Women's Wardrobe Android Application, from app launch to order confirmation.

The flow follows a **simple and linear structure**:

:

This linear flow minimizes user confusion, reduces decision fatigue, and ensures a smooth shopping experience, especially for first-time users. Each step logically leads to the next, making navigation intuitive and efficient.

8.2 Information Architecture

The information architecture defines how content is structured within the Android application:

Level 1 — Home Screen:

App logo, search bar, featured products, and category sections (e.g., Dresses, Tops, Ethnic Wear).

Level 2 — Category Screen:

Displays product categories with images, category names, and short descriptions.

Level 3 — Product Listing Screen:

Grid or list of products showing product image, name, and price.

Level 4 — Product Detail Screen:

Detailed product view including image gallery, description, price, size options, and “Add to Cart” button.

Level 5 — Cart & Checkout Screen:

Cart summary, user input fields (name, address, contact), and checkout button.

Level 6 — Order Confirmation Screen:

Displays order details and confirmation message.

8.3 Low-Fidelity Wireframes (Paper Sketches)

Low-fidelity wireframes were initially created as paper sketches to explore layout structure without focusing on visual design.

Home Screen Wireframe:

Top app bar with title. Below it, a banner or featured section. Category cards arranged vertically or in grid format.

Category Screen Wireframe:

Header at top. Grid layout displaying category cards with image placeholders and labels.

Product Listing Wireframe:

Grid of product cards (2 columns). Each card includes image placeholder, product name, and price.

Product Detail Wireframe:

Large image placeholder at top. Product details below. “Add to Cart” button at bottom.

Cart & Checkout Wireframe:

List of selected items. Below it, form fields for user details. Checkout button at bottom.

8.4 Mid-Fidelity Wireframes (Digital)

Mid-fidelity wireframes were created digitally to refine spacing, alignment, and layout consistency.

Key design decisions:

- Product cards arranged in **2-column grid layout**
- Product image size optimized for mobile screens
- Standard padding of **16dp–20dp**
- Button width set to **match parent width**
- Consistent margins between UI elements
- Scrollable layouts for better usability on smaller screens

8.5 Design System

A consistent design system was established to maintain uniformity across the application.

8.5.1 Colors

Color Name	Hex Code	Usage
Primary Pink	#e91e63	Buttons, highlights
Dark Purple	#4a148c	Header, footer
Light Background	#fce4ec	App background
White	#FFFFFF	Cards, text backgrounds
Dark Grey	#333333	Text

8.5.2 Typography

Element	Font	Size	Usage
App Title	Roboto Bold	20sp	Header
Product Name	Roboto Medium	16sp	Product cards
Price Text	Roboto Bold	16sp	Pricing
Body Text	Roboto Regular	14sp	Descriptions
Button Text	Roboto Medium	14sp	Buttons

8.5.3 Components

Product Card Component:

- Rounded corners (8dp–12dp)
- Shadow elevation for depth
- Image at top, text below
- Tap interaction for navigation

Header (App Bar):

- Fixed at top
- Includes app title and optional icons (cart/search)

Input Field Component:

- Full width
- Rounded corners
- Clear labels and hints

Button Component:

- Primary color background
- Rounded edges
- Ripple effect on click (Android standard)

8.5.4 Spacing & Grid

- Standard spacing: **8dp, 16dp, 24dp**
- Grid layout for products (2 columns)
- Consistent margins and padding across screens
- Use of ConstraintLayout / LinearLayout for responsiveness

8.6 Accessibility Considerations

The Android application includes the following accessibility features:

- **Content Descriptions:**
All images include descriptions for screen readers.
- **Readable Text:**
Proper font sizes and contrast ensure readability.
- **Touch Targets:**
Buttons are large enough for easy tapping.
- **Color Contrast:**
Text and background combinations meet accessibility standards.
- **Simple Navigation:**
Clear and predictable navigation flow for all users.

8.7 Prototype Design

The high-fidelity prototype of the Women's Wardrobe Android Application was implemented using Android development tools (XML and Kotlin/Java).

The prototype includes:

- Fully functional navigation between screens
- Interactive product browsing and cart system
- Working checkout flow with user input
- Instant order confirmation display

The application is designed to run smoothly on Android devices, providing a seamless and responsive shopping experience without unnecessary complexity.

CHAPTER 9: FINAL UI DESIGN

9.1 High-Fidelity Screen Designs

The following section presents the high-fidelity screen designs of all primary pages of the Doctor Appointment Booking System, accompanied by detailed design explanations.

Figure 9.1 — Login:



Figure 9.2 —Registration:



The image shows a mobile application registration screen. At the top, there is a logo of a woman's profile with flowing hair. Below the logo, the word "REGISTRATION" is displayed in bold, uppercase letters. The form consists of five input fields, each with a placeholder text: "Enter your Name:", "Enter your Mobile Number:", "Enter your Address:", "Enter your Email:", and "Enter your Password:". Below these fields is a black button with the word "Registration" in white text. The entire form is centered on a light pink background.

Figure 9.3 — category:



Figure 9.4 Main:




Figure 9.4 By Now:



Figure 9.4 Pymenntt:



Figure 9.4 order suceesfull:



9.2 Screen-wise Design Explanation

Home Page Design Explanation:

The home page employs a minimalist design philosophy that immediately communicates the application's purpose. The dark navy header (#2c3e50) establishes a strong visual anchor with the 'AR booking' title in white, creating clear contrast and instant brand recognition. The light blue background (#a5c9ed) creates a calm, medically appropriate atmosphere that instils confidence in the application.

The central card element uses a medium purple background (rgb 138, 136, 194) that creates visual interest while remaining harmonious with the overall colour palette. The card's hover scale effect (transform: scale(1.05)) provides clear interactive affordance, communicating to users that the element is clickable. The medical health image within the card establishes the healthcare context immediately and creates an emotional connection with the user's need.

Health Problem Selection Page Design Explanation:

The health problem selection page follows the same visual language established on the home page while introducing a three-column card layout. Each category card uses a distinct medical image at the top to visually represent the health condition, followed by an emoji icon for quick identification, the condition name in bold for prominence, a symptom description for informed decision-making, and the specialist type in bold at the bottom as a clear action cue.

The three-card layout uses CSS Flexbox with consistent card widths of 280px and uniform spacing, creating a balanced, visually organised grid that is easy to scan. The hover scale effect is maintained across all cards for interaction consistency.

Doctor Listing Page Design Explanation:

The Cardiologist page introduces circular doctor profile images, a deliberate design choice that conveys professionalism and creates a more personal connection between the patient and the doctor. The 50% border-radius on 120x120px images creates perfect circles that are a standard visual convention in professional profile displays.

Doctor information is presented in a clear hierarchy: name as the primary identifier in large bold text, followed by specialisation, experience, and availability as secondary information in smaller text. This hierarchy guides the user's eye through the most important information first.

Appointment Booking Form Design Explanation:

The booking form page uses a light lavender form background (rgb 197, 196, 241) that differentiates the form area from the page background while maintaining colour palette harmony. The bordered table structure for the form creates a clear, organised layout with precise alignment between labels and input fields.

The appointment confirmation table below the form uses the same deep navy header row as the page header, creating visual consistency and reinforcing the information hierarchy. White background for data rows ensures maximum readability of submitted appointment details.

9.3 Prototyping & Interactions

The following interactive behaviours are implemented in the final prototype:

- **Card Hover Interaction:** All clickable cards across the application scale to 1.05 times their original size over a 0.3 second ease transition on hover, providing clear visual feedback.
- **Navigation Interaction:** Clicking any health category card or doctor card triggers immediate page navigation to the corresponding linked page using standard HTML anchor elements.
- **Form Input Interaction:** Date and time input fields activate native browser calendar and time picker interfaces upon click, reducing manual input and potential data entry errors.
- **Form Submission Interaction:** Clicking the SUBMIT button triggers a JavaScript event handler that captures all five field values, creates an appointment object, appends it to the appointments array, calls the render function to update the confirmation table, and resets all form fields to empty.

- **Dynamic Table Update:** The confirmation table updates instantly without page reload, using DOM innerHTML manipulation to append new table rows, providing seamless real-time feedback.

CHAPTER 10: IMPLEMENTATION & TOOLS

Tools & Technologies

Tool / Technology	Version / Type	Purpose in Project
Android Studio	Latest Version	Primary IDE for Android app development
Java / Kotlin	Java 8 / Kotlin	Core programming language for app logic
XML	Android Layout XML	UI design and screen structure
Firebase / SQLite	Database	Storing product and order data
Glide / Picasso	Image Library	Loading product images efficiently
RecyclerView	Android Component	Displaying product lists in grid format
Material Design	UI Framework	Consistent and modern UI components
Emulator / Real Device	Android Device	Testing and debugging the application

10.2 Design System Implementation (Android Code)

The design system defined earlier was implemented using Android components such as RecyclerView, CardView, and Activities. The following example demonstrates **dynamic cart and order handling logic**.

Login Activity code:

```
package com.example.myapplication;
import androidx.annotation.NonNull;
import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.util.Log;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

import com.google.android.gms.tasks.OnCompleteListener;
import com.google.android.gms.tasks.Task;
import com.google.firebase.auth.AuthResult;
import com.google.firebase.auth.FirebaseAuth;
import com.google.firebase.auth.FirebaseUser;

public class login extends AppCompatActivity {
    Button btn;
    EditText edt1,edt2;
    private FirebaseAuth mAuth;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.login);
        mAuth = FirebaseAuth.getInstance();
        btn=findViewById(R.id.btn);
```

```

edt1=findViewById(R.id.edt1);
edt2=findViewById(R.id.edt2);
btn.setOnClickListener(view->{
    mAuth.createUserWithEmailAndPassword(edt1.getText().toString(),edt2.getText().toString())
        .addOnCompleteListener(this, new OnCompleteListener<AuthResult>() {
            @Override
            public void onComplete(@NonNull Task<AuthResult> task) {
                if (task.isSuccessful()) {
                    // Sign in success, update UI with the signed-in user's information
                    Log.d("ppppppppp","createUserWithEmail:success");
                    FirebaseUser user = mAuth.getCurrentUser();
                    //updateUI(user);
                    Intent intent=new Intent(login.this, Registration.class);
                    startActivity(intent);
                } else {
                    // If sign in fails, display a message to the user.
                    Log.w("hhhhhhhhh","createUserWithEmail:failure", task.getException());
                    Toast.makeText(login.this, "Authentication failed.",
                        Toast.LENGTH_SHORT).show();
                    // updateUI(null);
                }
            }
        });
});
});
}
}

```

Main Activity code:

```

package com.example.myapplication;

import android.content.Intent;
import android.os.Bundle;
import android.widget.ImageView;

import androidx.activity.EdgeToEdge;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;

public class MainActivity extends AppCompatActivity {
    ImageView blazer,croptop,frock,gown,shorts,partywear,jeans,shirts,tshirt,trousers,skirts,kurti_pair;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        EdgeToEdge.enable(this);
        setContentView(R.layout.activity_main);
        blazer=findViewById(R.id.blazer);

        blazer.setOnClickListener(v -> {

```

```
        Intent intent=new Intent(this, blazer_Activity.class);
        startActivity(intent);
    });
    croptop=findViewById(R.id.croptop);

    croptop.setOnClickListener(v -> {
        Intent intent=new Intent(this, croptop_Activity.class);
        startActivity(intent);
    });
    frock=findViewById(R.id.frock);

    frock.setOnClickListener(v -> {
        Intent intent=new Intent(this, frock_Activity.class);
        startActivity(intent);
    });
    gown=findViewById(R.id.gown);

    gown.setOnClickListener(v -> {
        Intent intent=new Intent(this, gown_Activity.class);
        startActivity(intent);
    });
    shorts=findViewById(R.id.shorts);

    shorts.setOnClickListener(v -> {
        Intent intent=new Intent(this, shorts_Activity.class);
        startActivity(intent);
    });
    partywear=findViewById(R.id.partywear);

    partywear.setOnClickListener(v -> {
        Intent intent=new Intent(this, partywear_Activity.class);
        startActivity(intent);
    });
    jeans=findViewById(R.id.jeans);

    jeans.setOnClickListener(v -> {
        Intent intent=new Intent(this, jeans_Activity.class);
        startActivity(intent);
    });
    shirts=findViewById(R.id.shirts);

    shirts.setOnClickListener(v -> {
        Intent intent=new Intent(this, shirts_Activity.class);
        startActivity(intent);
    });
    tshirt=findViewById(R.id.tshirt);

    tshirt.setOnClickListener(v -> {
        Intent intent=new Intent(this, tshirt_Activity.class);
        startActivity(intent);
    });
    trousers=findViewById(R.id.trousers);
```

```
trousers.setOnClickListener(v -> {
    Intent intent=new Intent(this, trousers_Activity.class);
    startActivity(intent);
});
skirts=findViewById(R.id.skirts);

skirts.setOnClickListener(v -> {
    Intent intent=new Intent(this, skirts_Activity.class);
    startActivity(intent);
});
kurti_pair=findViewById(R.id.kurti_pair);

kurti_pair.setOnClickListener(v -> {
    Intent intent=new Intent(this, kurtipair_Activity.class);
    startActivity(intent);
});

}
}
```

Order Activity code:

```
package com.example.myapplication;

import android.annotation.SuppressLint;
import android.content.Intent;
import android.os.Bundle;
import android.widget.Button;

import androidx.activity.EdgeToEdge;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;

public class OrderActivity extends AppCompatActivity {
    Button btn2;
    @SuppressLint("MissingInflatedId")
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        EdgeToEdge.enable(this);
        setContentView(R.layout.activity_order);
        btn2=findViewById(R.id.btn2);
        btn2.setOnClickListener(view->{
            Intent intent=new Intent(this, MainActivity.class);
            startActivity(intent);
        });
    }
}
```

Pyament Activity code:

```
package com.example.myapplication;

import android.content.Intent;
import android.os.Bundle;
import android.widget.Button;

import androidx.activity.EdgeToEdge;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;

public class PaymentActivity extends AppCompatActivity {
    Button btnpay;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        EdgeToEdge.enable(this);
        setContentView(R.layout.activity_payment);
        btnpay=findViewById(R.id.btnpay);
        btnpay.setOnClickListener(view->{
            Intent intent=new Intent(this, OrderActivity.class);
            startActivity(intent);
        });
    }
}
```

Explanation of Implementation

- **Data Storage:**
Cart items are stored in a list (Kotlin) or array (JavaScript).
- **Dynamic Updates:**
UI updates instantly when items are added or order is placed.
- **User Interaction:**
Button click listeners handle actions like adding to cart and checkout.
- **Form Handling:**
Input validation ensures required details are filled before order confirmation.

CHAPTER 11: USABILITY TESTING & ITERATION

Usability Testing Method

Usability testing for the Women's Wardrobe Android Application was conducted using a **moderated think-aloud protocol**. Five representative users from the target demographic participated in the study.

Participants were asked to perform specific shopping tasks while verbally expressing their thoughts, decisions, and any confusion they experienced. This helped identify usability issues in real time.

The testing sessions were conducted using Android smartphones with reference apps like Myntra and Amazon as benchmarks for comparison.

A facilitator observed each session and recorded:

- Task completion rate
- Time taken per task
- User errors
- Verbal feedback

After completing the tasks, participants filled out a usability questionnaire (based on SUS principles) to provide quantitative feedback.

11.2 Testing Scenarios & Tasks

The following tasks were assigned to each participant:

1. **Task 1 — Category Navigation:**
"You are looking for a party dress. Please use the app to navigate to the appropriate category."
2. **Task 2 — Product Selection:**
"Select a product that you like based on price and design."
3. **Task 3 — Add to Cart:**
"Add the selected product to your cart."
4. **Task 4 — Checkout Process:**
"Proceed to checkout and fill in your details to place the order."
5. **Task 5 — Order Confirmation:**
"Verify that your order has been successfully placed and details are correct."

11.3 User Feedback Analysis

Positive Feedback:

- All five participants successfully completed all tasks without assistance (**100% task completion rate**).
- Four participants described the app navigation as **"simple and intuitive."**
- All users appreciated the **quick checkout process**, especially the absence of mandatory login.
- Three participants highlighted that **clear product images and pricing** helped them make faster decisions.
- The clean and minimal interface was described as **"easy to use"** and **"visually appealing."**

Areas for Improvement:

- Two participants attempted checkout without filling all fields, indicating the need for **input validation**.
- One participant was unsure about available sizes, suggesting clearer **size selection indicators**.
- Two users expected a “**Remove from Cart**” option, which was not initially obvious.
- One user suggested adding a **search bar** for quicker product discovery.

11.4 Iterative Design (Before vs. After Comparison)

Issue	Before (Initial Design)	After (Improved Design)
Form Validation	No validation — empty fields allowed	Validation added — error message shown for incomplete fields
Size Selection	Size options unclear	Added clear size buttons (S, M, L, XL)
Cart Management	No clear remove option	“Remove from Cart” button added
Product Search	No search functionality	Search bar added on home screen
Checkout Feedback	Basic confirmation message	Improved confirmation with order summary

Summary

The usability testing confirmed that the application is:

- Easy to learn
- Efficient to use
- Suitable for both basic and advanced smartphone users

Iterative improvements significantly enhanced user experience by addressing minor usability issues and aligning the app with user expectations.

CHAPTER 12: CONCLUSION & FUTURE SCOPE

Advantages of the Project

12.1.1 User-Centred Design Approach:

The Women’s Wardrobe Android Application was developed using a user-centred design methodology, incorporating user research, empathy mapping, and persona development. This ensured that the app is intuitive, easy to use, and aligned with real user shopping behaviors and expectations.

12.1.2 Mobile Accessibility:

As an Android application, the system allows users to shop anytime and anywhere using their smartphones. This provides greater convenience compared to traditional shopping methods and even web-based platforms.

12.1.3 Simple and Structured Navigation:

The application follows a clear and logical flow from category selection → product browsing → cart → checkout. This structured navigation minimizes confusion and helps users complete purchases quickly.

12.1.4 Consistent Design System:

A well-defined design system ensures uniformity in colors, typography, spacing, and UI components across all screens. This creates a visually appealing and professional user experience.

12.1.5 Quick Checkout Experience:

The app provides a fast and simplified checkout process without mandatory login, reducing friction and improving conversion rates.

12.1.6 Lightweight and Cost-Effective Development:

The application is built using Android-native technologies (XML, Java/Kotlin), making it efficient, scalable, and cost-effective for development and deployment.

12.2 Limitations of the Project

12.2.1 Limited Data Persistence:

If not integrated with a backend, product and order data may not be stored permanently, limiting real-world usability.

12.2.2 No User Authentication:

The current system may not include secure login or user account management, which limits personalization and order tracking features.

12.2.3 Limited Product Catalog:

The application currently includes a limited number of product categories and items. A real-world system would require a much larger and dynamic inventory.

12.2.4 Basic Input Validation:

The checkout form may lack advanced validation for fields such as phone number, address, and payment details.

12.2.5 No Payment Gateway Integration:

The system may not support real-time online payments, limiting it to basic order placement functionality.

12.2.6 No Notification System:

The app does not include push notifications for order confirmation, delivery updates, or promotional offers.

12.3 Future Enhancements

12.3.1 Backend Integration:

Integration with backend technologies such as Node.js or Django along with databases like MySQL or MongoDB would enable secure data storage and management.

12.3.2 User Authentication and Personalization:

Adding login/signup functionality would allow users to track orders, save preferences, and receive personalized recommendations.

12.3.3 AI-Based Recommendation System:

An intelligent recommendation engine could suggest products based on user preferences, browsing history, and trends, improving user engagement.

12.3.4 Payment Gateway Integration:

Integration with payment systems such as Razorpay or PayPal would enable secure online transactions.

12.3.5 Push Notification System:

Using services like Firebase Cloud Messaging to send order updates, offers, and reminders to users.

12.3.6 Advanced Search & Filters:

Adding search functionality with filters (price, size, category) to improve product discovery.

12.3.7 Cross-Platform Development:

Developing the app using frameworks like Flutter or React Native to support both Android and iOS platforms.

12.3.8 Order Tracking System:

Providing real-time tracking of orders to improve transparency and user satisfaction.

Summary

The Women's Wardrobe Android Application successfully delivers a **simple, user-friendly, and efficient mobile shopping experience**. While the current version demonstrates strong design and usability principles, future enhancements can transform it into a fully scalable and production-ready e-commerce platform.

CHAPTER 13: REFERENCE

PRACTO :

Link: <https://www.practo.com/>

CHAPTER 14: APPENDICES

Appendix A — Additional Screens

This appendix presents additional screen designs and interface elements of the Women's Wardrobe Android Application that complement the primary screens discussed earlier.

The core application includes the following primary screens:

- Home Screen
- Category Selection Screen
- Product Listing Screen
- Product Detail Screen
- Cart & Checkout Screen
- Order Confirmation Screen

These screens collectively support the complete user journey from product discovery to purchase.

Future versions of the application may include additional screens such as:

- User Profile Screen
- Order History Screen
- Wishlist Screen
- Admin Dashboard for product management

Appendix B — Additional Wireframes

The wireframing process for the Women's Wardrobe Android Application was carried out in two stages, as described in earlier chapters:

- **Low-Fidelity Wireframes:**
Paper sketches were used to explore layout structure and screen flow without focusing on visual design.
- **Mid-Fidelity Wireframes:**
Digital wireframes were created to refine spacing, alignment, and content hierarchy before final implementation.

Key Wireframe Decisions:

- A **clean and minimal home screen** with featured products to reduce clutter
- A **grid-based layout (2-column)** for product listing to optimize mobile viewing
- A **large product image focus** on the product detail screen for better visual appeal
- A **simple checkout form layout** to ensure fast and error-free order placement

These decisions significantly contributed to the app's usability and user-friendly experience.

Appendix C — Survey Questionnaire

The following questionnaire was used during the user research phase to understand shopping behavior and user expectations:

1. How do you usually shop for clothes?
(Options: *Offline stores / Mobile apps / Websites / Social media*)
 2. How satisfied are you with your current shopping method?
(Scale: *1 Very Unsatisfied to 5 Very Satisfied*)
 3. What challenges do you face while shopping online?
(Options: *Too many options / Complicated apps / Slow checkout / Trust issues / Other*)
 4. How important is it for you to view product images and price clearly before purchase?
(Scale: *1 Not Important to 5 Very Important*)
 5. Do you prefer shopping apps that do not require registration?
(Options: *Yes / No / Maybe*)
 6. How important is a quick checkout process for you?
(Scale: *1 Not Important to 5 Very Important*)
 7. Which device do you primarily use for shopping?
(Options: *Smartphone / Laptop / Tablet / Desktop*)
 8. What features would improve your online shopping experience?
(Open-ended response)
-