Intensity Transformation on Image

```
import cv2
import matplotlib.pyplot as plt
image = cv2.imread('Digital_Image_Processing/pout.tif')
plt.imshow(image)
plt.title('Original Image')
```

Image Negative

```
neg = cv2.imread('Digital_Image_Processing/pout.tif',0)
m, n = neg.shape
for x in range(0,m):
    for y in range(0,n):
        neg[x,y] = 255-neg[x,y]
plt.imshow(neg, cmap='gray')
plt.title('Negative Image')
plt.axis('off')
```



```
cv2.imwrite('Digital_Image_Processing/pout_negative.tif',neg)
```

Log Transformation

```
import numpy as np
import cv2
import matplotlib.pyplot as plt
#read the image
image = cv2.imread('Digital_Image_Processing/pout.tif')
#apply log transform
for gamma in [0.1, 0.5, 1.2, 2.2]:
    # apply gamma correction
    gamma_corrected = np.array(255*(image / 255) ** gamma, dtype = 'uint8')
    # display the images
    plt.figure()
    plt.title("Gamma: "+str(gamma))
    plt.imshow(gamma_corrected, cmap='gray')
    plt.axis('off')
    # save the images
    cv2.imwrite('Digital_Image_Processing/pout_gamma_'+str(gamma)+'.tif', gamma_corrected)
```

```
#read the image
log = cv2.imread('Digital_Image_Processing/pout.tif')
# apply log transform
log = np.array(255*log, dtype = 'uint8')
#display the image
plt.figure()
plt.imshow(log, cmap='gray')
plt.title('Log Transformed')
plt.axis('off')
#save the image
cv2.imwrite('Digital_Image_Processing/pout_log.tif', log)
```

Gamma (Power-Law) Transformation

```
import cv2
import matplotlib.pyplot as plt
image = cv2.imread('Digital_Image_Processing/pout.tif')
plt.imshow(image)
plt.title('Original Image')
```

```
import numpy as np
import cv2
import matplotlib.pyplot as plt
#read the image
image = cv2.imread('Digital_Image_Processing/pout.tif')
#apply log transform
for gamma in [0.1, 0.5, 1.2, 2.2]:
    # apply gamma correction
    gamma_corrected = np.array(255*(image / 255) ** gamma, dtype = 'uint8')
    # display the images
    plt.figure()
    plt.title("Gamma: "+str(gamma))
    plt.imshow(gamma_corrected, cmap='gray')
    plt.axis('off')
    # save the images
    cv2.imwrite('Digital_Image_Processing/pout_gamma_'+str(gamma)+'.tif', gamma_corrected)
```

Contrast Stretching

```
import cv2
import matplotlib.pyplot as plt
image = cv2.imread('Digital_Image_Processing/pout.tif')
plt.imshow(image)
plt.title('Original Image')
```

```
import numpy as np
import cv2
import matplotlib.pyplot as plt
#read the image
image = cv2.imread('Digital_Image_Processing/pout.tif')
#apply log transform
for gamma in [0.1, 0.5, 1.2, 2.2]:
    # apply gamma correction
    gamma_corrected = np.array(255*(image / 255) ** gamma, dtype = 'uint8')
    # display the images
    plt.figure()
    plt.title("Gamma: "+str(gamma))
    plt.imshow(gamma_corrected, cmap='gray')
    plt.axis('off')
    # save the images
    cv2.imwrite('Digital_Image_Processing/pout_gamma_'+str(gamma)+'.tif', gamma_corrected)
```

Gray-level slicing with background

```
import cv2
import matplotlib.pyplot as plt
image = cv2.imread('Digital_Image_Processing/pout.tif')
plt.imshow(image)
plt.title('Original Image')
```

```
import numpy as np
import cv2
import matplotlib.pyplot as plt
#read the image
image = cv2.imread('Digital_Image_Processing/pout.tif')
#apply log transform
for gamma in [0.1, 0.5, 1.2, 2.2]:
    # apply gamma correction
    gamma_corrected = np.array(255*(image / 255) ** gamma, dtype = 'uint8')
    # display the images
    plt.figure()
    plt.title("Gamma: "+str(gamma))
    plt.imshow(gamma_corrected, cmap='gray')
    plt.axis('off')
    # save the images
    cv2.imwrite('Digital_Image_Processing/pout_gamma_'+str(gamma)+'.tif', gamma_corrected)
```

Gray-level slicing without background

```
import cv2
import matplotlib.pyplot as plt
image = cv2.imread('Digital_Image_Processing/pout.tif')
plt.imshow(image)
plt.title('Original Image')
```



```
import numpy as np
import cv2
import matplotlib.pyplot as plt
#read the image
image = cv2.imread('Digital_Image_Processing/pout.tif')
#apply log transform
for gamma in [0.1, 0.5, 1.2, 2.2]:
    # apply gamma correction
    gamma_corrected = np.array(255*(image / 255) ** gamma, dtype = 'uint8')
    # display the images
    plt.figure()
    plt.title("Gamma: "+str(gamma))
    plt.imshow(gamma_corrected, cmap='gray')
    plt.axis('off')
    # save the images
    cv2.imwrite('Digital_Image_Processing/pout_gamma_'+str(gamma)+'.tif', gamma_corrected)
```



Bit-plane slicing

```
import cv2
import matplotlib.pyplot as plt
image = cv2.imread('Digital_Image_Processing/bit_plane_slicing.tif')
plt.imshow(image)
plt.title('Original Image')
```



```
import numpy as np
import cv2
import matplotlib.pyplot as plt
#read the image
image = cv2.imread('Digital_Image_Processing/bit_plane_slicing.tif')
#apply log transform
for gamma in [0.1, 0.5, 1.2, 2.2]:
    # apply gamma correction
    gamma_corrected = np.array(255*(image / 255) ** gamma, dtype = 'uint8')
    # display the images
    plt.figure()
    plt.title("Gamma: "+str(gamma))
    plt.imshow(gamma_corrected, cmap='gray')
    plt.axis('off')
    # save the images
    cv2.imwrite('Digital_Image_Processing/pout_gamma_'+str(gamma)+'.tif', gamma_corrected)
```



```
import cv2
import matplotlib.pyplot as plt
image = cv2.imread('Digital_Image_Processing/bit_plane_slicing.tif')
plt.imshow(image)
plt.title('Original Image')
```



```
import numpy as np
import cv2
import matplotlib.pyplot as plt
#read the image
image = cv2.imread('Digital_Image_Processing/bit_plane_slicing.tif')
#apply log transform
for gamma in [0.1, 0.5, 1.2, 2.2]:
    # apply gamma correction
    gamma_corrected = np.array(255*(image / 255) ** gamma, dtype = 'uint8')
    # display the images
    plt.figure()
    plt.title("Gamma: "+str(gamma))
    plt.imshow(gamma_corrected, cmap='gray')
    plt.axis('off')
    # save the images
    cv2.imwrite('Digital_Image_Processing/pout_gamma_'+str(gamma)+'.tif', gamma_corrected)
```


Contrast Stretching(Piecewise linear transformation)

```
img = cv2.imread('Digital_Image_Processing/bit_plane_slicing.tif')
m, n = img.shape
plt.figure(figsize=(5,5))
plt.imshow(img, cmap='gray')
plt.axis('off')
plt.show()
```



```
r1 = 70
s1 = 0
r2 = 140
s2 = 255
# Vectorized piecewise function
pixelVal_vec = np.vectorize(pixelVal)
contrast = pixelVal_vec(img, r1, s1, r2, s2)
plt.figure(figsize=(5,5))
plt.imshow(contrast, cmap='gray')
plt.axis('off')
plt.show()
```



```
def pixelVal(pix, r1, s1, r2, s2):
    if (0 <= pix and pix <= r1):
        return (s1 / r1)*pix
    elif (r1 < pix and pix <= r2):
        return ((s2 - s1)/(r2 - r1)) * (pix - r1) + s1
    else:
        return ((255 - s2)/(255 - r2)) * (pix - r2) + s2
```



```
# Vectorized piecewise function
pixelVal_vec = np.vectorize(pixelVal)
contrast = pixelVal_vec(img, r1, s1, r2, s2)
plt.figure(figsize=(5,5))
plt.imshow(contrast, cmap='gray')
plt.axis('off')
plt.show()
```



```
r1 = 70
s1 = 0
r2 = 140
s2 = 255
# Vectorized piecewise function
pixelVal_vec = np.vectorize(pixelVal)
contrast = pixelVal_vec(img, r1, s1, r2, s2)
plt.figure(figsize=(5,5))
plt.imshow(contrast, cmap='gray')
plt.axis('off')
plt.show()
```


Histogram Matching

```
img = cv2.imread('Digital_Image_Processing/pout.tif')
plt.figure(figsize=(5,5))
plt.imshow(img, cmap='gray')
plt.axis('off')
plt.show()
```



```
def histogram_matching(old, new):
    s_values, bin_idx, s_counts = np.unique(old, return_inverse=True, return_counts=True)
    t_values, t_counts = np.unique(new, return_counts=True)
    s_quantiles = np.cumsum(s_counts).astype(np.float64)
    s_quantiles /= s_quantiles[-1]
    t_quantiles = np.cumsum(t_counts).astype(np.float64)
    t_quantiles /= t_quantiles[-1]
    interp_t_values = np.interp(s_quantiles, t_quantiles, t_values)
    return interp_t_values[bin_idx].reshape(old.shape)
```

```
new = cv2.imread('Digital_Image_Processing/histogram_matching_new.tif')
plt.figure(figsize=(5,5))
plt.imshow(new, cmap='gray')
plt.axis('off')
plt.show()
```


Histogram Matching(Piecewise linear transformation)

```
img = cv2.imread('Digital_Image_Processing/bit_plane_slicing.tif')
m, n = img.shape
plt.figure(figsize=(5,5))
plt.imshow(img, cmap='gray')
plt.axis('off')
plt.show()
```



```
r1 = 70
s1 = 0
r2 = 140
s2 = 255
# Vectorized piecewise function
pixelVal_vec = np.vectorize(pixelVal)
contrast = pixelVal_vec(img, r1, s1, r2, s2)
plt.figure(figsize=(5,5))
plt.imshow(contrast, cmap='gray')
plt.axis('off')
plt.show()
```



```
def pixelVal(pix, r1, s1, r2, s2):
    if (0 <= pix and pix <= r1):
        return (s1 / r1)*pix
    elif (r1 < pix and pix <= r2):
        return ((s2 - s1)/(r2 - r1)) * (pix - r1) + s1
    else:
        return ((255 - s2)/(255 - r2)) * (pix - r2) + s2
```



```
# Vectorized piecewise function
pixelVal_vec = np.vectorize(pixelVal)
contrast = pixelVal_vec(img, r1, s1, r2, s2)
plt.figure(figsize=(5,5))
plt.imshow(contrast, cmap='gray')
plt.axis('off')
plt.show()
```



```
r1 = 70
s1 = 0
r2 = 140
s2 = 255
# Vectorized piecewise function
pixelVal_vec = np.vectorize(pixelVal)
contrast = pixelVal_vec(img, r1, s1, r2, s2)
plt.figure(figsize=(5,5))
plt.imshow(contrast, cmap='gray')
plt.axis('off')
plt.show()
```


Contrast Stretching(Piecewise linear transformation)

```
img = cv2.imread('Digital_Image_Processing/bit_plane_slicing.tif')
m, n = img.shape
plt.figure(figsize=(5,5))
plt.imshow(img, cmap='gray')
plt.axis('off')
plt.show()
```



```
r1 = 70
s1 = 0
r2 = 140
s2 = 255
# Vectorized piecewise function
pixelVal_vec = np.vectorize(pixelVal)
contrast = pixelVal_vec(img, r1, s1, r2, s2)
plt.figure(figsize=(5,5))
plt.imshow(contrast, cmap='gray')
plt.axis('off')
plt.show()
```



```
def pixelVal(pix, r1, s1, r2, s2):
    if (0 <= pix and pix <= r1):
        return (s1 / r1)*pix
    elif (r1 < pix and pix <= r2):
        return ((s2 - s1)/(r2 - r1)) * (pix - r1) + s1
    else:
        return ((255 - s2)/(255 - r2)) * (pix - r2) + s2
```



```
# Vectorized piecewise function
pixelVal_vec = np.vectorize(pixelVal)
contrast = pixelVal_vec(img, r1, s1, r2, s2)
plt.figure(figsize=(5,5))
plt.imshow(contrast, cmap='gray')
plt.axis('off')
plt.show()
```



```
r1 = 70
s1 = 0
r2 = 140
s2 = 255
# Vectorized piecewise function
pixelVal_vec = np.vectorize(pixelVal)
contrast = pixelVal_vec(img, r1, s1, r2, s2)
plt.figure(figsize=(5,5))
plt.imshow(contrast, cmap='gray')
plt.axis('off')
plt.show()
```


Histogram Matching

```
img = cv2.imread('Digital_Image_Processing/pout.tif')
plt.figure(figsize=(5,5))
plt.imshow(img, cmap='gray')
plt.axis('off')
plt.show()
```



```
def histogram_matching(old, new):
    s_values, bin_idx, s_counts = np.unique(old, return_inverse=True, return_counts=True)
    t_values, t_counts = np.unique(new, return_counts=True)
    s_quantiles = np.cumsum(s_counts).astype(np.float64)
    s_quantiles /= s_quantiles[-1]
    t_quantiles = np.cumsum(t_counts).astype(np.float64)
    t_quantiles /= t_quantiles[-1]
    interp_t_values = np.interp(s_quantiles, t_quantiles, t_values)
    return interp_t_values[bin_idx].reshape(old.shape)
```

```
new = cv2.imread('Digital_Image_Processing/histogram_matching_new.tif')
plt.figure(figsize=(5,5))
plt.imshow(new, cmap='gray')
plt.axis('off')
plt.show()
```



```
matched = histogram_matching(img, new)
plt.figure(figsize=(5,5))
plt.imshow(matched, cmap='gray')
plt.axis('off')
plt.show()
```


Histogram Matching

```
img = cv2.imread('Digital_Image_Processing/pout.tif')
plt.figure(figsize=(5,5))
plt.imshow(img, cmap='gray')
plt.axis('off')
plt.show()
```



```
def histogram_matching(old, new):
    s_values, bin_idx, s_counts = np.unique(old, return_inverse=True, return_counts=True)
    t_values, t_counts = np.unique(new, return_counts=True)
    s_quantiles = np.cumsum(s_counts).astype(np.float64)
    s_quantiles /= s_quantiles[-1]
    t_quantiles = np.cumsum(t_counts).astype(np.float64)
    t_quantiles /= t_quantiles[-1]
    interp_t_values = np.interp(s_quantiles, t_quantiles, t_values)
    return interp_t_values[bin_idx].reshape(old.shape)
```

```
new = cv2.imread('Digital_Image_Processing/histogram_matching_new.tif')
plt.figure(figsize=(5,5))
plt.imshow(new, cmap='gray')
plt.axis('off')
plt.show()
```



```
matched = histogram_matching(img, new)
plt.figure(figsize=(5,5))
plt.imshow(matched, cmap='gray')
plt.axis('off')
plt.show()
```


Histogram Matching

```
img = cv2.imread('Digital_Image_Processing/pout.tif')
plt.figure(figsize=(5,5))
plt.imshow(img, cmap='gray')
plt.axis('off')
plt.show()
```



```
def histogram_matching(old, new):
    s_values, bin_idx, s_counts = np.unique(old, return_inverse=True, return_counts=True)
    t_values, t_counts = np.unique(new, return_counts=True)
    s_quantiles = np.cumsum(s_counts).astype(np.float64)
    s_quantiles /= s_quantiles[-1]
    t_quantiles = np.cumsum(t_counts).astype(np.float64)
    t_quantiles /= t_quantiles[-1]
    interp_t_values = np.interp(s_quantiles, t_quantiles, t_values)
    return interp_t_values[bin_idx].reshape(old.shape)
```

```
new = cv2.imread('Digital_Image_Processing/histogram_matching_new.tif')
plt.figure(figsize=(5,5))
plt.imshow(new, cmap='gray')
plt.axis('off')
plt.show()
```



```
matched = histogram_matching(img, new)
plt.figure(figsize=(5,5))
plt.imshow(matched, cmap='gray')
plt.axis('off')
plt.show()
```


Histogram Matching

```
img = cv2.imread('Digital_Image_Processing/pout.tif')
plt.figure(figsize=(5,5))
plt.imshow(img, cmap='gray')
plt.axis('off')
plt.show()
```



```
def histogram_matching(old, new):
    s_values, bin_idx, s_counts = np.unique(old, return_inverse=True, return_counts=True)
    t_values, t_counts = np.unique(new, return_counts=True)
    s_quantiles = np.cumsum(s_counts).astype(np.float64)
    s_quantiles /= s_quantiles[-1]
    t_quantiles = np.cumsum(t_counts).astype(np.float64)
    t_quantiles /= t_quantiles[-1]
    interp_t_values = np.interp(s_quantiles, t_quantiles, t_values)
    return interp_t_values[bin_idx].reshape(old.shape)
```

```
new = cv2.imread('Digital_Image_Processing/histogram_matching_new.tif')
plt.figure(figsize=(5,5))
plt.imshow(new, cmap='gray')
plt.axis('off')
plt.show()
```



```
matched = histogram_matching(img, new)
plt.figure(figsize=(5,5))
plt.imshow(matched, cmap='gray')
plt.axis('off')
plt.show()
```


Bit Plane 1 (LSB)

Bit Plane 2

Bit Plane 3

Bit Plane 4

Bit Plane 5