II.2317 Cybersecurity (ISEP)

LAB Blockchain (Proof-of-Work)

Part I: Understanding the Bitcoin Header……2

Part 2: Implementation of a PoW……4

GUO Xiaofan

ZHAO Chao

Part I: Understanding the Bitcoin Header











block mined: 21 may 2011, 19:26:31

the number of confirmations: 695 723

Part 2: Implementation of a PoW

```
PS C:\Users\16273\GitHub\ISEP-Documents\2309-2401\Cybersecurity\Practical Work 3\Practical Work - Blockchain\Practical Work - Blockchain\hashbaby.j
ava\src> javac BabyHash.java
PS C:\Users\16273\GitHub\ISEP-Documents\2309-2401\Cybersecurity\Practical Work 3\Practical Work - Blockchain\Practical Work - Blockchain\hashbaby.j
ava\src> java BabyHash
For BabyHash, all input data is converted to lower case
Enter some data for a small hash generation:
3000000000000000000051f5de334085b92ce27c03888c726c9b2bb78069e55aeb6b236b03111580819a1f5dddf37af5769063f055cd9a8167946bfeb3c095be5da144266398540386757
8
The Number of Zeros here is: FFFF
Block Hash is: 000069455d1967afa1ff3d04b986f8683eefd6d5457ac86e2c3b5371f8a7fbfe
Mining time (Execution time) : 2 sec
Number of Calculations: 226150
```

```
Date startTime = new Date();
while(true) {
    String blockData = inputString.concat(Integer.toString(i));
    String hashValue = ComputeSHA_256_as_Hex_String(blockData);

    //if (hashValue.compareTo(babyHash) < 0) {
    if (hashValue.startsWith(babyHash)) {
        System.out.println("Block Hash is: " + hashValue);
        break;
    } else {
        i++;
        //System.out.println("TEST" + i);
        //System.out.println("Block Hash : " + hashValue);
    }
}

//Date now = new Date();//t_end=time1.getTimeInMillis();
//ex_time=now.getTime()-t_begin;
//System.out.println("Mining time (Execution time) : "+ex_time/(1000) +" sec");
Date endTime = new Date();
long executionTime = endTime.getTime() - startTime.getTime();
System.out.println("Mining time (Execution time): " + executionTime/(1000) +" sec, " + executionTime + " ms");
System.out.println("Nonce (Number of Calculations): " + i);
```

```
PS C:\Users\16273\GitHub\ISEP-Documents\2309-2401\Cybersecurity\Practical Work 3\Practical Work - Blockchain\Practical Work - Blockchain\hashbaby.j
ava\src> javac babyhash.java
PS C:\Users\16273\GitHub\ISEP-Documents\2309-2401\Cybersecurity\Practical Work 3\Practical Work - Blockchain\Practical Work - Blockchain\hashbaby.j
ava\src> java babyhash
For BabyHash, all input data is converted to lower case
Enter some data for a small hash generation:
3000000000000000000051f5de334085b92ce27c03888c726c9b2bb78069e55aeb6b236b03111580819a1f5dddf37af5769063f055cd9a8167946bfeb3c095be5da144266398540386757
8
The threshold is: 00
Block Hash is: 0079369711303d00173f55d1685e6f7bb33796a80f98b31ffd9063b469f45a99
Mining time (Execution time): 0 sec, 28 ms
Nonce (Number of Calculations): 104
```

```
PS C:\Users\16273\GitHub\ISEP-Documents\2309-2401\Cybersecurity\Practical Work 3\Practical Work - Blockchain\Practical Work - Blockchain\hashbaby.j
ava\src> javac babyhash.java
PS C:\Users\16273\GitHub\ISEP-Documents\2309-2401\Cybersecurity\Practical Work 3\Practical Work - Blockchain\Practical Work - Blockchain\hashbaby.j
ava\src> java babyhash
For BabyHash, all input data is converted to lower case
Enter some data for a small hash generation:
3000000000000000000051f5de334085b92ce27c03888c726c9b2bb78069e55aeb6b236b03111580819a1f5dddf37af5769063f055cd9a8167946bfeb3c095be5da144266398540386757
8
The threshold is: 000
Block Hash is: 00024fb95e3ab05fa29001cd4f4199bf62069859020299187a080333e56dd2bf
Mining time (Execution time): 0 sec, 80 ms
Nonce (Number of Calculations): 5992
```

```
PS C:\Users\16273\GitHub\ISEP-Documents\2309-2401\Cybersecurity\Practical Work 3\Practical Work - Blockchain\Practical Work - Blockchain\hashbaby.j
ava\src> javac babyhash.java
PS C:\Users\16273\GitHub\ISEP-Documents\2309-2401\Cybersecurity\Practical Work 3\Practical Work - Blockchain\Practical Work - Blockchain\hashbaby.j
ava\src> java babyhash
For BabyHash, all input data is converted to lower case
Enter some data for a small hash generation:
3000000000000000000051f5de334085b92ce27c03888c726c9b2bb78069e55aeb6b236b03111580819a1f5dddf37af5769063f055cd9a8167946bfeb3c095be5da144266398540386757
8
The threshold is: 0000
Block Hash is: 000069455d1967afa1ff3d04b986f8683eefd6d5457ac86e2c3b5371f8a7fbfe
Mining time (Execution time): 0 sec, 138 ms
Nonce (Number of Calculations): 37366
```

```
PS C:\Users\16273\GitHub\ISEP-Documents\2309-2401\Cybersecurity\Practical Work 3\Practical Work - Blockchain\Practical Work - Blockchain\hashbaby.j
ava\src> javac babyhash.java
PS C:\Users\16273\GitHub\ISEP-Documents\2309-2401\Cybersecurity\Practical Work 3\Practical Work - Blockchain\Practical Work - Blockchain\hashbaby.j
ava\src> java babyhash
For BabyHash, all input data is converted to lower case
Enter some data for a small hash generation:
3000000000000000000051f5de334085b92ce27c03888c726c9b2bb78069e55aeb6b236b03111580819a1f5dddf37af5769063f055cd9a8167946bfeb3c095be5da144266398540386757
8
The threshold is: 00000
Block Hash is: 00000f9c12db7e2b90dc6dd72551f4024c9c1ebdc8656fb0ad974acd92a246c5
Mining time (Execution time): 0 sec, 528 ms
Nonce (Number of Calculations): 564643
```

Number of Zeros	Execution Time	Number of calculations
00	28ms	104
000	80ms	5992
0000	138ms	37366
00000	528ms	564643