

## 11月24日培训

任务：使用sql monitor 监控在整个门诊就诊过程sql运行情况。

### 一、点击当日挂号进行挂号操作

情况一：老客户

1 挂号 -> 当日挂号 分两种，一种第一次来，新增

2 填写病人信息后点击 挂号

3 确定收费

此时再看产科-刘伶俐 人数变为2了

情况二：初次就诊，新增病人

4 再进入门诊医生医生工作站，这里是用管理员账号登录，可以看到所有病人。

业务中涉及到的一些表（部分）

1.1 病人主索引 PAT\_MASTER\_INDEX

### 二、数据窗口操作步骤

1 步骤

2 注意点

## 11月24日培训

**任务：使用sql monitor 监控在整个门诊就诊过程sql运行情况。**

### 一、点击当日挂号进行挂号操作

#### 情况一：老客户

##### 1 挂号 -> 当日挂号 分两种，一种第一次来，新增

挂号 -> 当日挂号

Timestamp: 09:08:28.910

```
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'OUTPDOCT'
```

Timestamp: 09:08:28.948

```
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'CREATE_OUTP_MR'
```

Timestamp: 09:08:28.986

```

SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'CARD_NO'
-----

```

Timestamp: 09:08:29.023

```

SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_ACCOUNT'
-----

```

Timestamp: 09:08:29.064

```

SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'REG_MODE'
-----

```

Timestamp: 09:08:29.114

```

select sysdate from dual
-----

```

Timestamp: 09:08:29.146

```

SELECT "CLINIC_FOR_REGIST"."CLINIC_LABEL", "CLINIC_FOR_REGIST"."TIME_DESC",
"CLINIC_FOR_REGIST"."REGISTRATION_LIMITS",
"CLINIC_FOR_REGIST"."APPOINTMENT_LIMITS", "CLINIC_FOR_REGIST"."REGIST_PRICE", 0,
"CLINIC_INDEX"."CLINIC_DEPT",
"CLINIC_INDEX"."DOCTOR", "CLINIC_INDEX"."DOCTOR_TITLE",
"CLINIC_INDEX"."CLINIC_TYPE", "CLINIC_FOR_REGIST"."CURRENT_NO", '号',
'', 0, "CLINIC_INDEX"."INPUT_CODE", "DEPT_DICT"."POSITION",
"CLINIC_INDEX"."CLINIC_POSITION", 0 as aa,
"CLINIC_INDEX"."CLINIC_INDEX" FROM "CLINIC_FOR_REGIST", "CLINIC_INDEX",
"DEPT_DICT" WHERE ( "CLINIC_FOR_REGIST"."CLINIC_LABEL"
= "CLINIC_INDEX"."CLINIC_LABEL" ) and ( "CLINIC_INDEX"."CLINIC_DEPT" =
"DEPT_DICT"."DEPT_CODE" ) and (
CLINIC_FOR_REGIST.CLINIC_DATE = :day1 )
:day1 = '2021/11/25'
-----

```

Timestamp: 09:08:29.186

```

select region_code,region_name from area_to_dict where parent_code=:region_code
:region_code = '100000'
-----

```

Timestamp: 09:08:29.223

```

select region_code,region_name from area_to_dict where parent_code=:region_code
:region_code = '100000'
-----

```

Timestamp: 09:08:29.259

```

select region_code,region_name from area_to_dict where parent_code=:region_code

```

```

:region_code = '100000'
-----
Timestamp: 09:08:29.297
SELECT DISTINCT "CLINIC_TYPE_SETTING"."CLINIC_TYPE",
"CLINIC_TYPE_SETTING"."SERIAL_NO" FROM "CLINIC_TYPE_SETTING"
-----
Timestamp: 09:08:29.325
SELECT  "COMM"."SPECIAL_CLINIC_PRICE"."CLINIC_TYPE" ,
"COMM"."SPECIAL_CLINIC_PRICE"."PRICE" ,           '' as a
FROM "COMM"."SPECIAL_CLINIC_PRICE"
-----
Timestamp: 09:08:29.342
SELECT SPECIAL_REGIST_PRICE.CLINIC_TYPE, SPECIAL_REGIST_PRICE.CHARGE_TYPE,
SPECIAL_REGIST_PRICE.PRICE FROM SPECIAL_REGIST_PRICE
-----
Timestamp: 09:08:29.372
SELECT "COMM"."REGIST_PAY_DICT"."CARD_CODE" ,
"COMM"."REGIST_PAY_DICT"."CARD_NAME" FROM "COMM"."REGIST_PAY_DICT"
-----
Timestamp: 09:08:29.390
SELECT CHARGE_TYPE_DICT.CHARGE_TYPE_CODE, CHARGE_TYPE_DICT.CHARGE_TYPE_NAME,
CHARGE_TYPE_DICT.SERIAL_NO, CLINIC_PRICE.PRICE
FROM CHARGE_TYPE_DICT, CLINIC_PRICE WHERE ( charge_type_dict.charge_type_name =
clinic_price.charge_type (+))
-----
Timestamp: 09:08:29.420
SELECT  "IDENTITY_DICT"."IDENTITY_CODE" ,
"IDENTITY_DICT"."IDENTITY_NAME" ,           "IDENTITY_DICT"."SERIAL_NO"
FROM "IDENTITY_DICT"
-----
Timestamp: 09:08:29.451
SELECT INSURANCE_TYPE_DICT.INSURANCE_TYPE_CODE,
INSURANCE_TYPE_DICT.INSURANCE_TYPE_NAME, INSURANCE_TYPE_DICT.SERIAL_NO FROM
INSURANCE_TYPE_DICT
-----
Timestamp: 09:08:29.481
SELECT  "SEX_DICT"."SEX_CODE" ,           "SEX_DICT"."SEX_NAME" ,
"SEX_DICT"."SERIAL_NO"      FROM "SEX_DICT"
-----
Timestamp: 09:08:29.511
select sysdate from dual
-----
Timestamp: 09:08:29.542
SELECT "CLINIC_FOR_REGIST"."CLINIC_LABEL", "CLINIC_FOR_REGIST"."TIME_DESC",
"CLINIC_FOR_REGIST"."REGISTRATION_LIMITS",
"CLINIC_FOR_REGIST"."APPOINTMENT_LIMITS", "CLINIC_FOR_REGIST"."REGIST_PRICE", 0,
"CLINIC_INDEX"."CLINIC_DEPT",
"CLINIC_INDEX"."DOCTOR", "CLINIC_INDEX"."DOCTOR_TITLE",
"CLINIC_INDEX"."CLINIC_TYPE", "CLINIC_FOR_REGIST"."CURRENT_NO", '号',
'', 0, "CLINIC_INDEX"."INPUT_CODE", "DEPT_DICT"."POSITION",
"CLINIC_INDEX"."CLINIC_POSITION", 0 as aa,
"CLINIC_INDEX"."CLINIC_INDEX" FROM "CLINIC_FOR_REGIST", "CLINIC_INDEX",
"DEPT_DICT" WHERE ( "CLINIC_FOR_REGIST"."CLINIC_LABEL"
= "CLINIC_INDEX"."CLINIC_LABEL" ) and ( "CLINIC_INDEX"."CLINIC_DEPT" =
"DEPT_DICT"."DEPT_CODE" ) and (
CLINIC_FOR_REGIST.CLINIC_DATE = :day1 )
:day1 = '2021/11/25'
-----

```

```

Timestamp: 09:08:29.591
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'FIRST_CLINIC_FLAG'
-----

Timestamp: 09:08:29.638
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'MR_PROVIDE'
-----

Timestamp: 09:08:29.681
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'OTHER_FEE'
-----

Timestamp: 09:08:29.723
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'CREATE_OUTP_MR'
-----

Timestamp: 09:08:29.766
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'CHARGE_TYPE_REG'
-----

Timestamp: 09:08:29.808
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name

```

```

:ls_parmeter_name = 'IDENTITY'
-----
Timestamp: 09:08:29.851
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'CARD_NAME'
-----
Timestamp: 09:08:29.892
SELECT "INSURANCE_COMM_DICT"."ITEM_CODE", "INSURANCE_COMM_DICT"."ITEM_NAME",
"INSURANCE_COMM_DICT"."ITEM_NO" FROM
"INSURANCE_COMM_DICT" where "INSURANCE_COMM_DICT"."ITEM_CLASS" = '险种类型'
-----
Timestamp: 09:08:29.919
SELECT "INSURANCE_COMM_DICT"."ITEM_CODE", "INSURANCE_COMM_DICT"."ITEM_NAME",
"INSURANCE_COMM_DICT"."ITEM_NO" FROM
"INSURANCE_COMM_DICT" where "INSURANCE_COMM_DICT"."ITEM_CLASS" = '险种类型'
-----
Timestamp: 09:08:29.946
SELECT "COMM"."UNIT_IN_CONTRACT"."UNIT_CODE" ,
"COMM"."UNIT_IN_CONTRACT"."UNIT_NAME"      FROM "COMM"."UNIT_IN_CONTRACT"
-----
Timestamp: 09:08:30.027
SELECT DEPT_DICT.SERIAL_NO, DEPT_DICT.DEPT_CODE, DEPT_DICT.DEPT_NAME FROM
DEPT_DICT WHERE (outp_or_inp =0 or outp_or_inp =2)and
clinic_attr =0 UNION SELECT 0, NULL, NULL FROM DUAL
-----
Timestamp: 09:08:30.065
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'USE_INVOICE_FLAG'
-----
Timestamp: 09:08:30.111
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'REGIST_INVOICE_FLAG'

```

其中注意到有段sql

```

Timestamp: 09:08:29.542
SELECT "CLINIC_FOR_REGIST"."CLINIC_LABEL", "CLINIC_FOR_REGIST"."TIME_DESC",
"CLINIC_FOR_REGIST"."REGISTRATION_LIMITS",
"CLINIC_FOR_REGIST"."APPOINTMENT_LIMITS", "CLINIC_FOR_REGIST"."REGIST_PRICE", 0,
"CLINIC_INDEX"."CLINIC_DEPT",
"CLINIC_INDEX"."DOCTOR", "CLINIC_INDEX"."DOCTOR_TITLE",
"CLINIC_INDEX"."CLINIC_TYPE", "CLINIC_FOR_REGIST"."CURRENT_NO", '号',
'', 0, "CLINIC_INDEX"."INPUT_CODE", "DEPT_DICT"."POSITION",
"CLINIC_INDEX"."CLINIC_POSITION", 0 as aa,
"CLINIC_INDEX"."CLINIC_INDEX" FROM "CLINIC_FOR_REGIST", "CLINIC_INDEX",
"DEPT_DICT" WHERE ( "CLINIC_FOR_REGIST"."CLINIC_LABEL"
= "CLINIC_INDEX"."CLINIC_LABEL" ) and ( "CLINIC_INDEX"."CLINIC_DEPT" =
"DEPT_DICT"."DEPT_CODE" ) and (
CLINIC_FOR_REGIST.CLINIC_DATE = :day1 )
:day1 = '2021/11/25'

```

这时查询当日挂号医生。

## 2 填写病人信息后点击 挂号

挂号界面点击挂号 -> 输入病人id

\*\*\*\*\*

-----

Timestamp: 09:20:33.124

```

SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'SET_AGE'

```

-----

Timestamp: 09:20:33.164

```
select sysdate from dual
```

-----

Timestamp: 09:20:33.202

```

select registration_limits , appointment_limits , current_no , registration_num
from clinic_for_regist where clinic_date =:1
and clinic_label =:2 and time_desc =:3
:1 = '2021/11/25'
:2 = '产科-刘伶俐'
:3 = '白天'

```

-----

Timestamp: 09:20:33.244

```

select count ( *) from clinic_master where mode_code ='A' and visit_date =:1 and
clinic_label =:2 and visit_time_desc =:3 and
returned_date is null
:1 = '2021/11/25'
:2 = '产科-刘伶俐'
:3 = '白天'

```

-----

Timestamp: 09:20:33.286

```

select count ( *) from unit_in_contract where unit_name =:1
:1 = ''

```

-----

Timestamp: 09:20:33.321

```

select a.unit_code from unit_in_contract a where a.unit_name =:1
:1 = ''
-----
Timestamp: 09:20:33.400
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_ACCOUNT'
-----
Timestamp: 09:20:33.443
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----
Timestamp: 09:20:33.491
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'REG_PREPAYMENT_FLAG'
-----
Timestamp: 09:20:33.540
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'AUTO_ID_TYPE'
-----
Timestamp: 09:20:33.589
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'AUTO_PID'
-----
Timestamp: 09:20:33.630
select count ( *) from pat_master_index where patient_id =:1
:1 = 'M0000560'
-----
Timestamp: 09:20:33.669

```

```

select patient_id from pat_master_index where patient_id =:1
:1 = 'M0000560'
-----
Timestamp: 09:20:33.711
select sysdate from dual
-----
Timestamp: 09:20:33.742
SELECT TO_CHAR ( SYSDATE , 'yyyymmdd' ) || LPAD ( TO_CHAR (
OUTPBILL.SQ_RCPT_NUMBER.NEXTVAL ) , 6 , '0' ) ,
OUTPBILL.SQ_RCPT_NUMBER.NEXTVAL FROM DUAL
-----
Timestamp: 09:20:33.757
select count ( *) from clinic_master where visit_date =trunc ( sysdate ) and
visit_no =:1
:1 = 394
-----
Timestamp: 09:20:33.814
select clinic_type , clinic_position , clinic_dept , doctor from CLINIC_INDEX
where CLINIC_LABEL =:1
:1 = '产科-刘伶俐'
-----
Timestamp: 09:20:33.853
select id_no , name from staff_dict where user_name =:1
:1 = 'LLL2'
-----
Timestamp: 09:20:33.891
select price_item from clinic_type_setting where charge_item =:1 and clinic_type
=:2
:1 = '诊察费'
:2 = '普通号'
-----
Timestamp: 09:20:33.938
select item_class , item_spec , price from current_price_list where item_code
=:1
:1 = 'def00000126'
-----
Timestamp: 09:20:33.975
select PRICE_COEFF_NUMERATOR , PRICE_COEFF_DENOMINATOR from CHARGE_PRICE_SCHEDULE
where charge_type =:1
:1 = '自费'
-----
Timestamp: 09:20:34.014
select charge_special_indicator from CHARGE_PRICE_SCHEDULE where charge_type =:1
:1 = '自费'
-----
Timestamp: 09:20:34.053
SELECT proportion_numerator , proportion_denominator , free_limit FROM
charge_special_except_dict WHERE charge_type =:1 AND
item_class =:2 AND ( item_code =:3 OR item_code = '*' ) AND ( item_spec =:4 OR
item_spec = '*' )
:1 = '自费'
:2 = 'D'
:3 = 'def00000126'
:4 = '/'
-----
Timestamp: 09:20:34.105
SELECT proportion_numerator , proportion_denominator , free_limit FROM
charge_special_item_dict WHERE charge_type =:1 AND

```



```

item_class =:2 AND ( item_code =:3 OR item_code = '*' ) AND ( item_spec =:4 OR
item_spec = '*' )
:1 = '自费'
:2 = 'D'
:3 = 'def00000126'
:4 = '/'
-----
Timestamp: 09:20:34.171
select calculate_type , calculate_value from clinic_type_charge_dict where
clinic_type =:1 and regist_type =:2 and charge_item
=:3
:1 = '普通号'
:2 = '初诊'
:3 = '诊察费'
-----
Timestamp: 09:20:34.227
SELECT VISIT_NO.NEXTVAL FROM DUAL
-----
Timestamp: 09:20:34.254
select dept_name from dept_dict where dept_code =:1
:1 = '3702'
-----
Timestamp: 09:20:34.285
insert into outpbill.clinic_payments_money ( visit_date , visit_no , payment_no ,
money_type , payment_amount , refunded_amount
) values ( :1 , :2 , 1 , '现金' , :3 , '0' )
:1 = '2021/11/25'
:2 = 954
:3 = '9'
-----
Timestamp: 09:20:34.351
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'USE_INVOICE_FLAG'
-----
Timestamp: 09:20:34.401
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'REGIST_INVOICE_FLAG'
-----
Timestamp: 09:20:34.462
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name

```

```

:ls_parmeter_name = 'NORMAL_REG_PRINT_FLAG'
-----
Timestamp: 09:20:34.504
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'BJYB_REG_PRINT_FLAG'

```

### 3 确定收费

确定收费费用

\*\*\*\*\*

-----  
Timestamp: 09:23:43.488

Select sysdate From dual

-----  
Timestamp: 09:23:43.516

select registration\_limits , appointment\_limits , current\_no , registration\_num  
from clinic\_for\_regist where clinic\_date =:1  
and clinic\_label =:2 and time\_desc =:3

:1 = '2021/11/25'

:2 = '产科-刘伶俐'

:3 = '白天'

-----  
Timestamp: 09:23:43.554

select count ( \*) from clinic\_master where mode\_code ='A' and visit\_date =:1 and  
clinic\_label =:2 and visit\_time\_desc =:3 and  
returned\_date is null

:1 = '2021/11/25'

:2 = '产科-刘伶俐'

:3 = '白天'

-----  
Timestamp: 09:23:43.597

update clinic\_for\_regist set current\_no =:1 + 1 , registration\_num =:2 + 1 where  
clinic\_date =:3 and clinic\_label =:4 and  
time\_desc =:5 and current\_no =:6

:1 = 1

:2 = 0

:3 = '2021/11/25'

:4 = '产科-刘伶俐'

:5 = '白天'

:6 = 1

-----  
Timestamp: 09:23:43.651

select count ( \*) from clinic\_master where mode\_code ='A' and visit\_date =:1 and  
clinic\_label =:2 and visit\_time\_desc =:3 and  
returned\_date is null and serial\_no =:4

:1 = '2021/11/25'

:2 = '产科-刘伶俐'

:3 = '白天'

:4 = 1

-----  
Timestamp: 09:23:43.719

```

Insert Into clinic_master ( VISIT_DATE , VISIT_NO , CLINIC_LABEL ,
VISIT_TIME_DESC , SERIAL_NO , PATIENT_ID , NAME ,
NAME_PHONETIC , SEX , AGE , Identity , CHARGE_TYPE , INSURANCE_TYPE ,
INSURANCE_NO , UNIT_IN_CONTRACT , CLINIC_TYPE ,
FIRST_VISIT_INDICATOR , SYMPTOM , VISIT_DEPT , DOCTOR , MR_PROVIDED_INDICATOR ,
REGISTRATION_STATUS , REGISTERING_DATE ,
REGIST_FEE , CLINIC_FEE , OTHER_FEE , OPERATOR , clinic_charge , mode_code ,
card_name , card_no , pay_way , invoice_no ,
CLINIC_NO , FUND_PAY , tradeno , rcpt_no ) Values ( :1 , :2 , :3 , :4 , :5 , :6 ,
:7 , :8 , :9 , :10 , :11 , :12 , :13 , :14 ,
:15 , :16 , :17 , :18 , :19 , :20 , :21 , 1 , :22 , :23 , :24 , :25 , :26 , :27 ,
'A' , :28 , :29 , :30 , :31 , :32 , :33 , :34
, :35 )
:1 = '2021/11/25'
:2 = 954
:3 = '产科-刘伶俐'
:4 = '白天'
:5 = 1
:6 = 'M0000560'
:7 = '徐诗淳'
:8 = 'XU SHI CHUN'
:9 = '男'
:11 = '一般人员'
:12 = '自费'
:13 = <NULL>
:14 = <NULL>
:15 = ''
:16 = '普通号'
:18 = ''
:19 = '3702'
:20 = 'LLL2'
:22 = '2021/11/25 9:23:43'
:23 = '0.00'
:24 = '9.00'
:25 = '0.00'
:26 = '2586'
:27 = '9.00'
:28 = '现金'
:29 = <NULL>
:30 = '现金'
:31 = ''
:32 = '2021112500394'
:33 = '0'
:34 = ''
:35 = ''

```

```

-----
Timestamp: 09:23:44.052

```

```

Select sysdate From dual

```

```

-----
Timestamp: 09:23:44.093

```

```

select a.mailing_address from pat_master_index a where a.patient_id =:1
:1 = 'M0000560'

```

```

-----
Timestamp: 09:23:44.129

```

```

select a.user_id from users a where a.user_name =:1
:1 = '管理员'

```

```

-----
Timestamp: 09:23:44.183

```

```

SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'REG_PRINT'
-----
Timestamp: 09:23:44.255
select dept_name from dept_dict where dept_code =:1
:1 = '3702'
-----
Timestamp: 09:23:44.967
Successful commit.
-----
Timestamp: 09:23:44.986
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'PRINT_BARCODE'
-----
Timestamp: 09:23:45.036
Successful commit.
-----
Timestamp: 09:23:45.096
select clinic_charge + fund_pay from clinic_master where visit_date =:1 and
visit_no =:2
:1 = '2021/11/25'
:2 = 954
-----
Timestamp: 09:23:52.332
select count ( 1 ) from clinic_error_electronic where rcpt_no =:1 AND visit_date
=:2 AND visit_no =:3
:1 = '2021112500394'
:2 = '2021/11/25'
:3 = 954
-----
Timestamp: 09:23:52.387
insert into clinic_error_electronic ( rcpt_no , is_arrears , arrears_reason ,
visit_date , visit_no ) values ( :1 , 1 , '' , :2
, :3 )
:1 = '2021112500394'
:2 = '2021/11/25'
:3 = 954
-----
Timestamp: 09:23:52.429
Successful commit.
-----
Timestamp: 09:23:53.533
select patient_id , serial_no from clinic_master where visit_date =:1 and
clinic_no =:2
:1 = '2021/11/25'
:2 = '2021112500394'

```

```

-----
Timestamp: 09:23:53.588
select name from pat_master_index where patient_id =:1
:1 = 'M0000560'
-----

Timestamp: 09:23:54.484
select bill_batch_code , bill_no , random from clinic_electronic_bills where
rcpt_no =:1 and clinic_date =:2 and clinic_no =:3
:1 = '2021112500394'
:2 = '2021/11/25'
-----

Timestamp: 09:23:54.534
select count ( 1 ) from insurance_settle_master where settle_rcpt_no =:1
:1 = '2021112500394'
-----

Timestamp: 09:23:54.574
select count ( 1 ) from outp_settle_setlinfo_out where invono =:1
:1 = '2021112500394'
-----

Timestamp: 09:23:54.612
select fund_pay , clinic_charge , clinic_fee , operator from clinic_master where
visit_date =:1 and visit_no =:2
:1 = '2021/11/25'
-----

Timestamp: 09:23:54.647
select sysdate from dual
-----

Timestamp: 09:23:54.677
select bill_qrcode                                from clinic_electronic_bills where
rcpt_no ='2021112500394' and clinic_date
=TO_DATE('25-11-2021','DD-MM-YYYY') and clinic_no =954
-----

Timestamp: 09:23:55.628
select firm from clinic_master where clinic_no =:1
:1 = '2021112500394'
-----

Timestamp: 09:23:55.667
SELECT ' ' rcpt_no,' ' name,' ' patient_id,charge_type,nvl(a.insurance_no,'无')
insurance_no,' ' inp_no, b.dept_name dept_name,' '
serial_no,a.clinic_label,('金额:'||a.clinic_fee),'0' ybzhzf,' ' ybtczf,' ' ybdy, ' '
ybbydz , ' ' ybqtzf,' ' ybzhye,'0' zfje, ' ' zfsm,
'0'zje, ' ' sfqd , '未知' operator, ' ' con_date,' ' bill_batch_code, ' ' bill_no, ' '
random,' ' print_date from clinic_master a,
dept_dict b where a.visit_dept = b.dept_code and visit_date = :ldt_visit_date and
visit_no = :ll_visit_no
:ldt_visit_date = '2021/11/25'
:ll_visit_no = 954
-----

Timestamp: 09:24:07.148
select sysdate from dual
-----

Timestamp: 09:24:07.180
SELECT "CLINIC_FOR_REGIST"."CLINIC_LABEL", "CLINIC_FOR_REGIST"."TIME_DESC",
"CLINIC_FOR_REGIST"."REGISTRATION_LIMITS",
"CLINIC_FOR_REGIST"."APPOINTMENT_LIMITS", "CLINIC_FOR_REGIST"."REGIST_PRICE", 0,
"CLINIC_INDEX"."CLINIC_DEPT",
"CLINIC_INDEX"."DOCTOR", "CLINIC_INDEX"."DOCTOR_TITLE",
"CLINIC_INDEX"."CLINIC_TYPE", "CLINIC_FOR_REGIST"."CURRENT_NO", '号',

```

```

', 0, "CLINIC_INDEX"."INPUT_CODE", "DEPT_DICT"."POSITION",
"CLINIC_INDEX"."CLINIC_POSITION", 0 as aa,
"CLINIC_INDEX"."CLINIC_INDEX" FROM "CLINIC_FOR_REGIST", "CLINIC_INDEX",
"DEPT_DICT" WHERE ( "CLINIC_FOR_REGIST"."CLINIC_LABEL"
= "CLINIC_INDEX"."CLINIC_LABEL" ) and ( "CLINIC_INDEX"."CLINIC_DEPT" =
"DEPT_DICT"."DEPT_CODE" ) and (
CLINIC_FOR_REGIST.CLINIC_DATE = :day1 )
:day1 = '2021/11/25'
-----

Timestamp: 09:24:07.251
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'FIRST_CLINIC_FLAG'
-----

Timestamp: 09:24:07.302
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'MR_PROVIDE'
-----

Timestamp: 09:24:07.351
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'OTHER_FEE'
-----

Timestamp: 09:24:07.398
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'CREATE_OUTP_MR'
-----

Timestamp: 09:24:07.444
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'CHARGE_TYPE_REG'

```

```

-----
Timestamp: 09:24:07.491
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'IDENTITY'
-----

Timestamp: 09:24:07.539
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'CARD_NAME'
-----

Timestamp: 09:24:07.619
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'USE_INVOICE_FLAG'
-----

Timestamp: 09:24:07.666
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'REGIST_INVOICE_FLAG'

```

**此时再看产科-刘伶俐 人数变为2了**

**情况二：初次就诊，新增病人**

```

-----
Timestamp: 09:58:33.301
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name

```

```

:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----
Timestamp: 09:58:33.354
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----
Timestamp: 09:58:33.408
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----
Timestamp: 09:58:33.449
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----
Timestamp: 09:58:33.491
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----
Timestamp: 09:58:33.535
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----
Timestamp: 09:58:33.583
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM

```



```

"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----

Timestamp: 09:58:33.895
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----

Timestamp: 09:58:34.442
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----

Timestamp: 09:58:34.499
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----

Timestamp: 09:58:34.552
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----

Timestamp: 09:58:34.600
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----

Timestamp: 09:58:34.651
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",

```

```

"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----
Timestamp: 09:58:34.707
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----
Timestamp: 09:58:36.524
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----
Timestamp: 09:58:36.574
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----
Timestamp: 09:58:37.153
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----
Timestamp: 09:58:39.035
select
patient_id,name,name_phonetic,sex,date_of_birth,nation,identity,charge_type,mail
ing_address,phone_number_home,id_no from
pat_master_index where name=:name
:name = '陈伟1'
-----
Timestamp: 09:58:40.236
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",

```

```

"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----
Timestamp: 09:58:46.994
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'SET_AGE'
-----
Timestamp: 09:58:47.044
select sysdate from dual
-----
Timestamp: 09:58:47.091
select registration_limits , appointment_limits , current_no , registration_num
from clinic_for_regist where clinic_date =:1
and clinic_label =:2 and time_desc =:3
:1 = '2021/11/25'
:2 = '体检免费'
:3 = '白天'
-----
Timestamp: 09:58:47.152
select count ( *) from clinic_master where mode_code ='A' and visit_date =:1 and
clinic_label =:2 and visit_time_desc =:3 and
returned_date is null
:1 = '2021/11/25'
:2 = '体检免费'
:3 = '白天'
-----
Timestamp: 09:58:47.211
select count ( *) from unit_in_contract where unit_name =:1
:1 = ''
-----
Timestamp: 09:58:47.262
select a.unit_code from unit_in_contract a where a.unit_name =:1
:1 = ''
-----
Timestamp: 09:58:47.351
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_ACCOUNT'
-----
Timestamp: 09:58:47.399
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",

```

```

"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'INSURANCE_CHARGE_TYPE_REG'
-----
Timestamp: 09:58:47.450
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'REG_PREPAYMENT_FLAG'
-----
Timestamp: 09:58:47.498
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'AUTO_ID_TYPE'
-----
Timestamp: 09:58:47.546
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'AUTO_PID'
-----
Timestamp: 09:58:47.586
select ID_START_VALUE , ID_CURRENTLY_VALUE , ID_LENGTH , ID_UPGRADE , ID_SQL from
auto_setting_id where SERIAL_NO =:1
-----
Timestamp: 09:58:47.621
update auto_setting_id set ID_CURRENTLY_VALUE =:1 + 1 where SERIAL_NO =:2
:1 = 44411
-----
Timestamp: 09:58:47.651
Successful commit.
-----
Timestamp: 09:58:47.663
select count ( *) from pat_master_index where patient_id =:1
:1 = 'M0044411'
-----
Timestamp: 09:58:47.704
select patient_id from pat_master_index where patient_id =:1
:1 = 'M0044411'
-----
Timestamp: 09:58:47.733
select a.region_name from area_to_dict a where a.region_code =:1

```

```

:1 = <NULL>
-----
Timestamp: 09:58:47.763
select a.region_name from area_to_dict a where a.region_code =:1
:1 = <NULL>
-----
Timestamp: 09:58:47.792
select a.region_name from area_to_dict a where a.region_code =:1
:1 = <NULL>
-----
Timestamp: 09:58:47.825
Insert into pat_master_index ( patient_id , name , name_phonetic , sex ,
date_of_birth , charge_type , identity , birth_place ,
vip_indicator , create_date , operator , unit_in_contract , PHONE_NUMBER_HOME ,
MAILING_ADDRESS , province , city , county ,
detailed_address , id_no ) values ( :1 , :2 , :3 , :4 , :5 , :6 , :7 , :8 , 0 ,
sysdate , :9 , :10 , :11 , :12 , :13 , :14 ,
:15 , :16 , :17 )
:1 = 'M0044411'
:2 = '陈伟1'
:3 = 'CHEN WEI'
:4 = '男'
:5 = <NULL>
:6 = '自费'
:7 = '一般人员'
:8 = ''
:9 = '管理员'
:10 = ''
:11 = ''
:12 = <NULL>
:13 = <NULL>
:14 = <NULL>
:15 = <NULL>
:16 = <NULL>
:17 = <NULL>
-----
Timestamp: 09:58:47.984
select sysdate from dual
-----
Timestamp: 09:58:48.017
SELECT TO_CHAR ( SYSDATE , 'yyyymmdd' ) || LPAD ( TO_CHAR (
OUTPBILL.SQ_RCPT_NUMBER.NEXTVAL ) , 6 , '0' ) ,
OUTPBILL.SQ_RCPT_NUMBER.NEXTVAL FROM DUAL
-----
Timestamp: 09:58:48.051
select count ( *) from clinic_master where visit_date =trunc ( sysdate ) and
visit_no =:1
:1 = 401
-----
Timestamp: 09:58:48.097
select clinic_type , clinic_position , clinic_dept , doctor from CLINIC_INDEX
where CLINIC_LABEL =:1
:1 = '体检免费'
-----
Timestamp: 09:58:48.142
select id , id_no , name from staff_dict where emp_no =:1
:1 = 'CXY2'
-----

```

```

Timestamp: 09:58:48.173
select price_item from clinic_type_setting where charge_item =:1 and clinic_type
=:2
:1 = '诊察费'
:2 = '免费号'
-----

Timestamp: 09:58:48.237
select item_class , item_spec , price from current_price_list where item_code
=:1
:1 = 'OTHER0002'
-----

Timestamp: 09:58:48.281
select PRICE_COEFF_NUMERATOR , PRICE_COEFF_DENOMINATOR from CHARGE_PRICE_SCHEDULE
where charge_type =:1
:1 = '自费'
-----

Timestamp: 09:58:48.324
select charge_special_indicator from CHARGE_PRICE_SCHEDULE where charge_type =:1
:1 = '自费'
-----

Timestamp: 09:58:48.366
SELECT proportion_numerator , proportion_denominator , free_limit FROM
charge_special_except_dict WHERE charge_type =:1 AND
item_class =:2 AND ( item_code =:3 OR item_code = '*' ) AND ( item_spec =:4 OR
item_spec = '*' )
:1 = '自费'
:2 = 'Z'
:3 = 'OTHER0002'
:4 = '/'
-----

Timestamp: 09:58:48.426
SELECT proportion_numerator , proportion_denominator , free_limit FROM
charge_special_item_dict WHERE charge_type =:1 AND
item_class =:2 AND ( item_code =:3 OR item_code = '*' ) AND ( item_spec =:4 OR
item_spec = '*' )
:1 = '自费'
:2 = 'Z'
:3 = 'OTHER0002'
:4 = '/'
-----

Timestamp: 09:58:48.486
select calculate_type , calculate_value from clinic_type_charge_dict where
clinic_type =:1 and regist_type =:2 and charge_item
=:3
:1 = '免费号'
:2 = '初诊'
:3 = '诊察费'
-----

Timestamp: 09:58:48.546
SELECT VISIT_NO.NEXTVAL FROM DUAL
-----

Timestamp: 09:58:48.580
select dept_name from dept_dict where dept_code =:1
:1 = '29'
-----

Timestamp: 09:58:48.623
insert into outpbill.clinic_payments_money ( visit_date , visit_no , payment_no ,
money_type , payment_amount , refunded_amount

```

```

) values ( :1 , :2 , 1 , '现金' , :3 , '0' )
:1 = '2021/11/25'
:2 = 961
:3 = '0'

-----
Timestamp: 09:58:48.693
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'USE_INVOICE_FLAG'

-----
Timestamp: 09:58:48.743
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'REGIST_INVOICE_FLAG'

-----
Timestamp: 09:58:48.800
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'NORMAL_REG_PRINT_FLAG'

-----
Timestamp: 09:58:48.843
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'BJYB_REG_PRINT_FLAG'
*****

确认收费
*****

-----
Timestamp: 09:59:19.855
Select sysdate From dual

-----
Timestamp: 09:59:19.905
select registration_limits , appointment_limits , current_no , registration_num
from clinic_for_regist where clinic_date =:1
and clinic_label =:2 and time_desc =:3
:1 = '2021/11/25'
:2 = '体检免费'
:3 = '白天'

```

-----  
Timestamp: 09:59:19.962  
select count ( \*) from clinic\_master where mode\_code ='A' and visit\_date =:1 and  
clinic\_label =:2 and visit\_time\_desc =:3 and  
returned\_date is null  
:1 = '2021/11/25'  
:2 = '体检免费'  
:3 = '白天'  
-----

Timestamp: 09:59:20.022  
update clinic\_for\_regist set current\_no =:1 + 1 , registration\_num =:2 + 1 where  
clinic\_date =:3 and clinic\_label =:4 and  
time\_desc =:5 and current\_no =:6  
:1 = 3  
:2 = 2  
:3 = '2021/11/25'  
:4 = '体检免费'  
:5 = '白天'  
:6 = 3  
-----

Timestamp: 09:59:20.098  
select count ( \*) from clinic\_master where mode\_code ='A' and visit\_date =:1 and  
clinic\_label =:2 and visit\_time\_desc =:3 and  
returned\_date is null and serial\_no =:4  
:1 = '2021/11/25'  
:2 = '体检免费'  
:3 = '白天'  
:4 = 3  
-----

Timestamp: 09:59:20.169  
Insert Into clinic\_master ( VISIT\_DATE , VISIT\_NO , CLINIC\_LABEL ,  
VISIT\_TIME\_DESC , SERIAL\_NO , PATIENT\_ID , NAME ,  
NAME\_PHONETIC , SEX , AGE , Identity , CHARGE\_TYPE , INSURANCE\_TYPE ,  
INSURANCE\_NO , UNIT\_IN\_CONTRACT , CLINIC\_TYPE ,  
FIRST\_VISIT\_INDICATOR , SYMPTOM , VISIT\_DEPT , DOCTOR , MR\_PROVIDED\_INDICATOR ,  
REGISTRATION\_STATUS , REGISTERING\_DATE ,  
REGIST\_FEE , CLINIC\_FEE , OTHER\_FEE , OPERATOR , clinic\_charge , mode\_code ,  
card\_name , card\_no , pay\_way , invoice\_no ,  
CLINIC\_NO , FUND\_PAY , tradeno , rcpt\_no ) Values ( :1 , :2 , :3 , :4 , :5 , :6 ,  
:7 , :8 , :9 , :10 , :11 , :12 , :13 , :14 ,  
:15 , :16 , :17 , :18 , :19 , :20 , :21 , 1 , :22 , :23 , :24 , :25 , :26 , :27 ,  
'A' , :28 , :29 , :30 , :31 , :32 , :33 , :34  
, :35 )  
:1 = '2021/11/25'  
:2 = 961  
:3 = '体检免费'  
:4 = '白天'  
:5 = 3  
:6 = 'M0044411'  
:7 = '陈伟1'  
:8 = 'CHEN WEI'  
:9 = '男'  
:10 = <NULL>  
:11 = '一般人员'  
:12 = '自费'  
:13 = <NULL>  
:14 = <NULL>  
:15 = ''



```

:16 = '免费号'
:18 = ''
:19 = '29'
:20 = 'CXY2'
:22 = '2021/11/25 9:59:19'
:23 = '0.00'
:24 = '0.00'
:25 = '0.00'
:26 = '2586'
:27 = '0'
:28 = '现金'
:29 = <NULL>
:30 = '现金'
:31 = ''
:32 = '2021112500401'
:33 = '0'
:34 = ''
:35 = ''

-----
Timestamp: 09:59:20.451
Select sysdate From dual

-----
Timestamp: 09:59:20.490
Select trunc ( MONTHS_BETWEEN ( SYSDATE , "PAT_MASTER_INDEX"."DATE_OF_BIRTH" ) /
12 ) From pat_master_index where patient_id =:1
:1 = 'M0044411'

-----
Timestamp: 09:59:20.538
select a.mailing_address from pat_master_index a where a.patient_id =:1
:1 = 'M0044411'

-----
Timestamp: 09:59:20.580
select a.user_id from users a where a.user_name =:1
:1 = '管理员'

-----
Timestamp: 09:59:20.622
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'REG_PRINT'

-----
Timestamp: 09:59:20.669
select dept_name from dept_dict where dept_code =:1
:1 = '29'

-----
Timestamp: 09:59:20.992
Successful commit.

-----
Timestamp: 09:59:21.014
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM

```

```

"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'PRINT_BARCODE'
-----
Timestamp: 09:59:21.057
Successful commit.
-----
Timestamp: 09:59:21.057
select clinic_charge + fund_pay from clinic_master where visit_date =:1 and
visit_no =:2
:1 = '2021/11/25'
:2 = 961

*****
-----
Timestamp: 09:59:34.657
select sysdate from dual
-----
Timestamp: 09:59:34.693
SELECT "CLINIC_FOR_REGIST"."CLINIC_LABEL", "CLINIC_FOR_REGIST"."TIME_DESC",
"CLINIC_FOR_REGIST"."REGISTRATION_LIMITS",
"CLINIC_FOR_REGIST"."APPOINTMENT_LIMITS", "CLINIC_FOR_REGIST"."REGIST_PRICE", 0,
"CLINIC_INDEX"."CLINIC_DEPT",
"CLINIC_INDEX"."DOCTOR", "CLINIC_INDEX"."DOCTOR_TITLE",
"CLINIC_INDEX"."CLINIC_TYPE", "CLINIC_FOR_REGIST"."CURRENT_NO", '号',
'', 0, "CLINIC_INDEX"."INPUT_CODE", "DEPT_DICT"."POSITION",
"CLINIC_INDEX"."CLINIC_POSITION", 0 as aa,
"CLINIC_INDEX"."CLINIC_INDEX" FROM "CLINIC_FOR_REGIST", "CLINIC_INDEX",
"DEPT_DICT" WHERE ( "CLINIC_FOR_REGIST"."CLINIC_LABEL"
= "CLINIC_INDEX"."CLINIC_LABEL" ) and ( "CLINIC_INDEX"."CLINIC_DEPT" =
"DEPT_DICT"."DEPT_CODE" ) and (
CLINIC_FOR_REGIST.CLINIC_DATE = :day1 )
:day1 = '2021/11/25'
-----
Timestamp: 09:59:34.757
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'FIRST_CLINIC_FLAG'
-----
Timestamp: 09:59:34.808
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'MR_PROVIDE'
-----
Timestamp: 09:59:34.869
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",

```

```

"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'OTHER_FEE'
-----
Timestamp: 09:59:34.922
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'CREATE_OUTP_MR'
-----
Timestamp: 09:59:34.974
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'CHARGE_TYPE_REG'
-----
Timestamp: 09:59:35.041
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'IDENTITY'
-----
Timestamp: 09:59:35.099
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'CARD_NAME'
-----
Timestamp: 09:59:35.207
SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'USE_INVOICE_FLAG'
-----
Timestamp: 09:59:35.277

```

```

SELECT "APP_CONFIGER_PARAMETER"."APP_NAME", "APP_CONFIGER_PARAMETER"."DEPT_CODE",
"APP_CONFIGER_PARAMETER"."EMP_NO",
"APP_CONFIGER_PARAMETER"."PARAMETER_NAME",
"APP_CONFIGER_PARAMETER"."PARAMETER_VALUE", "APP_CONFIGER_PARAMETER"."POSITION"
FROM
"APP_CONFIGER_PARAMETER" WHERE "APP_CONFIGER_PARAMETER"."PARAMETER_NAME" =
:ls_parmeter_name
:ls_parmeter_name = 'REGIST_INVOICE_FLAG'

```

## 4 再进入门诊医生医生工作站，这里是用管理员账号登录，可以看到所有病人。

```

全科 -> 当天病人
*****
-----
Timestamp: 09:38:30.565
select sysdate from dual
-----
Timestamp: 09:38:30.622
SELECT "CLINIC_MASTER"."NAME", "OUTP_WAIT_QUEUE"."QUEUE_NAME",
"OUTP_WAIT_QUEUE"."REGISTER_DEPT",
"OUTP_WAIT_QUEUE"."QUEUE_SEQUENCE", "OUTP_WAIT_QUEUE"."REGISTER_DATE",
"CLINIC_MASTER"."PATIENT_ID",
"CLINIC_MASTER"."CLINIC_TYPE", "CLINIC_MASTER"."VISIT_DATE",
"CLINIC_MASTER"."VISIT_NO", "CLINIC_MASTER"."SERIAL_NO",
"CLINIC_MASTER"."SEX", "OUTP_WAIT_QUEUE"."WORKED_INDICATOR",
"OUTP_WAIT_QUEUE"."DOCTOR", "OUTP_WAIT_QUEUE"."DOCTOR_NO",
"CLINIC_MASTER"."VISIT_DEPT", "DEPT_DICT"."DEPT_NAME",
"OUTP_WAIT_QUEUE"."COUNSEL_NO" FROM "DEPT_DICT" ,
"CLINIC_MASTER", "OUTP_WAIT_QUEUE"
WHERE ( "CLINIC_MASTER"."VISIT_DEPT"= "DEPT_DICT"."DEPT_CODE" (+)) AND (
"CLINIC_MASTER"."VISIT_DATE" =
"OUTP_WAIT_QUEUE"."VISIT_DATE" ) and ( "CLINIC_MASTER"."VISIT_NO" =
"OUTP_WAIT_QUEUE"."VISIT_NO" ) and (
"OUTP_WAIT_QUEUE"."VISIT_DATE" >= :day) and
( "OUTP_WAIT_QUEUE"."REGISTER_DEPT" = :dept_code ) AND (
"OUTP_WAIT_QUEUE"."WORKED_INDICATOR" <> 0 )
:day = '2021/9/26'
:dept_code = '3702'
-----
Timestamp: 09:38:30.788
select sysdate from dual
-----
Timestamp: 09:38:30.839
SELECT DISTINCT "CLINIC_MASTER"."NAME" , "OUTP_WAIT_QUEUE"."QUEUE_NAME",
"OUTP_WAIT_QUEUE"."REGISTER_DEPT", "OUTP_WAIT_QUEUE"."QUEUE_SEQUENCE",
"OUTP_WAIT_QUEUE"."REGISTER_DATE",
"CLINIC_MASTER"."PATIENT_ID", "CLINIC_MASTER"."CLINIC_TYPE",
"CLINIC_MASTER"."VISIT_DATE", "CLINIC_MASTER"."VISIT_NO" ,
"CLINIC_MASTER"."SERIAL_NO",
"CLINIC_MASTER"."VISIT_DEPT",
"CLINIC_MASTER"."SEX" ,
"OUTP_WAIT_QUEUE"."DOCTOR_NO" FROM "CLINIC_MASTER", "OUTP_WAIT_QUEUE"

```

```

WHERE ( "CLINIC_MASTER"."VISIT_DATE" = "OUTP_WAIT_QUEUE"."VISIT_DATE") and (
"CLINIC_MASTER"."VISIT_NO" =
"OUTP_WAIT_QUEUE"."VISIT_NO" ) and ( "OUTP_WAIT_QUEUE"."VISIT_DATE" >= :day) and
( "OUTP_WAIT_QUEUE"."REGISTER_DEPT" = :dept_code ) AND (
"OUTP_WAIT_QUEUE"."WORKED_INDICATOR" = :worked_indicator )
:day = '2021/9/26'
:dept_code = '3702'
:worked_indicator = 0
-----

```

```

Timestamp: 09:38:30.978
select sysdate from dual
-----

```

```

Timestamp: 09:38:31.015
select sysdate from dual
-----

```

```

Timestamp: 09:38:31.057
SELECT "CLINIC_MASTER"."VISIT_DATE", "CLINIC_MASTER"."VISIT_NO",
"CLINIC_MASTER"."PATIENT_ID", "CLINIC_MASTER"."NAME",
"CLINIC_MASTER"."IDENTITY", "CLINIC_MASTER"."CHARGE_TYPE", "CLINIC_MASTER"."AGE",
"CLINIC_MASTER"."SEX",
"CLINIC_MASTER"."INSURANCE_TYPE", "CLINIC_MASTER"."CLINIC_TYPE",
"DEPT_DICT"."DEPT_NAME", "CLINIC_MASTER"."VISIT_DEPT",
"CLINIC_MASTER"."SERIAL_NO", "CLINIC_MASTER"."REGISTERING_DATE",
"CLINIC_MASTER"."CLINIC_NO", "CLINIC_MASTER"."CLINIC_LABEL",
'' as "card_no", "OUTPDOCT"."OUTP_WAIT_QUEUE"."DOCTOR" FROM "CLINIC_MASTER",
"DEPT_DICT", "OUTPDOCT"."OUTP_WAIT_QUEUE" WHERE (
"CLINIC_MASTER"."VISIT_DEPT" = "DEPT_DICT"."DEPT_CODE" (+)) AND ( (
"CLINIC_MASTER"."VISIT_DATE" = :ad_visit_date ) AND (
"CLINIC_MASTER"."VISIT_NO" = :ai_visit_no ) ) AND ( "CLINIC_MASTER"."VISIT_DATE"
= "OUTPDOCT"."OUTP_WAIT_QUEUE"."VISIT_DATE" )
AND ( "CLINIC_MASTER"."VISIT_NO" = "OUTPDOCT"."OUTP_WAIT_QUEUE"."VISIT_NO" )
:ad_visit_date = '2021/11/25'
:ai_visit_no = 954
-----

```

```

Timestamp: 09:38:31.120
SELECT "PAT_MASTER_INDEX"."PATIENT_ID" , "PAT_MASTER_INDEX"."INP_NO" ,
"PAT_MASTER_INDEX"."NAME" ,
"PAT_MASTER_INDEX"."SEX" , "PAT_MASTER_INDEX"."DATE_OF_BIRTH" ,
"PAT_MASTER_INDEX"."ID_NO" ,
"PAT_MASTER_INDEX"."IDENTITY" , "PAT_MASTER_INDEX"."CHARGE_TYPE" ,
"PAT_MASTER_INDEX"."UNIT_IN_CONTRACT" ,
"PAT_MASTER_INDEX"."MAILING_ADDRESS" ,
"PAT_MASTER_INDEX"."PHONE_NUMBER_HOME" ,
"PAT_MASTER_INDEX"."NEXT_OF_KIN_PHONE" FROM "PAT_MASTER_INDEX" WHERE (
"PAT_MASTER_INDEX"."PATIENT_ID" =
:as_patient_id )
:as_patient_id = 'M0000560'
-----

```

```

Timestamp: 09:38:31.163
select date_of_birth from pat_master_index where patient_id =:1
:1 = 'M0000560'
-----

```

```

Timestamp: 09:38:31.204
select sysdate , round ( months_between ( sysdate , :1 ) , 2 ) from dual
:1 = '2018/1/1'
-----

```

```

Timestamp: 09:38:31.248
select persontype from insurance.insurance_accounts where patient_id =:1

```

```

:1 = 'M0000560'
-----
Timestamp: 09:38:31.282
select count ( *) from official_drug_catalog o where o.charge_type =:1
:1 = '自费'
-----
Timestamp: 09:38:31.327
select date_of_birth from pat_master_index where patient_id =:1
:1 = 'M0000560'
-----
Timestamp: 09:38:31.371
select sysdate , round ( months_between ( sysdate , :1 ) , 2 ) from dual
:1 = '2018/1/1'
-----
Timestamp: 09:38:31.416
SELECT "OUTPDOCT"."PAT_SOMA_CHARACTER"."VISIT_DATE",
"OUTPDOCT"."PAT_SOMA_CHARACTER"."VISIT_NO",
"OUTPDOCT"."PAT_SOMA_CHARACTER"."PATIENT_ID",
"OUTPDOCT"."PAT_SOMA_CHARACTER"."EXAM_DATE",
"OUTPDOCT"."PAT_SOMA_CHARACTER"."WEIGHT",
"OUTPDOCT"."PAT_SOMA_CHARACTER"."STATURE",
"OUTPDOCT"."PAT_SOMA_CHARACTER"."TEMPERATURE",
"OUTPDOCT"."PAT_SOMA_CHARACTER"."BLOODPRESSUREL",
"OUTPDOCT"."PAT_SOMA_CHARACTER"."BLOODPRESSUREH",
"OUTPDOCT"."PAT_SOMA_CHARACTER"."PULSE",
"OUTPDOCT"."PAT_SOMA_CHARACTER"."BREATH_FREQUENCY", 0 "aa",
"OUTPDOCT"."PAT_SOMA_CHARACTER"."FONTANELLE_MEASURE",
"OUTPDOCT"."PAT_SOMA_CHARACTER"."HEAD_CIRCUMFERENCE" FROM
"OUTPDOCT"."PAT_SOMA_CHARACTER" WHERE (
"OUTPDOCT"."PAT_SOMA_CHARACTER"."VISIT_DATE" = :adt_visit_time ) AND (
"OUTPDOCT"."PAT_SOMA_CHARACTER"."VISIT_NO" =
:an_visit_no )
:adt_visit_time = '2021/11/25'
:an_visit_no = 954
-----
Timestamp: 09:38:31.455
select sysdate from dual
-----
Timestamp: 09:38:31.487
select b.external_code from datamappingdetail b where b.mapping_code
='CHARGETYPE_VS_PRESC' and b.internal_code =:1
:1 = '自费'
-----
Timestamp: 09:38:31.521
SELECT '0' del_indicator, "OUTP_TREAT_REC"."VISIT_DATE",
"OUTP_TREAT_REC"."VISIT_NO", "OUTP_TREAT_REC"."SERIAL_NO",
"OUTP_TREAT_REC"."ITEM_NO", "OUTP_TREAT_REC"."ITEM_CLASS",
"OUTP_TREAT_REC"."ITEM_CODE", "OUTP_TREAT_REC"."ITEM_NAME",
"OUTP_TREAT_REC"."ITEM_SPEC", "OUTP_TREAT_REC"."UNITS",
"OUTP_TREAT_REC"."AMOUNT", "OUTP_TREAT_REC"."FREQUENCY",
"OUTP_TREAT_REC"."PERFORMED_BY", "OUTP_TREAT_REC"."COSTS",
"OUTP_TREAT_REC"."CHARGES", "OUTP_TREAT_REC"."CHARGE_INDICATOR",
"OUTP_TREAT_REC"."APPOINT_NO", "OUTP_TREAT_REC"."APPOINT_ITEM_NO",
"OUTP_TREAT_REC"."FREQ_DETAIL",
"OUTPDOCT"."OUTP_ORDERS"."DOCTOR_NO" FROM "OUTP_TREAT_REC",
"OUTPDOCT"."OUTP_ORDERS" WHERE ( "OUTP_TREAT_REC"."VISIT_DATE" =
"OUTPDOCT"."OUTP_ORDERS"."VISIT_DATE" ) and ( "OUTP_TREAT_REC"."VISIT_NO" =
"OUTPDOCT"."OUTP_ORDERS"."VISIT_NO" ) and (

```

```

"OUTP_TREAT_REC"."SERIAL_NO" = "OUTPDOCT"."OUTP_ORDERS"."SERIAL_NO" ) and (
"OUTP_TREAT_REC"."VISIT_DATE" = :ad_visit_date )
AND ( "OUTP_TREAT_REC"."VISIT_NO" = :ai_visit_no )
:ad_visit_date = '2021/11/25'
:ai_visit_no = 954
-----
Timestamp: 09:38:31.567
SELECT "OUTP_ORDERS_COSTS"."PATIENT_ID", "OUTP_ORDERS_COSTS"."VISIT_DATE",
"OUTP_ORDERS_COSTS"."VISIT_NO",
"OUTP_ORDERS_COSTS"."SERIAL_NO", "OUTP_ORDERS_COSTS"."ORDER_CLASS",
"OUTP_ORDERS_COSTS"."ORDER_NO",
"OUTP_ORDERS_COSTS"."ORDER_SUB_NO", "OUTP_ORDERS_COSTS"."ITEM_NO",
"OUTP_ORDERS_COSTS"."ITEM_CLASS",
"OUTP_ORDERS_COSTS"."ITEM_NAME", "OUTP_ORDERS_COSTS"."ITEM_CODE",
"OUTP_ORDERS_COSTS"."ITEM_SPEC", "OUTP_ORDERS_COSTS"."UNITS",
"OUTP_ORDERS_COSTS"."REPETITION", "OUTP_ORDERS_COSTS"."AMOUNT",
"OUTP_ORDERS_COSTS"."ORDERED_BY_DEPT",
"OUTP_ORDERS_COSTS"."ORDERED_BY_DOCTOR", "OUTP_ORDERS_COSTS"."PERFORMED_BY",
"OUTP_ORDERS_COSTS"."CLASS_ON_RCPT",
"OUTP_ORDERS_COSTS"."COSTS", "OUTP_ORDERS_COSTS"."CHARGES",
"OUTP_ORDERS_COSTS"."RCPT_NO", "OUTP_ORDERS_COSTS"."BILL_DESC_NO",
"OUTP_ORDERS_COSTS"."BILL_ITEM_NO", "OUTP_ORDERS_COSTS"."CHARGE_INDICATOR",
"OUTP_ORDERS_COSTS"."CLASS_ON_RECKONING",
"OUTP_ORDERS_COSTS"."SUBJ_CODE", "OUTP_ORDERS_COSTS"."PRICE_QUOTIETY",
"OUTP_ORDERS_COSTS"."ITEM_PRICE",
"OUTP_ORDERS_COSTS"."BILL_DATE", "OUTP_ORDERS_COSTS"."BILL_NO", 1, 1.00 as
"RELATION_AMOUNT", 1 as "aa", 0 as "presc_no", 0 as
"dosage", '0' as "dosage_units", '0' as "frequency", '0' as "administration", '0'
as "freq_detail" FROM "OUTP_ORDERS_COSTS"
WHERE ( "OUTP_ORDERS_COSTS"."VISIT_DATE" = :adt_visit_date ) AND (
"OUTP_ORDERS_COSTS"."VISIT_NO" = :ai_visit_no ) AND (
"OUTP_ORDERS_COSTS"."ORDER_CLASS" > 'A' or "OUTP_ORDERS_COSTS"."ORDER_CLASS" <
'A' ) AND ( "OUTP_ORDERS_COSTS"."ORDER_CLASS" >
'B' or "OUTP_ORDERS_COSTS"."ORDER_CLASS" < 'B' )
:adt_visit_date = '2021/11/25'
:ai_visit_no = 954
-----
Timestamp: 09:38:31.611
SELECT max("OUTP_PRESC"."VISIT_DATE" ) VISIT_DATE, "OUTP_PRESC"."VISIT_NO",
"OUTP_PRESC"."SERIAL_NO", "OUTP_PRESC"."PRESC_NO",
"OUTP_PRESC"."ITEM_CLASS", "OUTP_PRESC"."CHARGE_INDICATOR",
"OUTP_PRESC"."DISPENSARY", "CLINIC_MASTER"."PATIENT_ID",
"OUTP_ORDERS"."YBBZ", "OUTP_PRESC"."PRESC_ATTR" FROM "OUTP_PRESC",
"CLINIC_MASTER", "OUTP_ORDERS" WHERE (
"OUTP_PRESC"."VISIT_DATE" = "CLINIC_MASTER"."VISIT_DATE" ) and (
"OUTP_PRESC"."VISIT_NO" = "CLINIC_MASTER"."VISIT_NO" ) and (
"OUTP_PRESC"."SERIAL_NO" = "OUTP_ORDERS"."SERIAL_NO" ) and (
"CLINIC_MASTER"."VISIT_DATE" = :ad_visit_date ) AND (
"CLINIC_MASTER"."VISIT_NO" = :ai_visit_no ) GROUP BY "OUTP_PRESC"."VISIT_NO",
"OUTP_PRESC"."SERIAL_NO", "OUTP_PRESC"."PRESC_NO",
"OUTP_PRESC"."ITEM_CLASS", "OUTP_PRESC"."CHARGE_INDICATOR",
"OUTP_PRESC"."DISPENSARY", "CLINIC_MASTER"."PATIENT_ID",
"OUTP_PRESC"."PRESC_ATTR" ,
"OUTP_ORDERS"."YBBZ"
:ad_visit_date = '2021/11/25'
:ai_visit_no = 954
-----
Timestamp: 09:38:31.655

```

```

SELECT  "OUTP_ORDERS_COSTS"."VISIT_DATE" ,
"OUTP_ORDERS_COSTS"."VISIT_NO" ,          "OUTP_ORDERS_COSTS"."SERIAL_NO"
,
      "OUTP_ORDERS_COSTS"."ORDER_NO" ,
"OUTP_ORDERS_COSTS"."ORDER_SUB_NO" ,
"OUTP_ORDERS_COSTS"."COSTS" ,          "OUTP_ORDERS_COSTS"."CHARGES" ,
"OUTP_ORDERS_COSTS"."CHARGE_INDICATOR"
FROM "OUTP_ORDERS_COSTS"      WHERE ( "OUTP_ORDERS_COSTS"."VISIT_DATE" =
:adt_visit_date ) and          (
"OUTP_ORDERS_COSTS"."VISIT_NO" = :ai_visit_no ) and          ((
"OUTP_ORDERS_COSTS"."ORDER_CLASS" = 'A' ) or          (
"OUTP_ORDERS_COSTS"."ORDER_CLASS" = 'B' ))
:adt_visit_date = '2021/11/25'
:ai_visit_no = 954
-----

```

Timestamp: 09:38:31.696

```

SELECT max("OUTP_PRESC"."VISIT_DATE" ) VISIT_DATE, "OUTP_PRESC"."VISIT_NO",
"OUTP_PRESC"."SERIAL_NO", "OUTP_PRESC"."PRESC_NO",
"OUTP_PRESC"."ITEM_CLASS", "OUTP_PRESC"."CHARGE_INDICATOR",
"OUTP_PRESC"."DISPENSARY", "CLINIC_MASTER"."PATIENT_ID",
"OUTP_ORDERS"."YBBZ", "OUTP_PRESC"."PRESC_ATTR" FROM "OUTP_PRESC",
"CLINIC_MASTER", "OUTP_ORDERS" WHERE (
"OUTP_PRESC"."VISIT_DATE" = "CLINIC_MASTER"."VISIT_DATE" ) and (
"OUTP_PRESC"."VISIT_NO" = "CLINIC_MASTER"."VISIT_NO" ) and (
"OUTP_PRESC"."SERIAL_NO" = "OUTP_ORDERS"."SERIAL_NO" ) and (
"CLINIC_MASTER"."VISIT_DATE" = :ad_visit_date ) AND (
"CLINIC_MASTER"."VISIT_NO" = :ai_visit_no ) GROUP BY "OUTP_PRESC"."VISIT_NO",
"OUTP_PRESC"."SERIAL_NO", "OUTP_PRESC"."PRESC_NO",
      "OUTP_PRESC"."ITEM_CLASS", "OUTP_PRESC"."CHARGE_INDICATOR",
"OUTP_PRESC"."DISPENSARY", "CLINIC_MASTER"."PATIENT_ID",
"OUTP_PRESC"."PRESC_ATTR" ,
"OUTP_ORDERS"."YBBZ"
:ad_visit_date = '2021/11/25'
:ai_visit_no = 954
-----

```

Timestamp: 09:38:31.741

```

select max ( order_no ) from OUTP_PRESC where visit_date =:1 and visit_no =:2
:1 = '2021/11/25'
:2 = 954
-----

```

Timestamp: 09:38:31.793

```

SELECT "OUTP_MR"."PATIENT_ID", "OUTP_MR"."VISIT_DATE", "OUTP_MR"."VISIT_NO",
"OUTP_MR"."ILLNESS_DESC", "OUTP_MR"."ANAMNESIS",
"OUTP_MR"."FAMILY_ILL", "OUTP_MR"."MARRITAL", "OUTP_MR"."INDIVIDUAL",
"OUTP_MR"."MENSES", "OUTP_MR"."MED_HISTORY",
"OUTP_MR"."BODY_EXAM", "OUTP_MR"."DIAG_DESC", "OUTP_MR"."ADVICE",
"OUTP_MR"."DOCTOR", "OUTP_MR"."ORDINAL",
"OUTP_MR"."OPERATION_RECORD", "OUTP_MR"."MEDICAL_RECORD", "OUTP_MR"."DOCTOR_NO",
"OUTP_MR"."TOOTH", "OUTP_MR"."MEMO",
"OUTP_MR"."CDIAG", "OUTP_MR"."ILLNESS_DATE", "OUTP_MR"."MATERNITY",
"OUTP_MR".flag_birth,flag_infect
FROM "OUTP_MR" WHERE ( "OUTP_MR"."VISIT_DATE" = :ad_visit_date ) AND (
"OUTP_MR"."VISIT_NO" = :ai_visit_no ) AND (
"OUTP_MR"."DOCTOR_NO" = :as_doctor )
:ad_visit_date = '2021/11/25'
:ai_visit_no = 954
:as_doctor = 'FYADMIN'
-----

```

Timestamp: 09:38:31.846



```

select max ( ordinal ) from outp_mr where visit_date =:1 and visit_no =:2
:1 = '2021/11/25'
:2 = 954
-----
Timestamp: 09:38:31.898
select trunc ( sysdate ) - :1 from dual
-----
Timestamp: 09:38:31.931
SELECT "CLINIC_MASTER"."VISIT_DATE", "CLINIC_MASTER"."VISIT_NO",
"CLINIC_MASTER"."PATIENT_ID", "CLINIC_MASTER"."NAME",
"CLINIC_MASTER"."IDENTITY", "CLINIC_MASTER"."CHARGE_TYPE", "CLINIC_MASTER"."AGE",
"CLINIC_MASTER"."SEX",
"CLINIC_MASTER"."INSURANCE_TYPE", "CLINIC_MASTER"."CLINIC_TYPE",
"CLINIC_MASTER"."VISIT_DEPT", "CLINIC_MASTER"."SERIAL_NO",
"CLINIC_MASTER"."REGISTERING_DATE", "CLINIC_MASTER"."CLINIC_NO",
"CLINIC_MASTER"."DOCTOR", decode("COMM"."STAFF_DICT"."NAME",
null, "CLINIC_MASTER"."DOCTOR", "COMM"."STAFF_DICT"."NAME") as "doctor_name" FROM
"CLINIC_MASTER", "COMM"."STAFF_DICT" WHERE (
"CLINIC_MASTER"."DOCTOR" = "COMM"."STAFF_DICT"."USER_NAME"(+) ) and ( (
"CLINIC_MASTER"."VISIT_DATE" >= :adt_visit_date ) AND (
"CLINIC_MASTER"."PATIENT_ID" = :as_patient_id ) AND
"CLINIC_MASTER"."RETURNED_DATE" is null )
:adt_visit_date = '2021/5/29'
:as_patient_id = 'M0000560'
-----
Timestamp: 09:38:31.992
select sysdate from dual
-----
Timestamp: 09:38:32.035
select sysdate from dual
-----
Timestamp: 09:38:32.072
SELECT DISTINCT "EXAM"."EXAM_APPOINTS"."EXAM_CLASS",
"EXAM"."EXAM_APPOINTS"."EXAM_SUB_CLASS",
"EXAM"."EXAM_APPOINTS"."REQ_DATE_TIME", "EXAM"."EXAM_APPOINTS"."SCHEDULED_DATE",
"EXAM"."EXAM_APPOINTS"."REQ_PHYSICIAN",
"EXAM"."EXAM_APPOINTS"."REQ_DEPT", "EXAM"."EXAM_APPOINTS"."NOTICE",
"EXAM"."EXAM_APPOINTS"."EXAM_NO",
"EXAM"."EXAM_APPOINTS"."CLIN_SYMP", "EXAM"."EXAM_APPOINTS"."PHYS_SIGN",
"EXAM"."EXAM_APPOINTS"."RELEVANT_LAB_TEST",
"EXAM"."EXAM_APPOINTS"."RELEVANT_DIAG", "EXAM"."EXAM_APPOINTS"."CLIN_DIAG",
"EXAM"."EXAM_APPOINTS"."PERFORMED_BY",
"EXAM"."EXAM_APPOINTS"."DOCTOR_USER", "MEDREC"."PAT_MASTER_INDEX"."NAME",
"MEDREC"."PAT_MASTER_INDEX"."SEX" FROM "EXAM"."EXAM_APPOINTS",
"MEDREC"."PAT_MASTER_INDEX" WHERE (
"EXAM"."EXAM_APPOINTS"."PATIENT_ID" = "MEDREC"."PAT_MASTER_INDEX"."PATIENT_ID" )
and ( "EXAM"."EXAM_APPOINTS"."SCHEDULED_DATE"
>= sysdate - 1 OR "EXAM"."EXAM_APPOINTS"."SCHEDULED_DATE" is null) AND
"EXAM"."EXAM_APPOINTS"."PATIENT_ID" = :as_patient_id AND
( "EXAM"."EXAM_APPOINTS"."VISIT_ID" is null OR
"EXAM"."EXAM_APPOINTS"."VISIT_ID" = 0)
:as_patient_id = 'M0000560'
-----
Timestamp: 09:38:32.110
select sysdate from dual
-----
Timestamp: 09:38:32.142

```

```

SELECT "LAB_TEST_MASTER"."TEST_NO", "LAB_TEST_MASTER"."TEST_CAUSE",
"LAB_TEST_MASTER"."SPECIMEN",
"LAB_TEST_MASTER"."REQUESTED_DATE_TIME", "LAB_TEST_MASTER"."ORDERING_PROVIDER",
"LAB_TEST_MASTER"."RESULT_STATUS",
"LAB_TEST_MASTER"."BILLING_INDICATOR", "LAB_TEST_MASTER"."RESULTS_RPT_DATE_TIME",
"LAB_TEST_MASTER"."TRANSCRIPTIONIST",
"LAB_TEST_MASTER"."ORDERING_DEPT", "LAB_TEST_ITEMS"."ITEM_NO",
"LAB_TEST_ITEMS"."ITEM_NAME" FROM "LAB_TEST_MASTER",
"LAB_TEST_ITEMS" WHERE ( "LAB_TEST_MASTER"."TEST_NO" = "LAB_TEST_ITEMS"."TEST_NO"
) and ( "LAB_TEST_MASTER"."PATIENT_ID" =
:as_patient_id )
:as_patient_id = 'M0000560'

```

-----

Timestamp: 09:38:32.178

```

SELECT '0' as "del_indicator",
'普通药品' as "toxi_property",
'' as "official_catalog",
"OUTP_PRESC"."VISIT_DATE",
"OUTP_PRESC"."VISIT_NO",
"OUTP_PRESC"."SERIAL_NO",
"OUTP_PRESC"."PRESC_NO",
"OUTP_PRESC"."ITEM_NO",
"OUTP_PRESC"."ITEM_CLASS",
"OUTP_PRESC"."DRUG_CODE",
"OUTP_PRESC"."DRUG_NAME",
"OUTP_PRESC"."DRUG_SPEC",
"OUTP_PRESC"."FIRM_ID",
"OUTP_PRESC"."UNITS",
"OUTP_PRESC"."AMOUNT",
"OUTP_PRESC"."DOSAGE",
"OUTP_PRESC"."DOSAGE_UNITS",
"OUTP_PRESC"."ADMINISTRATION",
"OUTP_PRESC"."FREQUENCY",
"OUTP_PRESC"."PROVIDED_INDICATOR",
"OUTP_PRESC"."COSTS",
"OUTP_PRESC"."CHARGES",
"OUTP_PRESC"."CHARGE_INDICATOR",
"OUTP_PRESC"."DISPENSARY",
"OUTP_PRESC"."REPETITION",
"OUTP_PRESC"."ORDER_NO",
"OUTP_PRESC"."SUB_ORDER_NO",
"OUTP_PRESC"."FREQ_DETAIL",
"OUTP_PRESC"."GETDRUG_FLAG",
"OUTP_PRESC"."PRESC_ATTR",
"OUTP_PRESC"."ABIDANCE",
"OUTP_PRESC"."SKIN_RESULT",
"OUTP_PRESC"."SKIN_FLAG"
FROM "OUTP_PRESC", "CLINIC_MASTER"
WHERE ("OUTP_PRESC"."VISIT_DATE" = "CLINIC_MASTER"."VISIT_DATE")
and ("OUTP_PRESC"."VISIT_NO" = "CLINIC_MASTER"."VISIT_NO")
and ("CLINIC_MASTER"."PATIENT_ID" = :as_patient_id)
and ("CLINIC_MASTER"."VISIT_DATE" >= sysdate - 180)
/* and ("CLINIC_MASTER"."VISIT_DATE" = :ad_visit_date)
AND ("CLINIC_MASTER"."VISIT_NO" = :ai_visit_no) */
:as_patient_id = 'M0000560'

```

-----

Timestamp: 09:38:32.274

```

SELECT "OUTP_TREAT_REC"."VISIT_DATE",

```

```

"OUTP_TREAT_REC"."SERIAL_NO",
"OUTP_TREAT_REC"."ITEM_NO",
"OUTP_TREAT_REC"."ITEM_CLASS",
"OUTP_TREAT_REC"."ITEM_CODE",
"OUTP_TREAT_REC"."ITEM_NAME",
"OUTP_TREAT_REC"."UNITS",
"OUTP_TREAT_REC"."AMOUNT",
"OUTP_TREAT_REC"."PERFORMED_BY",
"OUTP_TREAT_REC"."COSTS",
"OUTP_TREAT_REC"."CHARGES",
"OUTP_TREAT_REC"."CHARGE_INDICATOR",
"OUTP_TREAT_REC"."VISIT_NO",
'0' del_indicator,
"OUTP_TREAT_REC"."FREQUENCY",
"OUTP_TREAT_REC"."ITEM_SPEC",
"OUTP_TREAT_REC"."APPOINT_NO",
"OUTP_TREAT_REC"."APPOINT_ITEM_NO",
"OUTP_TREAT_REC"."FREQ_DETAIL"
FROM "OUTP_TREAT_REC", "CLINIC_MASTER"
WHERE ("OUTP_TREAT_REC"."VISIT_NO" = "CLINIC_MASTER"."VISIT_NO")
and ("OUTP_TREAT_REC"."VISIT_DATE" = "CLINIC_MASTER"."VISIT_DATE")
and ("CLINIC_MASTER"."PATIENT_ID" = :as_patient_id)
and ("CLINIC_MASTER"."VISIT_DATE" >= sysdate - 180)
/* and ("CLINIC_MASTER"."VISIT_DATE" = :ad_visit_date)
   AND ("CLINIC_MASTER"."VISIT_NO" = :ai_visit_no) */
:as_patient_id = 'M0000560'

-----
Timestamp: 09:38:32.344
SELECT "OUTP_CONSULTATION_MASTER"."VISIT_DATE",
"OUTP_CONSULTATION_MASTER"."VISIT_NO",
"OUTP_CONSULTATION_MASTER"."PATIENT_ID" ,
"OUTP_CONSULTATION_MASTER"."CONSULTATION_ID",
"OUTP_CONSULTATION_MASTER"."END_DATE_TIME",
"OUTP_CONSULTATION_MASTER"."CONSULTATION_APPLY_DOCTOR"
FROM "OUTP_CONSULTATION_MASTER" WHERE "OUTP_CONSULTATION_MASTER"."VISIT_DATE" =
:as_visit_date and
"OUTP_CONSULTATION_MASTER"."VISIT_NO" = :as_visit_no
:as_visit_date = '2021/11/25'
:as_visit_no = 954

-----
Timestamp: 09:38:32.386
select sysdate from dual

-----
Timestamp: 09:38:32.423
select sysdate from dual

-----
Timestamp: 09:38:32.506
select date_of_birth from pat_master_index where patient_id =:1
:1 = 'M0000560'


-----
Timestamp: 09:38:32.548
select sysdate , round ( months_between ( sysdate , :1 ) , 2 ) from dual
:1 = '2018/1/1'


```


门诊医生工作站系统----医生:管理员 - [门诊医生工作站: 管理员]


就诊(C) 查询(Q) 设置(M) 退出(X)


初诊病人		已诊病人	
<input checked="" type="checkbox"/> 全科病人	<input checked="" type="checkbox"/> 当天	ID M0044409	就诊序号 959
1	chenwei	免费号	
2	chenwww	免费号	
3	陈伟1	免费号	

 患者信息

 病历

 处置

 处方



病人ID

M0044409

费别


自费

身份证号

家庭地址

单位

提示

 非病人挂号指定医师，不允许设置病人为就诊完毕!

确定

## 业务中涉及到的一些表（部分）

CLINIC\_FOR\_REGIST

### 10.3 门诊号表 CLINIC\_FOR\_REGIST

字段中文名称	字段名	类型	长度	说明
门诊日期	CLINIC_DATE	D		指对应号别就诊开始日期
号别	CLINIC_LABEL	C	16	门诊号别定义中规定的号别，反映门诊种类
门诊时间描述	TIME_DESC	C	8	反映该号别的开放时间，如：上午、下午等，见时间段字典
限号数	REGISTRATION_LIMITS	N	3	若为 0，则不限号
限预约号数	APPOINTMENT_LIMITS	N	3	若为 0，则不限号
当前号	CURRENT_NO	N	3	该号别当前可用号
当日已挂号数	REGISTRATION_NUM	N	3	当日已挂号数，挂号加 1，退号减 1
已预约号数	APPOINTMENT_NUM	N	3	已预约号数，预约加 1
挂号费标准	REGIST_PRICE	N	5,2	

注释：此表为已开放挂号的门诊号表。在允许挂某个日期的门诊号之前，应将该日的号表登记到本表中，一个日期门诊结束后，该日期的号表删除。一个门诊日期的一个号别可以区分不同的时间段分别记录号表。

主键：门诊日期、号别、门诊时间描述。

AREA\_TO\_DICT

area\_to\_dict

clinic\_master

unit\_in\_contract

pat\_master\_index

#### 1.1 病人主索引 PAT\_MASTER\_INDEX

字段中文名称	字段名	类型	长度	说明
病人标识号	PATIENT_ID	C	10	病人唯一标识号，可以由用户赋予具体的含义，如：病案号，门诊号等
住院号	INP_NO	C	10	可选的病人标识，可为空
姓名	NAME	C	20	病人姓名
姓名拼音	NAME_PHONETIC	C	16	病人姓名拼音，大写，字间用一个空格分隔，超长截断
性别	SEX	C	4	男、女、未知，本系统定义，见性别字典
出生日期	DATE_OF_BIRTH	D		
出生地	BIRTH_PLACE	C	6	指定省市县，使用代码，见行政区字典
国籍	CITIZENSHIP	C	2	使用国家代码，见国家及地区字典
民族	NATION	C	10	民族规范名称，见民族字典
身份证号	ID_NO	C	18	
身份	IDENTITY	C	10	由身份登记子系统生成，住院登记子系统在办理入院时更新。使用规范名称，由用户定义，见身份字典
费别	CHARGE_TYPE	C	8	由身份登记子系统生成，住院登记子系统在办理入院时更新。使用规范名称，由用户定义，见费别字典

字段中文名称	字段名	类型	长度	说明
合同单位	UNIT_IN_CONTRACT	C	11	如果病人所在单位为本医院的合同单位或体系单位，则使用代码，否则为空。由身份登记子系统生成，住院登记子系统在办理入院时更新。代码由用户定义，见合同单位记录
通信地址	MAILING_ADDRESS	C	40	指永久通信地址
邮政编码	ZIP_CODE	C	6	对应通信地址的邮政编码
家庭电话号码	PHONE_NUMBER_HOME	C	16	
单位电话号码	PHONE_NUMBER_BUSINESS	C	16	
联系人姓名	NEXT_OF_KIN	C	8	病人的亲属姓名
与联系人关系	RELATIONSHIP	C	2	夫妻、父子等，使用代码，见社会关系字典

字段中文名称	字段名	类型	长度	说明
联系人地址	NEXT_OF_KIN_ADDR	C	40	
联系人邮政编码	NEXT_OF_KIN_ZIP_CODE	C	6	
联系人电话号码	NEXT_OF_KIN_PHONE	C	16	
上次就诊日期	LAST_VISIT_DATE	D	7	由挂号与预约子系统根据就诊记录填写
重要人物标志	VIP_INDICATOR	N	1	1-VIP 0-非VIP
建卡日期	CREATE_DATE	D	7	
操作员	OPERATOR	C	8	最后修改本记录的操作员姓名



字段中文名称	字段名	类型	长度	说明
医疗体系病人标志	SERVICE_AGENCY	C	40	
单位邮编	business_zip_code	C	6	
照片	photo	Long raw		
入院来源	PATIENT_CLASS	C		使用代码，门诊、急诊、转入等，见入院方式字典
学历	degree	C	10	见学历字典
种族	race	C	10	见种族字典
宗教	religion	C	16	见宗教字典
母语	Mother_language	C	16	见语言字典
第二外语	Foreign_language	C	16	所能接受的服务语言,见语言字典
证件类型	ID_type	C	10	见证件类型字典
会员号	Vip_no	C	18	

字段 中文 名称	字段名	类型	长度	说明
英文 名字	e_name	var	100	住院登记、身份登记、主索引录入时增加英文名字。

注释：此表描述所有在院注册的病人的基本信息，被整个医院信息系统所共享。由身份登记子系统录入。

此表信息需长期在线保存，如果使用挂号子系统，则此表的数据增长量与每日的初诊病人数量相一致。如果医院每日门诊量为1000，其中1/4为初诊病人，则每日数据增长量约为250条，每年约为80,000条。

主键：病人标识号。

## 二、数据窗口操作步骤

### 1 步骤

1 新建-->datawindow -->grid 再选择SQL Select (弹出的select tables叉掉)

2 菜单栏选择 Design 的 Conver to SynTax,输入对应的sql语句。例如。这里不用吧保存

```
select * from GOODS_SALES_IN where (id=:id or id is null)
```

3 再在菜单栏选择Design 的 Retrieval Arguments

3501	drug_inventory	商品盘存上传	GOODS_STOCK_UP_IN
3502	drug_inve_change	商品库存变更	GOODS_STOCK_CHANGE_IN
3503	drug_purchase	商品采购	GOODS_BUY_IN
3504	drug_return	商品采购退货	GOODS_PURC_BACK_IN
3505	goods_sale	商品销售	GOODS_SALES_IN
3506	goods_sale_ret	商品销售退货	GOODS_SALES_BACK_IN

```
3 select * from GOODS_BUY_IN where (id=:id or id is null)
```

```
4 select * from GOODS_PURC_BACK_IN where (id=:id or id is null)
```

```
5 select * from GOODS_SALES_IN where (id=:id or id is null)
```

```
6 select * from GOODS_SALES_BACK_IN where (id=:id or id is null)
```

4 return

## 2 注意点

use delete then insert

use update

先删除在插入，注意选择更新列，建议全部选择上，再删除，否则会导致更新时，未选择的字段为空